## CHAPTER V CONCLUSIONS AND RECOMMEDATIONS

## 5.1 Conclusions

The gliding arc discharge is one of promising technologies for converting methane to useful products. The partial oxidation of methane with air was investigated in the present study. A four-stage gliding arc system in series was set up to investigate the effects of stage number, CH<sub>4</sub>/O<sub>2</sub> feed molar ratio, total feed flowrate, frequency, applied voltage and gap distance on partial oxidation of methane to produce synthesis gas as well as C<sub>2</sub> hydrocarbons. With a higher CH<sub>4</sub>/O<sub>2</sub> molar ratio, both CH<sub>4</sub> and O<sub>2</sub> conversions as well as the selectivities of CO and CO<sub>2</sub> increased but the selectivities of C<sub>2</sub>H<sub>2</sub> and C<sub>2</sub>H<sub>6</sub> increased. This is because at a higher CH<sub>4</sub>/ O<sub>2</sub> molar ratio, there are more methane molecules available than oxygen resulting in promoting the dimerization or the oxidative coupling reaction of methane as compared to the partial oxidation reaction. The CH<sub>4</sub> and O<sub>2</sub> conversions decreased with increasing feed flowrate because of decreasing residence time. With a higher frequency, the CH<sub>4</sub> and O<sub>2</sub> conversions decreased since current decreased resulting to having less electrons generated to initiate the reactions. The CH<sub>4</sub> and O<sub>2</sub> conversions increased with increasing voltage since the current is increased leading to increasing the probability of collision between CH<sub>4</sub> and O<sub>2</sub> molecules with electrons. The selectivities of C<sub>2</sub>H<sub>4</sub> and C<sub>2</sub>H<sub>6</sub> decreased with increasing voltage. C<sub>2</sub>H<sub>6</sub> was found as primary products from the oxidative coupling reaction of CH<sub>4</sub>. At a higher voltage or a lower frequency, C<sub>2</sub>H<sub>6</sub> is further dehydrogenated to form C<sub>2</sub>H<sub>4</sub> and then C<sub>2</sub>H<sub>2</sub> or oxidized to form carbon oxides. With increasing gap distance corresponding to increasing residence time, both CH<sub>4</sub> and O<sub>2</sub> conversions as well as CO<sub>2</sub> and C<sub>2</sub>H<sub>2</sub> selectivities increased. For any given residence time, both CH<sub>4</sub> and O<sub>2</sub> conversions increased significantly with increasing stage number while the power consumption decreased. The optimum conditions of the gliding arc system were found at a  $CH_4/\ O_2$  molar ratio of 3/1, a feed flowrate of 150 cm<sup>3</sup>/min and a frequency of 300 Hz for the maximum CH<sub>4</sub> and O<sub>2</sub> conversions and high synthesis gas production with very low power consumption.

## 5.2 Recommendations

The partial oxidation of methane should be studied by using the gliding arc plasma system with catalyst to produce either synthesis gas or  $C_2$  hydrocarbons. Other reaction including steam reforming, carbon dioxide reforming, autothermal reaction and VOCs decomposition should be investigated both with and without catalyst.