



## REFERENCES

Adler-Grachinsky, E. and Langer, A.Z. (1975). Possible role of a  $\beta$ -adrenoceptor in the regulation of noradrenaline release by nerve stimulation through a positive feedback mechanism.  
Br. J. Pharmacol. 65 : 1-10.

Andrews, A.W., Fornwalol, J.A. and Lijinsky, W. (1979). Nitrosation and mutagenicity of some amine drugs. Toxicol. Appl. Pharmacol. 52 : 237-244.

Armendia, P. and Kaumann, A.J. (1967). Inhibition of sympathomimetic effects on the cardiovascular system by 4- (2-isopropylamino-1-hydroxyethyl) methanesulfonanilide hydrochloride (MJ 1999). J. Pharmac. Exp. Ther. 155 : 259-266.

Bartho, L. and Szolcsanyi, J. (1978). Local chemoreflexes of the guinea pig ileum elicited by sensory stimulating agents.  
Acta Physiol. Acad. Sci. Hung. 52 : 200.

Benfey, B.G., Cohen, J., Kunos, G. and Vermes-Kunos, I. (1974). Dissociation of 5-hydroxytryptamine effects on myocardial contractility and cyclic AMP accumulation. Br. J. Pharmac. 50 : 581-585

✓ Black, S.W., Jenkinson, D.H. and Kenakin, T.P. (1980). Antagonism of an indirectly acting agonist : block by propranolol and satolol of the action of tyramine on rat heart. Eur. J. Pharmacol. 65 : 1-10.

Black, J.W. (1973). Speculation about the nature of the antagonism between metiamide and pentagastin, in : Int. Symp. on Histamine H<sub>2</sub>-Receptor Antagonists, eds. C.J. Wood and M.A. Simkins (Smith, Kline and French, Welwyn Garden City, England) pp.219 .

Blinks, J.R. (1967). Evaluation to the cardiac effects of several beta adrenergic blocking agents. Ann. N.Y. Acad. Sci. 139 : 673-685.

Bristow, M., Sherrod, T.R. and Green, R.D. (1970). Analysis of beta-receptor drug interactions in isolated rabbit atrium, aorta, stomach and trachea. J. Pharmacol. Exp. Ther. 171 : 52-61.

Carlsson, A.(1965). Drugs which block the storage of 5-hydroxytryptamine and related amines. In : Handbuch der Exp. Pharmakol. (ed. : V. Erspamer). Springer-Verlag, Berlin-Göttingen-Heidelberg. 19 : 529-592

Chopra, R.N. and Chopra, I.C. (1955). A review of work on Indian Medicinal Plants, Special report series No. 3, pp. 99 and 107. Indian Council of Medical Research, New Delhi.

Chow, C. (1974). The original experience of piperine in treatment of epilepsy. J. Beijing Med. Colledge 4 : 214-216.

Chow, C. (1981). A new antiepileptic drug-antiepilepsirine. an analysis of 270 cases of epilepsy. J. Beijing Med. Collèdge 13 : 1-8.

Costa, O.D.A. (1962). Rev. Brasil. Quim. (Sao Paulo) 54 : 358-362.

(Chemical Abstract 54, 7135 (1963).)

Dart, A.M. Dietz, W., Kubler, W., Schomig, A. and Strasser, R. (1983).

Effects of cocaine and desipramine on the neurally evoked overflow of endogenous noradrenaline from the rat heart.

Br. J Pharmac. 73 : 071-074.

Ebner, F. (1981). The inhibition by (+) - propranolol of the positive inotropic effects of (+) - isoprenaline and (-) - noradrenaline : competitive antagonism and saturable uptake. Naunyn-Schmied.

Arch. Pharmacol. 316 : 96 : 96-107.

✓ Foo, J.W., Jowett, A. and Stafford, A. (1968). The effects of some B-adrenoceptor blocking drugs on the uptake and release of noradrenaline by the heart. Br. J Pharmac. 34 : 141-147.

Forzard, JR. and Mwaluko, G.M.P. (1976). Mechanism of the indirect sympathomimetic effect of 5-hydroxytryptamine on the isolated heart of the rabbit. Br. J Pharmac. 57 : 115-125.

Furchtgott, R.F. (1967). The pharmacological differentiation of adrenergic receptors. Ann. N.Y. Acad. Sci. 139 : 553-570.

Gersdoff, W.A. and Piquett, P.G. (1957). Comparative effects of piperettine in pyrethrum and allethrin mixtures as housefly sprays. Ibid. 50 : 164-6.

Gokhan, N. (1953). Chemorezeptoren Reizstoffe und Blut / Hirn - Scharanke. Arch. Exper. Path. Pharm. 219 : 192-196.

Govier, W.L. (1968). Myocardial alpha adrenergic receptors and their role in the production of a positive inotropic effect by sympathomimetic agents. J Pharmacol. Exp. Ther. 159 : 82-90.

Harville, E.K., Hartzell. A. and Arthur, J.M. (1943). Toxicity of piperine solutions to houseflies (*Musca domestica L.*) Contrib. Boyce Thompson Inst. 13 : 87-91

Higgins. T.J.C., Bailey. P.J. and allsopp, D. (1980). Mechanism of stimulation of cardiac myocytes beating rate by 5 - hydroxytryptamine. Life Sciences 28 : 999-1005.

Higgins, T.J.C., Allsopp, D. and Bailey, P.J. (1981). Mechanism of stimulation of rat cardiac muscle by 5 - hydroxytryptamine. Biochem. Pharmacol. 30 : 2703-2707.

✓ Thamandas., K., Yaksh, T.L., Harty,G., Szolcsanyi J. and Go, V.L.W. (1984). Action of intra thecal capsaicin and its structural analogs on the content and release of spinal substance P selectivity of action and relationship to analgesia. Brain Res. 306 : 215-226.

Kalsner, A. (1980). The effects of (+) - and (-) - propranolol on <sup>3</sup>H-transmitter efflux in guinea pig atria and the presynaptic β-adrenoceptor hypothesis. Br. J. Pharmac. 70 : 491-498.

Kawaguchi, R. Kim, K.G. and Kim, H.K. (1942). Components of the leaves of *Rhododendron fauriae var rufescens*. J Pharm. Soc. Japan. 62 : 4

Kirtikar, K.R. and Basu, B.D. (1944). Indian medicinal plants.  
II and Ed. 3, pp. 2128-2130. Lalit Mohan Basu, 19-Leader  
Road, Allahabad.

Kulshrestha, V.K., Singh, N., Srivastava, R.K. and Kohli, R.P. (1969).

A study of central stimulant effect of *Piper longum*.

Ind. J. Pharmacol. 1 : 8

Kulshrestha, V.K., Singh, N., Srivastava, R.K. Rastogi, S.K. and  
Kohli, R.P. (1971). Analysis of central stimulant activity  
of *Piper longum*. J. Res. Ind. Med. 6 : 17-23.

Lathrop, F.H. and Keirstead, L.G. (1946). Black pepper to control  
the bean weevil. J. Econ. Entomol. 39 : 534.

Lee, E.B., Shin, K.H. and Woo, W.S. (1984). Pharmacological study  
on piperine. Arch. Pharm. Res. 7 : 127-132.

Lewis, Y.S. (1977). Important spices from Southeast Asia : Their  
cultivation and technology. In : 3<sup>rd</sup> Asian Symposium on  
Medicinal Plants and Spices. Columbo, pp. 139-151.

Lijinsky, W., Conrad, E., Van De Bogart, R. (1972 a). Carcinogenic  
nitrosamines formed by drug nitrite interactions. Nature  
(London) 239 : 165-167.

Lijinsky, W. (1976). Health problem associated with nitrites and  
nitrosamines. Arch. Microbiol. 5 : 67-72.

Liu, G.Q., Algeri, S., Ceci, A. Garattini, S., Gobbi, M. and Murai, S.

(1984). Stimulation of serotonin synthesis in rat brain after antiepilepsirine, and antiepileptic piperine derivative. Biochem. Pharmacol. 33 : 3883-3886.

Micevych, P.E., Yaksh, Y.L. and Szolcsanyi, J. (1983). Effect of intrathecal capsaicin analogs on the immuno fluorescence of peptides and serotonin in the dorsal horn in rats. Neuroscience 8 : 123-132.

Nakashima, M. and Hagino, Y. (1972). Evidence for the existence of alpha adrenergic receptor in isolated rat atria. Jap. J Pharmacol. 22 : 227-233.

✓ Paton, W.D.M. and Zaimis, E.J. (1952). The methonium compounds " Pharmacol. Rev. 4 : 219-253.

Pei, Y.Q. and Tao, C. (1974). The anticonvulsant and sedative action of piperine. J. Beijing Med. Colledge 4 : 217-220.

Pei, Y.Q. (1979). A study of central pharmacological action of N-(P-Chlorocinnamoyl)-piperidine and N- (cinnamoyl)-piperine. J. Beijing Med. Colledge 4 : 234-238.

Pei, Y.Q., Yue, W., Cui, J. and Yao, H. (1980). A study of the central pharmacological action of piperine and its derivatives. Yao Hsueh Hsueh Pao 15 : 189-205.

Pei, Y.Q. (1983). A review of pharmacology and clinical use of piperine and its derivatives. Epilepsia 24 : 177-182.

Piyachaturawat, P., Glinsukon, T. and Peugvicha. (1982). Postcoital

antifertility effect of piperine. Contraception 26 : 625-633.

Piyachaturawat, P., Glinsukon, T. and Toskulka, C. (1983). Acute and subacute toxicity of piperine in mice, rats and hamsters. Toxicol. lett. 16 : 351-359.

Richmond, D.R., Angus, J.A., Goodman, A.H. and Cobbin, L.B. (1975). The effect of heart rate on indices of myocardial contractility in dog. Clin. Exp. Pharmacol. Physiol. 2 : 469-479.

Sedvall. G. (1964). Short term effects of reserpine on noradrenaline levels on skeletal muscle. Acta. Physiol. Scand. 62 : 101-108.

Shipley, R.E. and Tilden, J.N. (1959). A pithed rat preparation suitable for assaying pressor substances. Proc. Soc. Exp. Biol. Med. 64 : 453-455.

Singh, N., Kulshrestha, V.K., Srivastava, R.K. and Kohli, R.P. (1973). Studies on the analeptic activity of some *piper longum*. alkaloids. J. Res. Ind. Med. 8 : 1-9.

Sjostrand, N.O. and Swedin, G. (1968). Effect of reserpine on the noradrenaline content of the vas deferens and the seminal vesicle compared with the submaxillary gland the heart of the rat. Acta. Physiol. Scand. 72 : 370-377.

Srinivasan, M.R. and Satyanarayana, M.N. (1981). Effect of black peper *piper longum* and piperine on growth blood constituents and organ weight in rats. Nutr. Rep. Int. 23 : 871-876.

Stecher, P.G. (1960). The Merck index: an encyclopedia of chemicals and drugs. 7 th ed. Rathway : Merck & Co. pp. 823.

Su, H.C.F. (1977). Insecticidal Properties of Black Pepper to Rice Weevils and Cowpea Weevils. J. Econ. Entomol. 70 : 18-21.

Synerholm, M.E. Hartzell, A. and Arthur, J.M. (1945). Derivatives of piperic acid and their toxicity toward houseflies. Contrib. Boyce Thompson Inst. 13 : 433-442.

Szolcsanyi, J. and Janossy, T. (1971). Mechanism of the circulatory and respiratory reflexes evoked by pungent agents. Acta Physiol. Acad. Sci. Hung. 39 : 260.

Szolcsanyi, J. (1983). Tetrodotoxin resistant noncholinergic neurogenic contraction evoked by capsaicinoids and piperine on the guinea pig. Neurosci. lett. 42 : 83-88.

Taylor, P. (1980 b). Ganglionic stimulating and blocking agents. In Goodman and Gilman's the pharmacological basis of therapeutics, (Gilman, A.G., Goodman, L.S. and Gilman, A.eds.) 6<sup>th</sup> ed. pp. 211-219. Macmillan Publishing Co., Inc., New York, U.S.A.

✓ Viehoever, A. and Cohen, I. (1938). Mechanism of action of aphrodisiac and other irritant drugs. I. Physiological evaluation of yohimbine, cantharidine, capsaicin and piperine on Daphnia magna. Amer. J. Pharm. 110 : 226-249.

Wasserman, M.A. and Levy, B. (1972). Selective beta adrenergic

receptor blockade in the rat. J. Pharmacol. Exp. Ther.  
182 : 256-263.

Yamanaka, K., Yamamura, H.I. and Roeske, W.R. (1981). Cardiac  
 $\beta$ -adrenoceptor heterogeneity and regulation. Circulation  
64 : IV-206.

Zhang, X., Li, R. and Cai, M. (1980). Chemical structure  
pharmacological activity relationships in cinnamamides  
and their analogues. J. Beijing Med. Colledge 12 : 83-91.

Zipf, H.F., Miestereck, H. (1953). Intravenose and lokale  
Beeinflussung der afferenten Herznervenimpulse durch  
Lakalanaesthetica. Arch. Exrer. Path. Pharm. 217 : 456-471.

ศูนย์วิทยาศาสตร์พยากรณ์  
จุฬาลงกรณ์มหาวิทยาลัย

## VITA

Miss Unchalee Ukarachata was born on 29<sup>th</sup> January 1962 at Nakhonratchasima. She received her high school certificate from Suranaree Vittaya School, Nakhonratchasima in 1979 and her B.Sc. from Khon Kaen University, Khon Kaen in 1983.



ศูนย์วิทยทรัพยากร  
จุฬาลงกรณ์มหาวิทยาลัย