

## REFERENCES

- Appels, R., C. L. McIntyre, and B. C. Clarke. 1986. Alien chromatin in wheat: ribosomal DNA spacer probes for detecting specific nucleolar organizer region loci introduced into wheat. *Canadian Journal of Genetics and Cytology* 28: 665-672.
- Appels, R., and J. Dvorak. 1982. The wheat ribosomal DNA spacer region: its structure and variation in populations and among species. *Theoretical and Applied Genetics* 63: 337-348.
- Arnheim, N., M. Krystal, R. Schmickel, G. Wilson, O. Ryder, and E. Zimmer. 1980. Molecular evidence for genetic exchanges among ribosomal genes on non-homologous chromosomes in man and apes. *Proceedings of National Academy of Sciences USA* 77: 7323-7327.
- Baldwin, B. G. 1992. Phylogenetic utility of the internal transcribed spacers of nuclear ribosomal DNA in plants: an example from the Compositae. *Molecular Phylogenetics and Evolution* 1: 3-16.
- Baldwin, B. G., M. J. Sanderson, J. M. Porter, M. F. Wojciechowski, C. S. Campbell, and M. J. Donoghue. 1995. The ITS region of nuclear ribosomal DNA: a valuable source of evidence on angiosperm phylogeny. *Annals of the Missouri Botanical Garden* 82: 247-277.
- Bentham, G. 1876. Gesneriaceae. In G. Bentham and J. D. Hooker (eds.) *Genera Plantarum* 2. London, pp. 990-1025.

- Bruneau, A., Forest, F. Herendeen, P. S., Klitgaard, B. B. and Lewis, G. P. 2001. Phylogenetic relationships in the Caesalpinoideae (Leguminosae) as inferred from chloroplast *trnL* intron sequences. **Systematic Botany** 26:487-514.
- Brown, D. D., P. C. Wensink, and E. Jordan. 1972. A comparison of the ribosomal DNAs of *Xenopus laevis* and *Xenopus mulleri*; the evolution of tandem genes. **Journal of Molecular Biology** 63: 57-73.
- Brown, J. W. S., and P. J. Shaw. 1998. Small nucleolar RNAs and pre-rRNA processing in plants. **Plant Cell** 10: 649-657.
- Burtt, B. L. 2001. Studies Flora of Thailand: annotated checklist of Gesneriaceae **Thailand Flora Bulletin (Botany)** 29: 81-109
- Burtt, B. L., and P. J. B. Woods. 1958. Studies in the Gesneriaceae of the Old World XIV: the seedling stages of *Aeschynanthus*. **Notes from the Royal Botanic Garden Edinburgh** 22: 315-317.
- Burtt, B. L., and P. J. B. Woods. 1975. Studies in the Gesneriaceae of the Old World XXXIX: towards a revision of *Aeschynanthus*. **Notes from the Royal Botanic Garden Edinburgh** 33: 417-489.
- Chatterton, N. J., C. Hsiao, K. H. Asay, R. R-C. Wang, and K. B Jensen. 1992a. Nucleotide sequences of the internal transcribed spacer region of rDNA in diploid wheat, *Triticum speltoides* L. (Tausch) Gren. ex Richter (Gramineae). **Plant Molecular Biology** 20: 157-158.

- Chatterton, N. J., C. Hsiao, K. H. Asay, R. R-C. Wang, and K. B Jensen. 1992b.  
 Nucleotide sequences of the internal transcribed spacer region of rDNA in wheat, *Triticum aestivum* L. (Gramineae). **Plant Molecular Biology** 20: 159-160.
- Chatterton, N. J., C. Hsiao, K. H. Asay, R. R-C. Wang, and K. B Jensen. 1992c.  
 Nucleotide sequences of the internal transcribed spacer region of rDNA in mountain rye, *Secale montanum* Guss. (Gramineae). **Plant Molecular Biology** 20: 161-162.
- Chatterton, N. J., C. Hsiao, K. H. Asay, R. R-C. Wang, and K. B Jensen. 1992d.  
 Nucleotide sequences of the internal transcribed spacer region of rDNA in the primitive oat species, *Avena longiglumis* Durieu. (Gramineae). **Plant Molecular Biology** 20: 163-164.
- Chatterton, N. J., C. Hsiao, K. H. Asay, R. R-C. Wang, and K. B Jensen. 1992e  
 Nucleotide sequences of the internal transcribed spacer region of rDNA in barley, *Hordeum vulgare* L. (Gramineae). **Plant Molecular Biology** 20: 165-166.
- Christie, F. , and M. Mendum. 2002. The ontogeny of *Aeschynanthus* seeds a comparative study using scanning electron microscopy. **Botanical Journal of the Linnean Society**. 138 (2):197-207.
- Christopher, B. (ed.). 1996. **The Royal Horticultural Society A-Z Encyclopedia of Garden Plants**. London: Dorling Kindersley.
- Clarke, C. B. 1883. Cyrtandreae. In A. De Candolle and C. De Candolle (eds.) **Monographiae Phanerogamarum** 5(1). Paris, pp. 1-303.

- Clegg, M. T., & G. Zurawski. 1991. Chloroplast DNA and the study of plant phylogeny: present status and future prospects. In P. S. Soltis, D. E. Soltis, and J. J. Doyle (eds). **Molecular Systematics of Plants**. New York. Chapman and Hall, pp. 1-13.
- Clegg, M. T., B. S. Gaut, G. H. Jr. Learn, and B. R. Morton. 1994. Rates and patterns of chloroplast DNA evolution. **Proceedings of National Academic of Science USA** 91: 6795-6801.
- Cubas, P., C. Pardo, and H. Tahiri. 2002. Molecular approach to the phylogeny and systematics of *Cytisus* (Leguminosae) and related genera based on nucleotide sequences of nrDNA (ITS region) and cpDNA (*trnL-trnF* intergenic spacer). **Plant Systematics and Evolution**. 233 (3-4): 223-242.
- Cullings, K., and S. Makhija. 2001. Ectomycorrhizal fungal associates of *Pinus contorta* in soils associated with a hot spring in Norris Geyser basin, Yellowstone Park, Wyoming. **Applied and Environmental Microbiology** 67: 5538-5543.
- Denduangboripant, J., and Q. C. B. Cronk. 2000. High intra-individual variation in ITS sequences in *Aeschynanthus* (Gesneriaceae): implications for phylogenetics. **Proceeding of the Royal Society of London series B** 267: 1407-1415.
- Denduangboripant, J., and Q. C. B. Cronk. 2001. Evolution and alignment of the hypervariable arm 1 of *Aeschynanthus* (Gesneriaceae) ITS2 nuclear ribosomal DNA. **Molecular Phylogenetics and Evolution** 20: 163-172.

- Denduangboripant, J., M. Mendum, and Q. C. B. Cronk. 2001. Evolution in *Aeschynanthus* (Gesneriaceae) inferred from ITS sequences. **Plant Systematics and Evolution** 228: 181-197.
- Don, D. 1822. On two new genera of Nepal plants. **Edinburgh Philosophical Journal** 7: 85-86.
- Dover, G. A. 1982. Molecular drive, a cohesive model of species evolution. **Nature** 299: 111-117.
- Dover, G. A. 1986. Molecular drive in multigene families: how biological novelties arise, spread and are assimilated. **Trends in Genetics** 6: 159-165.
- Doyle, J.J., J. I. Doyle, and J.D. Plamer. 1995. Multiples independent looser of two genes and one intron from legume chloroplast genomes. **Systematic Botany** 20: 272-249.
- Eberle, P. 1956. Cytologische Untersuchungen an Gesneriaceae. I. Mitteilung. Die Struktur der Pachytänchromosomen, sowie eine Reihe neu bestimmter Chromosomenzahlen. **Chromosoma** 8: 285-316.
- Fahima, T., M. Roder, A. Grama, and E. Nevo. 1998. Microsatellite DNA polymorphism divergence in *Triticum dicoccoides* accessions highly resistant to yellow rust. **Theoretical and Applied Genetics** 96:187-195.
- Fahima, T. G. L. Sun, A. Beharav, T. Krugman, A. Beiles, and E. Nevo. 1999. RAPD polymorphism of wild emmer wheat populations, *Triticum dicoccoides*, in Israel. **Theoretical and Applied Genetics** 98: 434-447

- Farris, S.J. 1989. The retention index and the rescaled consistencyindex. **Cladistics** 5: 417–419.
- Federoff, N. V. 1979. On spacers. **Cell**. 16: 697-710.
- Felsenstein, J. 1985. Confidence limits on phylogenies: an approach using the bootstrap. **Evolution** 39, 783-791.
- Fleminger, A., and K. Hulsemann. 1997. Geographical range and taxonomic divergence in North Atlantic calnus (*C. helgolandicus*, *C. fimmerchicus* and *C. glacialis*). **Marine Biology** 40: 233-248
- Fogel, S., and R. K. Mortimer. 1969. Information transfer in meiotic gene conversion. **Proceedings of National Academy of Sciences USA** 62: 96-103.
- Fussell, C. P. 1958. Chromosome numbers in the Gesneriaceae. **Baileya** 6: 117-125.
- Gerbi, S. A. 1985. Evolution of ribosomal DNA. In R. J. McIntyre (ed.), **Molecular Evolutionary Genetics**. New York. Plenum Press, pp. 419-517.
- Gutell, R. R., and G. E. Fox. 1988. A compilation of large subunit RNA sequence presented in a structural format. **Nucleic Acids Research** 16: 175-269.
- Hennig, W. 1966. **Phylogenetic Systematics**. University of Illinois Press, Urbana.
- Hamby, R.K., E.A. Zimmer. 1991. Ribosomal RNA as a phylogenetic tool in plant systematics. In: P. Soltis, D. Soltis, and J.J. Doyle (eds) **Molecular systematics in plants**. New York. Chapman and Hall. pp. 50–91.
- Hadrys, H., M. Balick, and B. Schierwater. 1992. Applications of random amplified polymorphic DNA (RAPD) in molecular ecology. **Molecular Ecology** 1:55–63

- Hassouna, N., B. Michot, and J. P. Bachellerie. 1984. The complete nucleotide sequence of mouse 28S rRNA gene: implications for the process of size increase of the large subunit rRNA in higher eukaryotes. *Nucleic Acids Research* 12: 3563-3583.
- Hellmayr, E. 1989. Chromosomenzählungen an Blütenpflanzen der Malaiischen Halbinsel. 5. **Sterreichischer Botanikertreffen in Innsbruck**. 25-28 Mai, Innsbruck Universität.
- Hillis, D. M., and M. T. Dixon. 1991. Ribosomal DNA: molecular evolution and phylogenetic inference. *The Quarterly Review of Biology* 66: 411-453.
- Hillis, D. M., C. Mortiz, C. A. Porter, and R. J. Baker. 1991. Evidence for biased gene conversion in concerted evolution of ribosomal DNA. *Science* 251: 308-310.
- Hillis, D.M. 1994. Homology in molecular biology. In: B.K. Hall (ed.) **Homology: the Hierarchical Basis of Comparative Biology** Academic press, London, pp 339-368.
- Hoshikawa, Y., Y. Iida, and M. Iwabuchi. 1983. Nucleotide sequence of the transcriptional initiation region of *Dictyostelium discoideum* rRNA gene and comparison of the initiation regions of three lower eukaryote genes. *Nucleic Acids Research* 11: 1752-1734.
- Jong, K. 1997. **Laboratory Manual of Plant Cytological Techniques**. Edinburgh. Royal Botanic Garden Edinburgh.

- Jorgensen, R. A., and P. D. Cluster. 1988. Modes and tempos in the evolution of nuclear ribosomal DNA: new characters for evolutionary studies and new markers for genetic and population studies. *Annals of the Missouri Botanical Garden* 75: 1238-1247.
- Kiehn, M., and A. Weber. 1997. Chromosome numbers of Malayan and other paleotropical Gesneriaceae. II. Tribes *Trichosporeae*, *Cyrtandreae* and *Epithemateae*. *Beitrage zur Biologie der Pflanzen* 70: 445-470.
- Kitching, I.J., P.L. Forey, C.J. Humphries, and D.M. Williams, 1998. *Cladistics* (2nd ed.). Oxford University Press.
- Kluge, A. G. and F. S. Farris. 1969. Quantitative phyletics and the evolution of anurans. *Systematic Zoology* 18: 1-32.
- Huff, D.R., Peakall, R. and P.E. Smouse. 1993. RAPD variation within and among natural populations of outcrossing buffalo grass [*Buchloe dactyloides* (Nutt.) Engelm.] *Theoretical and Applied Genetics* 86: 927-934.
- Isabel, N., J. Beaulieu, and J. Bousquet. 1995. Complete congruence between gene diversity estimates derived from genotypic data at enzyme and random amplified polymorphic DNA loci in black spruce. *Proceeding National Academy Science USA* 92: 6369-6373.
- Lanner-Herrera, C., M. Gustafsson, A.S. Falt, and T. Bryngelsson. 1996. Diversity of wild *Brassica oleracea* as estimated by isozyme and RAPD analysis. *Genetic Resources and Crop Evolution* 43: 13-23.

- Lanyon, S.M. 1985. Detecting internal inconsistencies in distance data. *Systematic Zoology* 34: 397–403.
- Lindeque P. K., R. P. Harris, M. B. Jones and G. R. Smerdon. 1999. Simple molecular method to distinguish the identity of *Calanus* species (Copepoda: Calanoida) at any developmental stage. *Marine Biology* 133: 91–96.
- Lynch, M., and B.G. Milligan. 1994. Analysis of population genetic structure with RAPD markers. *Molecular Ecology* 3: 91-99.
- Long, E. O., and I. B. Dawid. 1980. Repeated genes in eukaryotes. *Annual Review of Biochemistry* 49:727-764.
- Luegmayr, E. 1993. Pollen characters of Old-world Gesneriaceae (Cyrtandroideae) – with special reference to Southeast Asian taxa. *Grana* 32: 221-232.
- Mendum, M. 1995. *Aeschynanthus oxychlamys* Mendum, nom. nov. (Gesneriaceae). *Edinburgh Journal of Botany* 52: 362-363.
- Mendum, M. 1999. Three new species of *Aeschynanthus* (Gesneriaceae). *Edinburgh Journal of Botany*. 56: 265-272.
- Mendum, M., and P. J. B. Woods. 1997. *Aeschynanthus flavidus* (Gesneriaceae), a new species from Sarawak. *Edinburgh Journal of Botany*. 54: 254-257.
- Mendum, M., and D. Madulid. 1995. *Aeschynanthus arctocalyx*, a new species from the Philippines. *Edinburgh Journal of Botany*. 52: 343-345.
- Mendum, M., P. Lassnig, A. Weber, and F. Christie. 2001 Seed testa and seed appendage morphology in *Aeschynanthus* (Gesneriaceae): phytogeographical

- patterns and taxonomic implications. *Botanical Journal of the Linnean Society.* 135: 195-213.
- Milne, C. 1975. Chromosome numbers in the Gesneriaceae: V. Notes from the Royal Botanic Garden Edinburgh. 33: 523-526.
- Nei, M., and S. Kumar. 2000. *Molecular Evolution and Phylogenetics*. New York: Oxford University Press.
- Newbury, H.J., and B.V. Ford-Lloyd. 1993. The use of RAPD for assessing variation in plants. *Plant Growth Regulation* 12: 43-51.
- Nixon, K. C., and J. M. Carpenter. 1996. On simultaneous analysis. *Cladistics* 12: 221-241.
- Ohta, T. 1984. Some models of gene conversion for treating the evolution of multigene families. *Genetics* 106: 517-528.
- Page, R.D.M., and E.C. Holmes. 1998. *Molecular Evolution*. the Cambridge University Press.
- Plamer, J. D. 1987. Chloroplast DNA evolution and biosystematic uses of chloroplast DNA variation. *The American Naturalist*. 130: 6-29.
- Plunkett, G. M., W. Jun, P. Porter, L.L. Lowry. 2004. Infrafamilial classifications and characters in Araliaceae: insights from the phylogenetic analysis of nuclear (ITS) and plastid (*trnL-trnF*) sequence data. *Plant Systematics and Evolution* 245: 1-39.

- Peakall, P., P.E. Smouse, and D.R. Huff. 1995. Evolutionary implications of allozyme and RAPD variation in diploid populations of dioecious buffalo grass *Buchloe dactyloides*. *Molecular Ecology* 4: 135-147.
- Rashid M.H., K. Jong, and M. Mendum. 2001. Cytotaxonomic observation in the genus *Aeschynanthus* (Gesneriaceae). *Edinburgh Journal of Botany* 58: 31-34.
- Ratter, J. A. 1963. Some chromosome numbers in the Gesneriaceae. *Notes from the Royal Botanic Garden Edinburgh* 24: 221-229.
- Ratter, J. A. 1975. A survey of chromosome numbers in the Gesneriaceae of the Old World. *Notes from the Royal Botanic Garden Edinburgh* 33: 527-543.
- Ratter, J. A., and H. T. Prentice. 1964. Chromosome numbers in the Gesneriaceae: II. *Notes from the Royal Botanic Garden Edinburgh*. 25: 303-307.
- Reeder, R. H. 1984. Enhancers and ribosomal gene spacers. *Cell* 38: 349-351.
- Rogers, O. M. 1954. Some chromosome counts in Gesneriaceae. *Baileya* 2: 14-18.
- Rogers, S. O., and A. J. Bendich. 1987. Ribosomal RNA genes in plants: variability in copy number and in the intergenic spacer. *Plant Molecular Genetics* 9: 509-520.
- Rogers, S. O., S. Honda, and A. J. Bendich. 1986. Variation in the ribosomal RNA genes among individuals of *Vicia faba*. *Plant Molecular Biology* 6: 339-345.
- Rosser, E. M., and B. L. Burtt. 1969. Studies in the Gesneriaceae of the Old World XXX: anatomical characters in the tribe Trichosporeae. *Notes from the Royal Botanic Garden Edinburgh* 29: 39-58.

- Saghai-Marof, M. A., K. M. Soliman, R. A. Jorgensen, and R. W. Allard. 1984. Ribosomal DNA spacer-length polymorphisms in barley: mendelian inheritance, chromosomal location, and population dynamics. *Proceedings of National Academy of Sciences USA*. 81: 8014-8018.
- Savolainen, V., P. Cuenoud, R. Spichiger, M.D. P. Martinez, M. Crevecoeur, and J. - Manen. 1995. The used of herbarium specimens in DNA phylogenetics: evaluation and improvement. *Plant Systematics and Evolution* 197: 87-98.
- Schlechter, R. 1923. Gesneriaceae Papuanae. *Botanische Jahrbucher* 58: 263-283.
- Schiebel, K., and V. Hemleben. 1989. Termination of transcription of ribosomal RNA genes of mungbean occurs within a 175 bp repetitive element of the spacer region. *Molecular and General Genetics* 218: 302-307.
- Sites, J.W., and S.K. Davis. 1989. Phylogenetic relationships and molecular variability within and among six chromosome races of *Sceloporus grammicus* (Suaria, Iguanidae), based on nuclear and mitochondrial markers. *Evolution* 43: 296-317.
- Smith, G. P. 1973. Unequal crossover and the evolution of mutigene families. *Cold Spring Harbor Symposia on Quantitative Biology* 38: 507-513.
- Swofford, D. L. 1998. PAUP\*: phylogenetic analysis using parsimony (\* and other methods), version 4. Sinauer Associates, Sunderland, MA.
- Taberlet, P., L. Gielly, G. Pautou, and J. Bouvet. 1991. Universal primers for amplification of tree noncoding regions of chloroplast DNA. *Plant Molecular Biology* 17:1105-1109.

- Takaiwa, F., K. Oono, and M. Sugiura, 1985. Nucleotide sequence of the 17-25 region from rice rDNA. *Plant Molecular Biology* 4: 355-364.
- Turenne C.Y., L. Tschetter, J. Wolfe, and A. Kabani. 2001. Necessity of quality – controlled 16s rRNA gene sequence database: identifying nontuberculous mycobacterium species. *Journal of Clinical Microbiology* 39: 3637 – 3648.
- Venkateswarlu, K. and R. Nazar. 1991. A conserved core structure in the 18-25S rRNA intergenic region from tobacco, *Nicotiana rustica*. *Plant Molecular Biology* 17: 189-194.
- Walsh, J. B. 1986. Selection and biased gene conversion in a multigene family: consequences of interallelic bias and threshold selection. *Genetics* 112: 669-716.
- Wang, W. T. 1984. *Aeschynanthus*. *Bulletin of the Botanic Laboratory North-Eastern Forest Institute* 4: 26-30.
- Wang W. P., C. Y. Hwang, T. P. Lin, and S. Y. Hwang. 2003. Historical biogeography and phylogenetic relationships of the genus *Chamaecyparis* (Cupressaceae) inferred from chloroplast DNA polymorphism. *Plant Systematics and Evolution*. 241: 13 – 28.
- Wiley, E. O. 1981. *Phylogenetics: The Theory and Practice of Phylogenetic Systematics*. New York: Wiley Interscience,
- Welsh, J., and M. McClelland. 1990. Fingerprinting genomes using PCR with arbitrary primers. *Nucleic Acids Research* 18: 7213-7218.

- Weising, K., H. Nybom, K. Wolff, and W. Meyer. 1995. DNA fingerprinting in plants and fungi. London: CRC Press.
- Widada, J., H. Nojiri, and T. Omori. 2002. Recent developments in molecular techniques for identification and monitoring of xenobiotic-degrading bacteria and their catabolic genes in bioremediation. *Applied Microbiology and Biotechnology* 60: 45 – 59.
- Williams J.G.K., M.K. Hanafey, J.A. Rafalski and S.V. Tingey. 1993. Genetic analysis using random amplified polymorphic DNA markers. *Methods in Enzymology* 218: 705–740.
- Williams, J.G.K., A.R. Kubelik, K.J. Livak, J.A. Rafalski, S.V. Tingey. 1990. DNA polymorphisms amplified by arbitrary primers are useful as genetic markers. *Nucleic Acids Research* 18: 6531-6535.
- White, T. J., T. Bruns, S. Lee, and J. Taylor. 1990. Amplification and direct sequencing of fungal ribosomal RNA genes for phylogenetics. In M. A. Innis, D. H. Gelfand, J. J. Sninsky, and T. J. White (ed.), *PCR protocols: a guide to methods and applications*. Academic Press, Inc., New York, USA, pp. 315-322.
- Wolfe, K. H., and P. M. Sharp. 1987. Rates of nucleotide substitutions vary greatly among plant mitocondrial, chloroplast, and nuclear DNAs. *Proceedings National Academy Science USA*. 84: 9054-9058

Zimmer, E. A., E. H. Roalson, L. E. Skog, J. K. Boggan, and A. Idnurm. 2002.

Phylogenetic relationships in the Gesnerioideae (Gesneriaceae) based on nrDNA ITS and cpDNA *trnL*-F and *trnE*-T spacer region sequences. American Journal of Botany 89: 296-311.



## BIOGRAPHY

I was born on the 29<sup>th</sup> of June, 1979, in Srisaket, Thailand. I finished my secondary school from Sirinthorn school in 1996 in Surin. I received my Bachelor's Degree in Biology from Department of Biology, Faculty of Science, Srinakarinwirot University in 2002. After that, I have been a studying in the Master degree in Genetics, Department of Botany, Faculty of Science, Chulalongkorn University since 2002. An incompleted version of this work was presented as a poster at the 29<sup>th</sup> Congress in Science and Technology of Thailand (STT 2003) held at KhonKhean University in October 2003, and at the 12<sup>th</sup> annual academic symposium of the Faculty of Science, Chulalongkorn University in March 2004.

ศูนย์วิทยทรัพยากร  
จุฬาลงกรณ์มหาวิทยาลัย