

## References

1. Laothong, C., Sitprija, V. Decreased parasympathetic activities in Malayan krait (*Bungarus candidus*) envenoming, *Toxicon*, 2001, 39, 1353-1357.
2. Anthony, T.T. *Venom: chemistry and molecular biology*, 1<sup>st</sup> edition John Wiley & Sons Inc. 1977, 1-19.
3. Chang, C.C. The action of snake venom on nerve and muscle, *Snake Venoms*. Springer-Verlag, Berlin, 1979, 309-376.
4. Warrell, D.A., Looareesuwan, S., White, N.J., Theakston, R.D.G., Severe neurotoxic venom by Malayan krait *Bungarus candidus* (Linnaeus): response to antivenom and anticholinesterase. *Br. Med. J.*, 1983, 286, 678-682.
5. Tan, N-H., Ponnudurai, G., A comparative study of the biological properties of Krait (Genus *Bungarus*) Venoms, *Comp. Biochem. Physiol.*, 1990, 95C, 105-109.
6. Wilson, K. and Walker, J., *Principles and Techniques of Practical Biochemistry* 5<sup>th</sup> edition, Cambridge University Press 2000, 586-588.
7. Creighton, T.E., *Protein Structure A practical approach*, Oxford University Press, 1997 2-29.
8. Hames, B.D., Rickwood, D., *Gel electrophoresis of Proteins A practical approach* 2<sup>nd</sup> edition, Oxford University Press, 1990, 5.
9. Westermeier, R., Naven, T., *Proteomics in Practice A Laboratory Manual of Proteome Analysis*, German, Wiley-VCH, 2000.
10. Harvey, A.L., *Snake Toxin*, Pergamon Press Inc., 1991, 102-104.
11. Kellner, R., Lottspeich, F., Meyer, H.E., *Microcharacterization of proteins*, VCH publishers Inc., 1994, 117-169.

12. Dass, C., *Principles and Practice of Biological Mass Spectrometry*, John Wiley & Sons, Inc. New York, 2001.
13. Hoffmann, E. De, Charette, J., Stroobant, V., *Mass spectrometry Principles and application*, Paris Masson, 1996, 127.
14. Hoftmann, E. De, *Tandem Mass Spectrometry: a Primer*, *J. Mass Spectrom.*, 1996, 31, 129-137.
15. Kinter, M., Sherman, N. E., *Protein Sequencing and Identification using Tandem Mass Spectrometry*, A John Wiley&Sons, U.S.A., 2000, 74.
16. Govorun, V.M., Archakov, A.I., *Proteomic Technologies in Modern Biomedical Science*, *Biochemistry (Moscow)* , 2002, 67, 1109-1123.
17. Pukrittayakamee, S., Warrell, D.A., Desakorn, V., McMichael, A.J., White, N.J., Bunnag, D., *The Hyaluronidase Activities of some Southeast Asian Snake Venoms*, *Toxicon*, 1988, 26, 629-637.
18. Swiss-Prot and TrEMBL database (<http://tw.expasy.org/sprot/>)
19. Kuhn, P., Deacon, A.M., Comoso, S., *The atomic resolution structure of bucardin, a novel toxin isolated from the Malayan krait, determined by direct methods*, *Acta Crystallogr. D*, 2000, 56, 1401-1407.
20. Torres, A.M., Kini, R.M., Selvanayagam, N., *NMR structure of bucardin, a neurotoxin from the venom of the Malayan krait (Bungarus candidus)*, *Biochem. J.*, 2001, 360, 539-548.
21. Watanabe, L., Nirathanan, S., Rajaseger, G., *Crystallization and preliminary X-ray analysis of bucaïn, a novel toxin from the Malayan krait Bungarus candidus*, *Acta Crystallogr. D*, 2002, 58 , 1879-1881.

22. Parvathy, V.R., Chary, K.V.R., Kini, R.M., NMR studies of a neurotoxin (candoxin) from *Bungarus candidus* - Presence of a predominantly beta-sheet structure, *Curr. Sci. Indi*, 2000, 79, 219-222.
23. Nirthanan, S., Joseph, J.S., Gopalakrishnakone, P., A neurotoxin (Candoxin) isolated from the venom of the Malayan krait *Bungarus candidus*, significantly potentiates the activity of acetylcholinesterase in the venom, *Faseb. J.*, 2001, 15, A894-A894.
24. Tsai, I.H., Hsu, H.Y., Wang, Y.M., A novel phospholipase A (2) from the venom glands of *Bungarus candidus*: cloning and sequence-comparison, *Toxicon* , 2002, 40, 1363-1367.
25. Nawarak, J., Sinchaikul, S., Wu, C-Y., Liao, M-Y., Phutrakul, S., Chen S-T., Proteomics of snake venoms from Elapidae and Viperidae families by multidimensional chromatographic methods, *Electrophoresis*, 2003, 24, 2938-2854.
26. Berkelman, T., Stenstedt, T., *Principle and Methods of 2-D Electrophoresis*, Amersham Biosciences AB 2001, Uppsala, Sweden, 37-46 .
27. Shevchenko, A., Wilm, M., Vorm, O., Mann, M., Mass Spectrometric Sequencing of Proteins from Silver-Stained Polyacrylamide Gels, *Anal. Chem.*, 1996, 68, 850-858.

ศูนย์วิทยทรัพยากร  
จุฬาลงกรณ์มหาวิทยาลัย



APPENDICES

ศูนย์วิทยทรัพยากร  
จุฬาลงกรณ์มหาวิทยาลัย




Figure 1A MALDI-MS spectrum of tryptic fragment of spot number 1 of 2-D gel






Figure 2A. MALDI-MS spectrum of tryptic fragment of spot number 3 of 2-D gel




Figure 3A MALDI-MS spectrum of tryptic fragment of spot number 4 of 2-D gel



Figure 4A MALDI-MS spectrum of tryptic fragment of spot number 8 of 2-D gel






Figure 5A MALDI-MS spectrum of tryptic fragment of spot number 9 of 2-D gel




Figure 6A MALDI-MS spectrum of *Bungarus candidus* ion exchange fraction 2




Figure 7A MALDI-MS spectrum of *Bungarus candidus* ion, exchange fraction 6

ศูนย์วิจัยทรัพยากร  
จุฬาลงกรณ์มหาวิทยาลัย



Figure 8A MALDI-MS spectrum of *Bungarus candidus* ion exchange fraction 7




Figure 9A MALDI-MS spectrum of *Bungarus candidus* ion exchange fraction 8 .






Figure 10A MALDI-MS spectrum of band of 1-D gel of IEX fraction 6




Figure 11A MALDI-MS spectrum of band of 1-D gel of IEX fraction 8

ศูนย์วิทยุทรัพยากร  
จุฬาลงกรณ์มหาวิทยาลัย



Figure 12A MALDI-MS spectrum of *Bungarus candidus* ion exchange fraction 6

ศูนย์วิทยทรัพยากร  
จุฬาลงกรณ์มหาวิทยาลัย




Figure 13A MALDI-MS spectrum of *Bungarus candidus* ion exchange fraction 8





## VITA

Pattanee Wuthikornchaisakun was born on May 20, 1979, in Chonburi, Thailand. She received her Bachelor's degree of Science in Chemistry, Chulalongkorn University in 2001. She continued the Master's degree of Science in Chemistry, Chulalongkorn University. She completed the program in 2004.



ศูนย์วิทยทรัพยากร  
จุฬาลงกรณ์มหาวิทยาลัย