

REFERENCES

- Abebe,W., and MacLeod,K.M. 1990. Protein kinase C-mediated contractile responses of arteries from diabetic rats. Br.J.Pharmacol. 101: 465-471.
- Abrams,J.J., Ginsberg,H., and Grundy,S.M. 1982. Metabolism of cholesterol and plasma triglycerides in non-ketotic diabetes mellitus. Diabetes 30: 903-919.
- Ah-Kions and Firth. 1993. Prognosis and aims of treatment in diabetes. Medical International 2: 242-244.
- Ahmed,S.S., Jaferi,G.A., Narang,R.M., and Regan,T.J. 1975. Preclinical abnormality of left ventricular function in diabetes mellitus. Am.Heart J. 89 (2) : 153-158.
- Airaksinen,J., Ikaheimo,M., Kaila,J., Linnaluoto,M., and Takkunen,J. 1984. Impaired left ventricular filling in young female diabetics : An echocardiographic study. Acta Medica Scandinavica 216 (5) : 509-516. (Abstract)
- Anchalee Jetapai. 1994. Effects of garlic extract on changes of serum lipid profiles and cardiac functions in induced diabetic rats. Master's Thesis, Physiology, Graduate School, Chulalongkorn University.
- Andersen,A.R., Christiansen,T.S., Andersen,J.K., Kreiner,S., and Deckert,T. 1983. Diabetic nephropathy in type I (insulin dependent) diabetes : An epidemiological study. Diabetologia 25 : 496-501.
- Aqel,M.B., Ghariabah,M.N., and Salhab,A.S. 1991. Direct relaxant effects of garlic juice on smooth and cardiac muscles. J.Ethnopharmacol 33 : 13-19.
- Baron,A.D. 1993. Cardiovascular actions of insulin in humans : Implications for insulin sensitivity and vascular tone. Bailliere's Clinical Endocrinology and Metabolism 7 (4) : 961-987.
- Baron,A.D., Brechtel,H.G., Johnson,A., and Hardin,D. 1993. Skeletal muscle blood flow : a possible link between insulin resistance and blood pressure. Hypertension 21 : 129-135.
- Block,E. 1985. The chemical of garlic and onion. Science Am. 252 (3) : 94-99.

- Block,E., Ahmed,S., Catalfamo,J.L., Jain,M.K., and Apitz-Castro,R. 1986. Antithrombotic organosulfur compounds from garlic : structural, mechanistic and synthetic studies. J.Am.Chem.Soc. 108 : 7045-7055.
- Borch-Johnsen,K., Andersen,P.K., and Deckert,T. 1985. The effect of proteinuria on relative mortality in type I (insulin dependent) diabetes mellitus. Diabetologia 28 : 590-596.
- Borch-Johnsen,K., and Kreniner,S. 1987. Proteinuria : value as predictor of cardiovascular mortality in insulin-dependent diabetes mellitus. BMJ 294 : 1651-1654.
- Bordia,A. 1981. Effect of garlic on blood lipids in patients with coronary heart disease. Am.J.Clin.Nutr. 34 : 2100-2103.
- Bordia,A., Arora,S.K., Kothari,L.K., Jain,K.C., Rathore,B.S., Rathore,A.S., Dube,M.K., and Bhu,N. 1975. The protective action of essential oils of onion and garlic in cholesterol fed rabbits. Atherosclerosis 22 : 103-109.
- Bordia,A., Bansal,H.C., Arore,S.K., and Sengh,S.V. 1975. Effect of the essential oils of garlic and onion on alimentary hyperlipemia. Atherosclerosis 21 : 15-19.
- Boulanger,C.M., and Vanhoutte,P.M. 1994. The endothelium : A pivotal role in health and cardiovascular disease. Houston.
- Brosche,T., and Platt,D. 1991. Garlic. BMJ 303 : 785.
- Brownlee,M. 1994. Glycation and diabetic complication. Diabetes 43 : 836-841.
- Bucala,R., Tracey,K.J., and Cerami,A. 1991. Advanced glycosylation products quench nitric oxide and mediate defective endothelium-dependent vasodilation in experimental diabetes. J.Clin.Invest. 87 : 432-438.
- Calver,A., Collier,J., and Vallance,P. 1992. Inhibition and stimulation of nitric oxide synthesis in the human forearm arterial bed of patients with insulin-dependent diabetes. J.Clin.Invest. 90 : 2548-2554.
- Cameron,N.E., and Colter,M.A. 1992. Impaired contraction and relaxation in aorta from streptozotocin-diabetic rats : role of polyol pathway. Diabetologia 35 : 1011-1019.

- Chang,M.W., and Johnson,M.A. 1980. Effect of garlic on carbohydrate metabolism and lipid synthesis in rats. J.Nutr. 110 : 931-936.
- Cohen,R.A. 1993. Dysfunction of vascular endothelium in diabetes mellitus. Circulation 87 (suppl 5) : 67-76.
- Cohen,R.A., Tesfamariam,B., Weisbrod,R.M., and Zitnay,K.M. 1990. Adrenergic denervation in rabbits with diabetes mellitus. Am.J.Physio. 259 (1 Pt.2) : H 55-61.
- Crall,F.V., and Roberts,W.C. 1978. The extramural and intramural coronary arteries in juvenile diabetes mellitus. Am.J.Med. 64 : 221-230.
- Das,I.,Khan,N.S., and Sooranna,S.R. 1995. Nitric oxide synthase activation is a unique mechanism of garlic action. Biochem.Soc.Trans. 23 (1) : 1365.
- Davis,M.D. 1992. Diabetic retinopathy. A clinical review. Diabetes Care 12 : 1844-1874.
- Dolgov,V.V., Zaikina,O.E., Bondarenko,M.F., and Repin,V.S. 1982. Aortic endothelium of alloxan diabetic rabbits : a quantitative study using scanning electron microscopy. Diabetologia 22 : 338-343.
- Doring,H.H., and Dehnert,H. 1988. The isolated perfused warm-blooded heart according to LANGENDORFF. 1st English ed. Biomesstechnik-Verlag March GmbH, D-7806 March, West Germany.
- Dunn,F.L. 1992. Plasma lipid and lipoprotein disorders in IDDM. Diabetes 41 (suppl 2) : 102-106.
- Durante,W., Sen,A.K., and Sunahara,F.A. 1988. Impairment of endothelium-dependent relaxation in aortae from spontaneously diabetic rats. Br.J.Pharmacol. 94 : 463-468.
- Ernst,E. 1987. Cardiovascular effects of garlic (*Allium sativum*) : a review. Pharmatherapeutica 5 (2) : 83-89.
- Factor,S.M., Minase,T., and Sonneblack,E.H. 1980. Clinical and morphological features of human hypertensive diabetic cardiomyopathy. Am.heart J. 99 : 447-458.
- Factor,S.M., Okun,E.M., and Minase,T. 1980. Capillary microaneurysms in the human diabetic heart. N.Eng.J.Med. 302 : 384-388.

- Fein,F.S., and Sonnenblack,E.H. 1985. Diabetic cardiomyopathy. Progress in Cardiovascular disease 27 (4) : 255-270.
- Fischer,V.W., Leskiw,M.L., and Barner,H.B. 1981. Myocardial structure and capillary basal laminar thickness in experimentally diabetic rats. Experimental and Molecular Pathology 35 : 244-256.
- Fossati,P., and Prencipe,L. 1982. Serum triglycerides determined colorimetrically with an enzyme that produces hydrogen peroxide. Clin.Chem. 23 : 2077-2080.
- Gadkari,J.V., and Joshi,V.D. 1991. Effect of ingestion of raw garlic on serum cholesterol level, clotting time and fibrinolytic activity in normal subjects. J. of Postgrad.Med. 37 (3) : 128-131.
- Ganguly,P.K., Thliveris,J.A., and Mehta,A. 1990. Evidence against the involvement of nonenzymatic glycosylation in diabetic cardiomyopathy. Metabolism 39 (7) : 769-773.
- Garcia,M.J., McNamara,P.M., Gordon,T., and Kannell,W.B. 1974. Morbidity and mortality in diabetics in the Framingham population. A sixteen-year follow-up study. Diabetes 23 : 105-111.
- Garg,A. 1992. Lipid lowering therapy macrovascular disease in diabetes mellitus. Diabetes 41 (suppl 2) : 111-115.
- Garlic. The Lawrence Review of Natural products. 1988.
- Gebhardt,R. 1991. Inhibition of cholesterol biosynthesis by a water soluble garlic extract in primary cultures of rat hepatocytes. Arzneimittel-Forschung 41 (8) : 800-804.
- Gebhardt,R. 1993. Multiple inhibitory effects of garlic extracts on cholesterol biosynthesis in hepatocytes. Lipids 28 (7) : 613-619.
- Gerich,J.E. 1989. Oral hypoglycemic agents. N.Eng.J.Med. 321 (18) : 1231-1245.
- Giugliano,D., Ceriello,A., and Paolisso,G. 1995. Diabetes mellitus, hypertension, and cardiovascular disease : which role for oxidant stress? Metabolism 44 : 363-368.

- Gordon,T., Castelli,W.P., Hjortland,M.C., Kannel,W.B., and Dawber,T.R. 1977. High density lipoprotein as a protective factor against coronary heart disease. The Framingham study. Am.J.Med. 62 : 707-714.
- Gotzsche,O. 1986. Myocardial cell dysfunction in diabetes mellitus : a review of clinical and experimental studies. Diabetes 35 : 1158-1162.
- Heinle,H., and Betz,E. 1994. Effects of dietary garlic supplementation in a rat model of atherosclerosis. Arzneim-Forsch / Drug Res 44 (1), Nr 5 : 614-617.
- Jain,R.C. 1977. Effect of garlic on serum lipids, coagulability and fibrinolytic activity of blood. Am.J.Clin.Nutr. 30 (9) : 1380-1381.
- Jain,R.C., and Vyas,C.R. 1975. Garlic in alloxan-induced diabetic rabbits. Am.J.Clin.Nutr. 28 : 684-685.
- Jain,R.C., Vyas,C.R., and Mahatma,O.P. 1973. Hypoglycemic action of onion and garlic. Lancet 29 : 1491.
- Jain,R.C., Vyas,C.R., Gotzkowsky,S., and McMahon,F.G. 1993. Can garlic reduce levels of serum lipid? A controlled clinical study. Am.J.Med. 94 (6) : 632-635.
- James,R.W., and Pometta,D. 1990. Differences in lipoprotein subfraction composition and distribution between type I diabetic men and control subjects. Diabetes 39 : 1158-1164.
- Jarett,R.J., Viberti,G.C. Argyropoulos,A., Hill,R.D., Mahmud,U., and Murrells,T.J. 1984. Microalbuminuria predicts mortality in non-insulin-dependent diabetes. Diabetic Med. 1 : 17-19.
- Jensen,T., Borch-Johnsen,K., Kofoed-Enevoldsen,A., and Deckert,T. 1987. Coronary heart disease in young type I (insulin dependent) diabetic nephropathy : incidence and risk factor. Diabetologia 30 : 144-148.
- Jermendy,G., and Bachmann,B. 1994. Left ventricular diastolic dysfunction in diabetic patients. QJM 87 : 519-520.
- Jerums,G., Cooper,M., Gilbert,R., O'Brien,R., and Taft,J. 1994. Microalbumin in diabetes. Med.J.Australia 161 : 265-268.

- Jones,S.L., Close,C.F., Mattock,M.B., Jaertt,R.T., Keen,H., and Viberti,G.C. 1989. Plasma lipid and coagulation factor concentrations in insulin dependent diabetic with microalbuminuria. BMJ 298 : 487-490.
- Kamanrina,V.S. and Chandrasekhara,N. 1984. Hypocholestermic activity of different fractions of garlic. Indian J.Med.Res. (Sect A) 79 : 580-583.
- Kannel,W.B., and McGee,D.L. 1979. Diabetes and cardiovascular disease. The Framingham study. JAMA 241 : 2035-2038.
- Kimball,T.R., Daniels,S.R., Khoury,P.R., Magnotti,R.A., Turner,A.M., and Dolan,L.M. 1994. Cardiovascular status in young patients with insulin-dependent diabetes mellitus. Circulation 90 : 357-361.
- Kourounakis,P.N., and Rekka,E.A. 1991. Effect on active oxygen species of alliin and *Allium sativum* (garlic) powder. Res.Comm.Chem.Path.Pharmacol. 74 (2) : 249-252. (Abstract)
- Krolewski,A.S., Gzyzyle,A., Janeczko,D., and Kopezynski,J. 1977. Mortality from cardiovascular disease among diabetics. Diabetologia 13 : 345-350.
- Kwann,R.C. 1992. Changes in blood coagulation, platelet function, plasminogen-plasmin system in diabetes. Diabetes 41 (suppl 2) : 32-35.
- Labadili,Z.A., and Goldstein,D.E. 1983. High prevalence of echocardiographic abnormalities in diabetic youths. Diabetes Care 6 : 18-22.
- Lahdenpera,S., Groop,P.H., Tilly-Kiesi,M., Kuusi,T., Elliott,T.G., Viberti,G.C., and Taskinen,M.R. 1994. LDL subclasses in IDDM patients : relation to diabetic nephropathy. Diabetologia 37 : 681-688.
- Lawson,L.D., Ransom,D.K., and Hughes,B.G. 1992. Inhibition of whole blood platelet-aggregation by compounds in garlic clove extracts and commercial garlic products. Thrombosis Research 65 (2) : 141-156. (Abstract)
- Legnani,C., Frascaro,M., Guazzaloca,G., Ludavici,S., Cesarano,G., and Cocehri,S. 1993. Effects of a dried garlic preparation on fibrinolysis and platelet aggregation in healthy subjects. Arzneimittel-Forschung 43 (2) : 119-122.
- Lin,S.J., Hong,C.Y., Chang,M.S., Chiang,B.N., and Chien,S. 1993. Increased aortic endothelial cell death and enhanced transendothelial macromolecular transport in streptozotocin diabetic rats. Diabetologia 36 : 926-930.

- Mansell,P., and Reckless,J.P.D. 1991. Effects on serum lipids, blood pressure, coagulation, platelet aggregation and vasodilation. BMJ 30 : 397.
- Mand,J.K., Gupta,P.P., Soni,G.L., and Singh,R. 1985. Effect of garlic on experimental atherosclerosis in rabbits. Indian Heart J. 37 (3) : 183-188.
- Mathew,P.T., and Augusti,K.T. 1973. Studies on the effect of allicin (Diallyl Disulphide-oxide) on alloxan diabetes : Part I Hypoglycemic action and enhancement of serum insulin effect and glycogen synthesis. Indian J. of Biochem.Biophys. 10 : 209-212.
- Mathisen,E.R. 1993. Microalbuminuria in insulin-dependent diabetes strategies to prevent diabetic nephropathy. Nephron 65 : 511-521.
- Mautner,S.L., Lin,F., and Roberts,W.C. 1992. Composition of atherosclerotic plaques in the epicardial coronary arteries in juvenile (type I) diabetes mellitus. Am.J.Cardiol. 70 : 1264-1268.
- Mayhan,W.G. 1989. Impairment of endothelium-dependent dilatation of cerebral arterioles during diabetes mellitus. Am.J.Physiol. 256 : H 621-625.
- McMahon,F.G., and Vargas,R. 1993. Can garlic lower blood pressure? A pilot study. Pharmacotherapy 13 (4) :406-407.
- Meiattini,F., Prencipe,L., Bardelli,F., Giannini,G., and Tarli,P. 1978. The 4-Hydroxybenzoate/4-aminophnazonone chromogenic system caused in the enzymatic determination of serum cholesterol. Clin.Chem. 24 : 2161-2165.
- Meraji,S., Jayakody,L., Senaratne,M.P.J., Thomson,A.B.R., and Kappagoda,T. 1987. Endothelium-dependent relaxation in aorta of BB rat. Diabetes 36 : 978-981.
- Miccossi,P., Gallus,G., and Pozza,G. 1987. Diabetic complications, early diagnosis and treatment, Andreani,D., and Wiley,J. (Eds) 13-23.
- Moorhead,J.F., Chan,M.K., El-Nahas,M., and Varghese,Z. 1982. Lipid nephrotoxicity in chronic progressive glomerular and tubulo-interstitial disease. Lancet 2 : 1309-1311.
- Mollinatti,G.M., Bar,R.S., Belfire,F., Porta,M. 1990. Endothelial cell function in diabetic microangiopathy : problems in methodology and clinical aspects. Front. Diabetes 9 : Basel : Karger.

- Nikkila,E.A., Huttunen,J.K., and Ehnholm,C. 1977. Postheparin plasma lipoprotein lipase and hepatic lipase in diabetes mellitus. Diabetes 26 : 11-21.
- Okamoto,H., Yamamoto,H., Takasawa,S., et al. 1988. Lessons from animal diabetes II. Shafir,E., Rnold,A.E. (Eds). London. J.Libbey 144-157.
- Orekhov,A.N., Tertov,V.V., Sobenin,I.A., and Pivovarova,E.M. 1995. Direct anti-atherosclerosis related effects of garlic. Ann. of Med 27 : 663-665.
- Palmer,R.M.J., Ferrige,A.G., and Moncada,S. 1987. Nitric oxide release accounts for the biological activity of endothelium derived relaxing factor. Nature (Lond) 327 : 524-526.
- Panzram,G., and Zabel-Langhening,R. 1981. Prognosis of diabetes mellitus in a geographically defined population. Diabetologia 20 : 587-591.
- Patumraj,S., Ritter,A.B., and Duran,W.N. 1990. Coronary microvascular permeability to macromolecules using digital video image analysis. Microcirculatory Society.
- Penpargkul,S., Schaible,T., Yaipintori,T., and Schuer,J. 1980. The effect of diabetes on performance and metabolism of rat hearts. Circ Res 47 : 911-921.
- Phelps,S., and Harris,W.S. 1993. Garlic supplementation and lipoprotein oxidation susceptibility. Lipids 28 : 475-477.
- Pieper,G.M., and Gross,G.T. 1991. Endothelial dysfunction in diabetes. In Rubanyi,G.M., ed. Cardiovascular significance of endothelium-derived vasoactive factor. Mount,NY; Futura Publishing Co.,Inc:223-249.
- Pieper,G.M., Meier,D.A., and Kager,S.R. 1995. Endothelial dysfunction in a model of hyperglycemia and hyperinsulinemia. Am.J.Physiol. 269 : H 845-850.
- Pogatsa,G., Bihari-Varga,M., and Szinay,G. 1979. Effect of diabetes therapy on the myocardium in experimental diabetes. Acta.Diabetol.Lat 16 : 129-138.
- Poolsanong,N. 1984. Pharmaceutical production of sugar coated tables and capsules of garlic. Production Division, Armed Force, Pharmaceutical Factory (unpublished).
- Rashid,A., and Khan,H.H. 1985. The mechanism of hypotensive effect of garlic extract. JPMA 35 ; 357-362.

- Regan,T.J., Ettingr,P.O., Khan,M.I., Jesrani,M.O., Lyons, M.M., Oldewartel,H.A., and Weber,M. 1974. Altered myocardial function and metabolism in chronic diabetes mellitus without ischemia in dogs. Cir. Res. 222-237.
- Regan,T.J., Wu,C.F., Yeh,C.K., Oldewurtel,H.A., and Haider,B. 1981. Myocardial composition and function in diabetes : The effects of chronic insulin used. Cir. Res. 49 : 1268-1277.
- Rerup,C.C. 1970. Drugs producing diabetes through damage of the insulin secreting cells. Pharmacological Reviews 22 (4) : 485-517.
- Rodrigurs,B., and McNeill,J.H. 1990. Cardiac dysfunction in isolated perfused heart from spontaneously diabetic BB rats. Can.J.Physiol.Pharmacol. 68 : 514-518.
- Rodrigues,B., and McNeill,J.H. 1992. The diabetic heart : metabolic causes for the development of a cardiomyopathy. Cardiovasaillar Research 26 : 913-922.
- Rosen,P., Windeck,P., Zimmer,H.G., Burring,K.F., and Reinauer,H. 1986. Myocardial performance and metabolism in nonketotic, diabetic rat heart : myocardial function and metabolism in vivo and in the isolated perfused heart under the influence of insulin and octanoate. Basic Res.Cardiol. 81 : 620-635.
- Sendl,A., Elbl,G., Steinke,B., Redl,K., Breu,W., and Wagner,H. 1992. Comparative pharmacological investigaions of *Allium ursinum* and *Allium sativum*. Planta Med. 58 :1-7.
- Sendl,A., Schliack M., Loser,R., Stanislaus,F., and Wagner,H. 1992. Inhibition of Cholesterol synthesis in vitro by extracts and isolated compounds prepared from garlic and wild garlic. Atherosclerosis 94 : 79-95.
- Shapiro,L.M., Howat,A.P., and Calter,M.M. 1981. Left ventricular function in diabetes mellitus : I. Methodology and Prevalence and spectrum of abnormalities. Br.Heart J. 45 : 122-128.
- Shapiro,L.M., Leatherdate,B.A., Mackinon,J., and Fletchr,R.F. 1981. Left ventricular function in diabetes mellitus : II Relative between clinical features and left ventricular function. Br.Heart J. 45 : 129-132.
- Sheela,C.G., and Augusti,K.T. 1992. Antidiabetic effects of S-allyl cysteine sulphoxide isolated from garlic *Allium sativum* Linn. Indian J. of Experimental Biology 30 : 523-526.

- Sial,A.Y., and Ahmed,S.I. 1982. Study of the hypotensive action of garlic extract experimental animals. JPMA 32 : 237-239.
- Silver,M.D., Huckell,V.S., and Lorber,M. 1977. Basement membranes of small cardiac vessels in patients with diabetes and myoedema : Preliminary observation. Pathology 9 : 213-230.
- Stamler,J., Vaccaro,O., Neaton,J.D., and Wentworth,D. 1993. Diabetes, other risk factors, and 12 years cardiovascular mortality for men screened in the multiple risk factor . Intervention Trail. Diabetes Care 16 : 434-444.
- Stefan,S. Classification and diagnosis of diabetes. In Ellenberg and Rifkin's diabetes mellitus : Theory and Practice 4th ed.
- Stoll,A., and Seebeck,E. 1951. Chemical investigations on allicin, the specific principle of garlic. Adv. Enzymol 11 : 377-400.
- Taylor,P.D., Mc Carthy., Thomas,C.R., and Postol,L. 1992. Endothelium-dependent relaxation and noradrenaline sensitivity in mesenteric persistence arteries of streptozotocin-induced diabetic rats. Br.J.Pharmacol. 107 : 393-399.
- Taylor,P.D., Oon,B.B., Thomas,C.R., and Poston,L. 1994. Prevention by insulin treatment of endothelial dysfunction but not enhanced noradrenaline-induced contractibility in mesenteric resistance arteries from streptozotocin-induced diabetic rats. Br.J.Pharmacol 111: 35-41.
- Tesfamariam,B., Brown,M.C., and Cohen,R.A. 1991. Elevated glucose impair endothelium-dependent relaxation by activation protein kinase C. J.Clin.Invest. 87 : 1643-1648.
- Tesfamariam,B., and Cohen,R.A. 1992. Free radicals mediate endothelial cell dysfunction caused by elevated glucose. Am.J.Physiol. 263 : H 321-326.
- Tilton,R.G., Chang,K., Hasan,K.S., Smith,S.R., Petrash,J.M., Mesko,T.P., Moore,W.M., Currie,M.G., Corbrtt,J.A., McDaniel,M.L., and Williamson,J.R. 1993. Prevention of diabetic vascular dysfunction by guanidines : inhibition of nitric oxide synthase versus advanced glycation end-product formation. Diabetes 42 : 221-232.
- Trinder,P. 1969. Determination of blood glucose using oxidase-peroxidase system with a non-carcinogenic chrangen. J. of Clin.Pathol. 22 : 158-161.

- Vane, J.R., Anggard,E.E., and Botting,R.M. 1990. Regulatory functions of the vascular endothelium : review article. N.Eng.J.Med. 323 (1) : 27-36.
- Waller,B.F., Palumbo,P.J., and Robert,W.C. 1980. Status of the coronary arteries at necropsy in diabetes mellitus with onset after age 30 years. Am.J.Med. 69 : 498-506.
- Warshafsky,S., Kamer,R.S., and Sivak,S.L. 1993. Effect of garlic on total serum cholesterol : A meta-analysis. Ann. Intern Med. 119 : 599-605.
- William,B. 1996. Vascular permeability in diabetes. In.J.Microcirc. 16 : 216.
- Williamson,J.R., and Kilo,C. 1976. Basement membrane thickening and diabetic myoangiopathy. Diabetes 25 : 925-927.
- Wu,H., Jeng,Y.Y., Yue,C., Chyu,K., Hsuch,W.A., and Chan,T.M. 1994. Endothelial-dependent vascular effects of insulin and insulin-like growth factor I in the perfused rat mesenteric artery and aortic ring. Diabetes 43 : 1027-1032.
- Yagi,S., Takata,S., Kiyokawa,H., Yamamoto,M., Noto,Y., Ikeda,T., and Hattori,N. 1988. Effects of insulin on vasoconstriction responses to norepinephrine and angiotensin II in rabbit femoral artery and vein. Diabetes 37 : 1064-1067.
- Yeh,Y.Y., and Yeh,S.M. 1994. Garlic reduces plasma lipids by inhibitory hepatic cholesterol and triacylglycerol synthesis. Lipids 29 (3) : 189-193.
- Yip,J., Mattock,M.B., Morcutti,A., Sethi,M., Trevisan,R., and Veberti,G. 1993. Insulin resistance in insulin-dependent diabetic patients with microalbuminuria. Lancet 342 : 883-887.



BIOGRAPHY

Police Captain Sarawanee Tevit was born on July 6, 1961, in Bangkok. She graduate Bachelor Degree of Nursing from Police Nursing College in 1983. Now, she works at Police General Hospital.