References

- Akesode, F. A. Factors affecting the use of primary health care clinics for children. <u>Journal of Epidemiology</u>

 and Community <u>Health</u> 36 (1982): 310-314
- Blondel, B., Kaminski, M., and Breart, G. Antenatal Care and maternal demographic and social characteristics,

 Evolution in France between 1972 and 1976. <u>Journal of Epidemiology and Community Health</u> 34 (1980): 157-163
- Boonaymaruk, P. Use of Prenatal Clinics By Pregnant Women in Thailand, <u>Proceedings Second International</u>

 Symposium on <u>Public Health in Asia and the Pacific Basin</u>, 68-72, 1986
- Breart, G., and Blondel, B. Home visits for pregnancy complications and management of antenatal care: an overview of three randomized controlled trials.

 Journal of Obstet. Gynaecol 99 (1992): 283-286
- Brockway, C.R., and Jones, K.E. Survey of the opinions of

 General Practioners about Health Service in Rural

 Setting. Journal of Public Health: 107 (1993): 45-52

- Buekens, P. et al. A Comparative of Prenatal Care Use in the

 United States and Europe. <u>American Journal of Public</u>

 Health 83 (1993): 31-36
- Burrows, R.F. Maternal Characteristics and Their Influences on

 Birth Weight in a Melanesian Population. Asia
 Occeania Journal of Obstet. Gynaecol 14 (1988): 1-5
- Campananella, K., Korbin, J.E., and Acheson, L. Pregnancy and childbirth among the Amish. Soc. Sci. Med. 36 (1993): 333-342
- Chan, F.Y. et al. Shared Antenatal Care between Family Health
 Services and Hospital (Consultant) Services for Low
 Risk Women. Journal of Obstet. Gynaecol. 19(1990):
 92-100
- Charoenmuang, M. <u>Factors Affecting Antenatal Care Attendance</u>

 <u>among Pregnant Women.</u> Master's Thesis, Mahidol

 University, 1990
- Chisholm, D.K. Factors associated with late booking for antenatal care in central Manchester. <u>Journal of Public Health</u> 103 (1989): 459-466
- Colton, O. <u>Statistics in Medicine</u>. Boston, November 1974
- Coverage of maternity care a tabulation of available information. WHO/FHE/89.2

- Dali, S.M., Thapa, M., and Shrestha, S. Study on "the knowledge, attitude and practice of mother-in law regarding the intraconceptional care of their daughter-in law before and after educational sessions". Institute of Medicine/World Health
 Organization (1991): 1-20
- Edgar, K. Wanted: Better care for better pregnant women.

 Journal of An Int. Health Development. 14 (1993): 356359
- Islam, A.M., and Nielsen, C.C. Maternal and Child Health
 Services: Evaluating Mother's Perception and
 Participation. <u>Journal of Society of Public Health</u>
 (1993): 243-248
- Jelley, D., and Madeley, R.J. Antenatal care in Maputo,

 Mozambique. <u>Journal of Epidemiology and Community</u>

 Health 37 (1983): 111-116
- Joseph, C.1. Identification of factors associated with delayed antenatal care. <u>Journal of Natl. Med. Assoc.</u>
 81 (1989): 57-63
- Lapham, S.C., Kring, M.k., and Skipper, B. Prenatal behavioral risk screening by computer in a health maintenance organization-based prenatal care clinic.

 Journal of Obstet. Gynaecol 165 (1991): 506-514

- Marsh, G. N. Modern obstetrics in General Practice. Oxford
 University Press. 99 (1992): 283-286
- Moller, B. et al. A study of Antenatal care at village
 level in rural Tanzania. <u>Journal of Gynae. Obstet.</u> 30
 (1989):123-131
- Moreno, B.M. Healthy families make healthy babies. World

 Health 3 (1993): 23-25
- Pandit, R.D. Role of Antenatal Care in Reducing Maternal

 Mortality. <u>Journal of Obstet. Gynaecol.</u> 18 (1992): 1-6
- Pangano, M., and Gauvreau. <u>Principles of Biostatistics.</u>
 Boston, August 1992
- Buescher, P.A. et al. An Evaluation of the Impact of Maternity

 Care Coordination on Medicaid Birth Outcomes in North

 Corolina. <u>Journal of Public Health</u> 81 (1992): 1625
 1629
- Rautava, P. The Finnish family competence study
 characteristics of pregnant women with low childbirth
 knowledge. <u>Journal of Soc. Sci. Med</u> 29 (1989): 11051109
- Rauyajin, O., and Atting, B.Y. Social cost of maternal death.

 World Health May-June (1993): 26

- Saroj, P. A comparative Study of Knowledge, Attitude and

 Practice of Women in Reproductive Age, concerning

 Maternal (Antenatal care) Child Health Care Activities

 with Blue card and without Blue card program.

 Master's Thesis, Mahildol University, 1988
- Shah, U., Pratinidhi A.K., and Bhatlawande P.V. Perinatal
 mortality in rural India: intervention through primary
 health care. II Neonatal mortality. <u>Journal of</u>
 <u>Epidemiology and Community Health</u> 38 (1984): 138-142
- Stilwell, J., Szcepura, A., and Mugford, M. Factors affecting the outcome of maternity care: Relationship between staffing and perinatal deaths at the hospital of birth. Journal of Epidemiology and Community Health 42 (1988): 157-169
- Stuart, O. <u>Attitude and opinions.</u> 2nd ed. New Jesey: Prentice hall, 1991
- Sullivan, D.A., and Beeman, R. Utilization and evaluation of maternity care by American Indians an Arizona. <u>Journal</u>
 of Community Health 9 (1983): 18-28
- Swenson, E.I. et al. Factors related to the utilization of prenatal care in Vietnam. Journal of tropical medicine and hygiene 96 (1993): 76-85

Traditional birth attendants. <u>A Joint WHO/UNFPA/UNICEF</u>

<u>Statement</u> (1992): 1-18

WHO Interview Safe Motherhood in Tanzania. A Joint World

World Health May-June (1992): 12-13



Appendix 1 Questionnaire

The research instrument used for the study

"The Determinant Factors Affecting the Attendance of
Antenatal Care Service in Manikhel Village, Nepal"

This questionnaire is used to interview for women age between 15-45 who had delivered a baby within last 1-5 years in Manikhel village, Nepal.

Identification Number	[]
Address: Village	
Date of interviewYYMMDD	
Interview started atFinished atTotal Time	
Interviewer	

Part I

Section I

General socio economic characteristic of subjects.

1	•	Age	in years.		
2		What	t is your religion ?	[]
E]	3.	Hindu		
[]	2.	Buddhist		
]	1.	Christian		
[]	0.	Others, specify		
3		What	t is your year of education ?	[]
]	4.	Illiterate		
]	3.	Primary school		
]	2.	Secondary school		
]	1.	High school		
]	0.	Others, specify		
4,		What	is your caste ?	[]
]	3.	Brahmin		
]	2.	Chhetri		
]	1.	Tamang		
]	0.	Others, specify		

5		What	t was main occupation when you got this		
		pre	gnant ?]]
[]	3.	Housewife		
[]	2.	Agriculture		
]	1.	Self business		
E]	0.	Others, specify		
6		What	was your family type ?]]
[]	2.	Single family		
[]	1.	Joint family		
]	0.	Extended family		
8.		What	was family annual income ?	[]
]	2.	< 5000		
]	1.	6001-10,000		
]	Ο.	≥ 11,000		

์ ศูนย์วิทยทรัพยากร เพาลงกรณ์มหาวิทยาลัย

Section II

Obstetric information of subjects

1.	Gravida[]] []
2.	Number of living children[]] []
3.	Number of under fives years children[]] []
4.	Did you see anyone for a check-up this		
	pregnancy ?]]
[]	1. Yes		
[]	0. No		
5.	If yes, who did you see ?	[]
[]	4. Midwive		
[]	3. Health assistant		
[]	2. Traditional birth attendant		
[]	1. Traditional healer		
[]	O. Other		
6.	Did you have any complications during previous		
	pregnancy ?	[]
[]			
[]	0. No		

7		If	yes, type of complications	[]
[]	3.	Bleeding per vagina	
[]	2.	Abortion	
[]	1.	Prolonged labor	
[]	0.	Others, specify	
8		Did	you had any complication during present	
		pre	gnancy ?	, []
]	1.	Yes	
]	0.	No	
9.		If	es, type of complications	[]
]	4.	Bleeding per vagina	
[]	3.	Headache	
[]	2.	Abortion	
[]	1.	Prolonged labor	
[]	0.	Other, specify	

ศูนย์วิทยทรัพยากร จุฬาลงกรณ์มหาวิทยาลัย

Section III

Accessibility of ANC services at Manikhel village

1		Are any ANC services are available in your village	?[]
[]	1. Yes		
[]	0. No		
2		What is the distance from your home to nearest		
		ANC services ?	[]
[]	3. < 1 kilometer		
]	2. 2 - 3 kilometer		
[]	1. 4 - 5 kilometer		
[]	O. Above 5 Kilometer		
3		Is it convenient for you to attend hospital		
		when referred from health post ?	[]]
[]	1. Yes		
]	0. No		
]	O. Other, specify		
38	а.	If no why ?	[]]
]	3. It is too far		
Γ]	2. It is too costly		
[]	1. No guardian		
]	O. Other, specify		
4		Is travel cost from home to hospital		
		expensive when refer from health post ?]	
]	1. Yes		
[]	0. No		

Section IV

Health service information

1	*	How long do you have to wait for antenatal care		
		services ?	[]
		(From the time you registered until you were seen by	/	
		health personnel)		
]	2. Less than 1 hour		
]	1. 1 to 2 hour		
Ι]	O. Above 3 hour		
2		Do you have to pay charge for ANC service ?	[]
]	1. Yes		
]	0. No		
3		Did you have pink card ?	[]
[]	1. Yes		
]	0. No		
4		What do you think about the services of health		
		post's staff ?	[]
[]	2. Good services and good attention		
]	1. Bad services and bad attention		
]	O. Others, specify		

> ศูนย์วิทยทรัพยากร จุฬาลงกรณ์มหาวิทยาลัย

Part II

The statement concerned with pregnant women knowledge on antenatal care would you please respond to each statement that the best describe which comes closest to your knowledge.

1		Do you ever heard about antenatal care clinic? []
]	1. Yes
[]	0. No
2		Does the antenatal care clinic is the place that
		provide service to have good outcome for both
		mother and baby ?
[]	1. Yes
]	0. No
3		Do you think antenatal care service is necessary
		during pregnancy ? []
]	1. Yes
[]	0. No
4		Is antenatal care service is important? []
[]	1. Yes 6 9 2 2 7 9 2 9 5 9 8 9 7 5
]	0. No
5		Does pregnant women have bleeding per vagina during any
		time of pregnancy, they have to attend antenatal care
		clinic ?
[]	1. Yes
[]	0. No

6.	Does pregnant women need extra food ?	[]	
[]	1. Yes		
[]	0. No		
7.	Does a pregnant women need to take rest in day time		
	during pregnancy ?	[]	
[]	1. Yes		
[]	0. No		
8.	Does a pregnant women need to take immunization		
	against tetanus toxoid during pregnancy ?	[]	
[]	1. Yes		
[]	0. No		
9.	Does a pregnant women need to take care of nipple dur	ing	
9.	Does a pregnant women need to take care of nipple dur pregnancy ?	ing	
	pregnancy ? 1. Yes		
[]	pregnancy ? 1. Yes		
[]	pregnancy ? 1. Yes 0. No		
[]	pregnancy ? 1. Yes 0. No Does pregnant women need to avoid heavy activities	[]	
[]	pregnancy ? 1. Yes 0. No Does pregnant women need to avoid heavy activities during pregnancy ? 1. Yes 0. No	[]	
[]	pregnancy ? 1. Yes 0. No Does pregnant women need to avoid heavy activities during pregnancy ? 1. Yes 0. No	[]	
[]	pregnancy ? 1. Yes 0. No Does pregnant women need to avoid heavy activities during pregnancy ? 1. Yes 0. No	[]	
[]	pregnancy ? 1. Yes 0. No Does pregnant women need to avoid heavy activities during pregnancy ? 1. Yes 0. No Does the appropriate time for pregnant women attended antenatal care is after missing 1-3 periods ?	[] ng	

12.	Do	es every pregnant women should received knowledg	е
	ab	out antenatal care from health personnel?	[]
[]	1.	Yes	
[]	0.	No	
13.	Do	es the every pregnant women should have delivery	bу
	he	alth personnel ?	[]
[]	1.	Yes	
[]	0.	No	

Part III

The question below concerned on pregnant women's attitude about antenatal care attendance service, would you please respond to each statement that the best describe closest to your opinion.

The score which will be allocated for positive attitude as follows:

Strongly agree = 5

Agree = 4

Not decided = 3

Disagree = 2

Strongly disagree = 1

The score which will be allocated for negative attitude are as follows:

Strongly disagree = 5

Disagree = 4

Not decided = 3

Agree = 2

Strongly agree = 1

Items	1	2	3	4	5
1. Women feel happy when they become		Name and Address of the Address of t		And the state of t	
pregnant.					

-						
	Items	1	2	3	4	5
2.	During pregnancy, women feel					
	discomfort a lot.				ı	
3.	Every pregnant women should attend					
	ANC clinic during pregnancy.					
4.	Pregnant women have to attend ANC					
	as soon as when they know they got				7	
	pregnant.					
5.	It is important to attend ANC					
	clinic according to the schedule					
	appointment.					
ô.	During pregnancy, if any problems				The second of th	
	occurs pregnant women have to visit		* Constitution of the Cons		Turning P	
	ANC clinic immediately.				*Light State of the Control of the C	
7.	During pregnancy, health personnel'		Transfer of the Landson		Volume of the constraint of	
	advice is necessary for pregnant			Assembly Manager	Organia Phononical	
	women.	}	The state of the s	n de conde de consesso en	haqaaaga m'raqqaaqa	
3.	Antenatal care is one of the main	15		na de la composiçõe de la	Videosia W. Language	
	strategy for reducing maternal			Standard Standard		
	death.	11	78			
).	Pregnant women should take more					
	food during pregnancy.	Dark Park				

**************************************	Items	1	2	3	4	5
10.	Not attending the ANC clinic	San Programma di Vissa di Agrandia aggina di		The state of the s		
	because of mother inlaw.			Tongungan and American		
11.	You are happy with the practice of					
	available ANC service.					
12.	Ignorance about ANC attendance				List The second second	To a constant of the constant
	is cause of maternal death.					and the second s
13.	A person who used ANC service makes					
	more likely to have birth safe.					
14.	Pregnant women attending ANC					
	service is wasting time.		Transport or particular or par			·-
15.	Pregnant women bring favorable				Transmitted of Transposition	
	attitude toward ANC service.					
16.	ANC service is disadvantage					
	for pregnant women.					
17.	Accepting all advice from health			The state of the s		
	personnel's is necessary for			and the second		
	pregnant women.			Total Control of the		
18.	You hate antenatal care service.					
19.	Hard working is better to avoid					
	during pregnancy.				Transport of the Park	
					The same of the same	
				-		

Part IV

Practice of the responding women towards antenatal care attendance service.

1	•	Do you go to antenatal care clinic for examination	
		during your last this pregnancy ?]
Γ]	1. Yes	
Ĺ]	0. No	
		If yes go to question number 2	
		If no go to question number 3	
2		What's time of pregnant women to undergo for	
		examination ?]
[]	3. From 16-20 weeks of pregnancy	
]	2. From 21-25 weeks of pregnancy	
]	1. From 26- 30 weeks of pregnancy	
[]	0. From 31-35 weeks of pregnancy	
3		Why didn't you go to antenatal care clinic?	
[]	2. Due to busy house work	
]	1. Not good behavior from by health staff	
]	O. Due to far distance of ANC clinic	
4		Did you take extra food during pregnancy ?]
]	1. Yes	
]	0. No	

5		Did	you take rest or slept at least one hour during	
		day	time after you were 5-6 months pregnant ?	[]
[]	1.	Yes	
[]	0.	No	
6		Did	you avoid any heavy activities during	
		pre	gnancy ?	[]
E]	1.	Yes	
Ľ]	0.	No	
7		Did	you regularly observe abnormal signs and	
		symp	otoms e.g. edema, headache and decrease of	
		feta	al movement ?	[]
]	1.	Yes	
[]	0.	No	
8.		Did	you have tetanus toxoid immunization during	
		preg	gnancy ?]
[]	1.	Yes	
[]	0.	No	
9.	0	Did	you attend ANC according to scheduled	
		appo	pintment ?	[]
[]	1.	Yes	
E]	0.	No The State of th	

From question no. 10 - 11 will be filled by interviewers using what was recorded on the pink card.

10.	Weeks of	gestation	according	to ANC at	tend	dance [][]
	1 st =			week	of	gestation.	
	2 nd =			week	of	gestation.	
	3 rd =			week	of	gestation.	
	4 th =			week	of	gestation.	
	5 th =			week	of	gestation.	
	6 th =			week	of	gestation.	
	7 th =			week	of	gestation.	
11.	Did the	pregnant wo	omen have a	dequate AN	IC		
	attendan	ce ?				[]
[]	1. Yes						
r 7	O N-						

Summary table for different factors affecting of ANC Attendance


Appendix 2

Factors	No	%	Attend	of ANC	X ²	p-value
			No	%		
Age groups 15-19 20-24 25-29 30-34 ≥ 35	36 83 50 51 44	13.6 31.4 18.9 19.3 16.7	26 51 28 19 9	72.2 61.4 56.0 14.3 20.5	30.84	< 0.001
Religion Hindu Buddhist	124 140	47.0 53.0	82 51	66.1	22.03	< 0.001
Caste Brahmins Chhetri Tamang Others	88 21 119 36	33.3 8.0 45.1 13.6	61 12 45 15	69.3 57.1 37.8 41.7	21.62	< 0.001
Education Illiterate Literate	190 74	72.0 28.0	65 68	34.2 91.8	70.61	< 0.001
Family type Single Joint Extended	118 117 29	44.7 44.3 11.0	73 50 10	61.9 42.7 34.5	11.89	< 0.001
Annual Income < 5,000 Rs. 6-10,000 Rs. ≥ 11,000 Rs.	110 118 36	41.7 44.7 13.6	27 75 31	24.5 63.6 86.1	55.95	< 0.001
Gravida 1-2 3-4 ≥ 5	49 44 171	18.6 16.7 64.8	35 22 76	71.4 50.0 44.4	11.10	< 0.001

With complication 165 62.5 94 57.0 ANC service available Yes 224 84.8 123 92.5 10.98 No 40 15.2 10 25.0 Distance < 3 kilometers 125 47.3 40 32.0 41.28 4-6 kilometers 79 29.9 44 55.7 ≥ 7 kilometers 60 22.7 49 81.7 Convenient of transportation Convenient 102 38.6 83 81.4 61.87 Inconvenient 162 61.4 50 30.9 Service cost for ANC service Yes 15 19.3 45 88.2 169 No 213 80.7 88 41.3 Pink card With pink card 117 44.3 112 95.7 169.61 Without pink card 147 55.7 21 14.3 Impression on health personnel Good service and 28 21.1 19 67.9 12.31 good attention Bad service and 77 57.9 33 42.9						
Status Without complication 99 37.5 39 39.4 6.96 With complication 165 62.5 94 57.0 57.0 ANC service available 224 84.8 123 92.5 10.98 No 40 15.2 10 25.0 10.98 Distance 3 kilometers 125 47.3 40 32.0 41.28 4-6 kilometers 79 29.9 44 55.7 57 27 kilometers 60 22.7 49 81.7 81.7 Convenient of transportation 102 38.6 83 81.4 61.87 Inconvenient 162 61.4 50 30.9 30.9 Service cost for ANC service 15 19.3 45 88.2 169 No 213 80.7 88 41.3 169 Pink card 117 44.3 112 95.7 169.61 Without pink card 147 55.7 21 14.3 Impression on health personnel 28 21.1	Factors	No	% A	Attend	of ANC	X ² p-value
Without complication 99 37.5 39 39.4 6.96 With complication 165 62.5 94 57.0 ANC service available Yes 224 84.8 123 92.5 10.98 No 40 15.2 10 25.0 Distance < 3 kilometers 125 47.3 40 32.0 41.28 4-6 kilometers 79 29.9 44 55.7 ≥ 7 kilometers 60 22.7 49 81.7 Convenient of transportation Convenient 102 38.6 83 81.4 61.87 Inconvenient 162 61.4 50 30.9 Service cost for ANC service Yes 15 19.3 45 88.2 169 No 213 80.7 88 41.3 Pink card With pink card 117 44.3 112 95.7 169.61 Without pink card 147 55.7 21 14.3 Impression on health personnel Good service and 28 21.1 19 67.9 12.31 good attention Bad service and 77 57.9 33 42.9	n 1			No	%	
Yes No 224 84.8 123 92.5 10.98 No 40 15.2 10 25.0 Distance < 3 kilometers 79 29.9 44 55.7 ≥ 7 kilometers 60 22.7 49 81.7 Convenient of transportation Convenient 102 38.6 83 81.4 61.87 Inconvenient 102 38.6 83 81.4 61.87 Service cost for ANC service Yes 15 19.3 45 88.2 169 No 213 80.7 88 41.3 Pink card With pink card With pink card With pink card Without pink card 117 44.3 112 95.7 169.61 Without pink card 147 55.7 21 14.3 Impression on health personnel Good service and 28 21.1 19 67.9 12.31 good attention Bad service and 77 57.9 33 42.9	Without complication					6.96 < 0.001
<pre> < 3 kilometers</pre>	Yes	224				10.98 < 0.001
transportation Convenient 102 38.6 83 81.4 61.87 Inconvenient 162 61.4 50 30.9 Service cost for ANC service Yes 15 19.3 45 88.2 169 No 213 80.7 88 41.3 Pink card With pink card 117 44.3 112 95.7 169.61 Without pink card 147 55.7 21 14.3 Impression on health personnel Good service and 28 21.1 19 67.9 12.31 good attention Bad service and 77 57.9 33 42.9	< 3 kilometers 4-6 kilometers	79	29.9	44	55.7	41.28 < 0.001
ANC service Yes	transportation Convenient					61.87 < 0.001
With pink card 117 44.3 112 95.7 169.61 Without pink card 147 55.7 21 14.3 Impression on health personnel Good service and 28 21.1 19 67.9 12.31 good attention Bad service and 77 57.9 33 42.9	ANC service Yes					169 < 0.001
personnel Good service and 28 21.1 19 67.9 12.31 good attention Bad service and 77 57.9 33 42.9	With pink card					169.61 < 0.001
Bad service and 77 57.9 33 42.9	personnel Good service and	28	21.1	19	67.9	12.31 < 0.001
		77	57.9	33	42.9	
Others 28 21.0 6 21.4	Others	28	21.0	6	21.4	

Appendix 3

Map of Community



Note: Manikhel Village *



VITAE

Miss Sangita Maharjan was born on October 22nd 1961 in Kathmandu District, Nepal. She graduated in Community Health Nursing with Bachelor degree in the year 1988 from Institute of Medicine Nursing Campus, Maharajgunj. She has been enrolled in the Master of Science in Health Development (Health Programme Management) at faculty of Medicine, Chulalongkorn University since 1993. Her present position is health post supervisor in the United Mission to Nepal, Community Development and Health Project.
