

REFERENCE

1. Weaver, M.O., Bagley, E.B., and Doane, W.M. (United States Department of Agriculture) Reducing water content of emulsions, suspension, and dispersions with highly absorbent starch-containing polymeric compositions. U.S. Pat 3,935,099 (Jan. 27, 1976).
2. Kim, U.Y. Recent developments in high water absorbing polymers and applications. In the Proceedings of the International Conference on Recent Developments in Petrochemical and Polymer Technologies, December 12-16, 1989, pp.6-1 to 6-4, Bangkok, Thailand: Chulalongkorn University Press.
3. Hunkeler, D., Hamielec, A.E., and Baade, W. Mechanism, kinetics and modelling of the inverse-microsuspension homopolymerization of acrylamide. Polymer. 30 (1989): 127-141.
4. Odian, G., Principles of Polymerization, 2nd ed., pp.1, 179-180, 186-188, John Wiley & Sons, New York, 1981.
5. Ham, G.E.(ed.), Vinyl Polymerization, Kinetics and Mechanisms of Polymerization Vol.1, pt.1, pp.1, Marcel Dekker, New York, 1967.
6. Rodrigues, F., Principles of Polymer Systems, 2nd ed., pp.59-69, McGraw-Hill Book Company, New York, 1982.
7. Billmeyer, F.W., Textbook of Polymer Science, 3rd ed., pp.56-57, 131-132, Wiley-Interscience Publication, New York, 1984.
8. Trommsdorff, E., and Munzer, M., Polymerization Processes, High Polymers Vol.XXIX, Schildknecht, C.E., and Skeist, I. (eds.), pp.106-124, John Wiley & Sons, New York, 1977.
9. _____ and Schildknecht, C.E., Polymer Processes, High Polymers Vol.X, pp.69-109, Interscience, New York, 1956.

10. Kurenkov, V.F., Trifonova, M.N., and Myagchenkov, V.A. Peculiarities of the inverse emulsion polymerization of acrylamide in the presence of hydrolyzing agent and persulphate-tris-(2-carbamoylethyl)amine initiator. Eur. Polym. J. 23 (1987): 685-688.
11. Heide, H., Hartmann, H., and Vamvakaria, C. Preparation of polymer beads by inverse suspension polymerization. U.S. Pat 4,739,009 (Apr. 19, 1988).
12. Graillat, C., Pichot, C., Guyot, A., and Aasser, M.S.E. Inverse emulsion polymerization of acrylamide. I. Contribution to the study of some mechanistic aspects. J. Polym. Sci. Polym. Chem. Ed. 24 (1986): 427-449.
13. Dimonie, M.V., Boghina, C.M., Marinescu, N.N., Marinescu, M.M., Cincu, C.I., and Oprescu, C.G. Inverse suspension polymerization of acrylamide. Eur. Polym. J. 18 (1982): 639-645.
14. Boghina, C.M., Cincu, C.I., Marinescu, N.N., Marinescu, M.M., Dimonie, M.V., Lecca, M., Popescu, G., Oprescu, C.G., Rosanu, A., and Lungu, M. Reactions of transformation of polyacrylamide obtained by polymerization in inverse suspension. J. Macromol. Sci-Chem. A22 (1985): 591-618.
15. Aoki, S., and Yamasaki, H. Self-crosslinked alkali acrylate polymers. Ger. Offen DE 2,744,727 (Apr. 13, 1978). Chemical Abstracts 88(1978): Abstract No. 191788n.
16. Obayashi, S., Nakamura, M., Fujiki, K., and Yamamoto, T. Alkali metal acrylate polymer having high salt solution-absorbency. Eur. Pat 36,463 (Sep. 30, 1981). Chemical Abstracts 96 (1982): Abstract No. 52912a.

17. Kao Soap Co., Ltd. Water-absorbing self-crosslinked polymers.
JP 81,161,412 (Dec. 11, 1981). Chemical Abstracts 96 (1982): Abstract No.123882d.
18. _____ Water-absorbing self-crosslinked polymers.
JP 81,161,414 (Dec. 11, 1981). Chemical Abstracts 96 (1982): Abstract No.123883e.19.
19. Sumitomo Chemical Co, Ltd. Water-absorbent polymers. JP 82,167,302 (Oct. 15, 1982). Chemical Abstracts 98(1983): Abstract No.108296p.
20. _____ Polymers with high water absorption velocity.
JP 82,187,306 (Nov. 18, 1982). Chemical Abstracts 98 (1983): Abstract No.144423m.
21. Mikita, M., and Maeno, J. Preparation of acrylic water absorbents
FR 2,570,382 (Mar. 21, 1986). Chemical Abstracts 106 (1987): Abstract No.33620n.
22. _____ Process for preparing highly water absorbent resin.
U.S. Pat 4,647,636 (Mar. 3, 1987).
23. Cramm, J.R., and Bailey, K.M. Water-absorbent acrylic acid polymer gels. U.S. Pat 4,698,404 (Oct. 6, 1987).
24. Cabestany, J. Water-insoluble hydrophilic acrylic acid-alkali metal acrylate copolymers, their preparation and use as absorbents, especially for physiological solutions. FR 2,614,027 (Oct. 21, 1988). Chemical Abstracts 111(1989): Abstract No.97971p.
25. Han, Y-K., Kim, Y.H., Kim, U.Y., No, Y-P., Jung, Y-T., and Chung, G-S. Preparation of high water absorbing polymers from acrylic acid and their agricultural use. In the Proceedings of the International Conference on Recent Developments in Petrochemical and Polymer Technologies, December 12-16, 1989, pp.6-20 to 6-24, Bangkok, Thailand: Chulalongkorn University Press.

26. Variu, C., Cataneseu, V., Saueiue, A., Popeseu, F., and Vatavu, D. Solid sodium acrylate. ROM. 66,054 (May 30, 1975).
27. Bikales, N.M.(ed.), Water-Soluble Polymers, Polymer Science Technology Volume 2, pp.214, Plenum Press, New York, 1973.
28. Brannon-Peppas, L., and Harland, R.S.(eds.), Absorbent Polymer Technology, pp. 30-31,111-118, Elsevier, Amsterdam, 1990.
29. Takatsuki, M.M., and Maeno, J. Process for preparing highly water-absorbent resin. U.S. Pat 3,647,636 (Mar. 3, 1987).
30. Brandrup, J., and Immergut, E.H.(eds), Polymer Handbook, 2nd ed., pp.II-111,III-146, John Wiley & Sons, New York, 1975.
31. Chatterjee, P.K.(ed.), Absorbency, Textile Science and Technology Volume 7, pp.55-56,204, Elsevier, Amsterdam, 1985.
32. Alexander, W., Anderson, M., and Regan, B.R. Improve process for preparing water-absorbing resins. Eur. Pat 303,518 A2 (Aug. 15, 1988).
33. Abe, T., Egawa, H., Ito, H., and Nitta, A. Synthesis and characterization of thermo-sensitive polymeric beads. J. Appl. Polym. Sci., 40(1990): 1223-1235.
34. Kaitkamjornwong, S., and Faullimmel, J.G. Synthesis of cassava starch-based water-absorbing polymer for agricultural application. In the Proceedings of the International Conference on Recent Developments in Petrochemical and Polymer Technologies, December 12-16, 1989, pp.6-13 to 6-18, Bangkok, Thailand: Chulalongkorn University Press.
35. Christain, G.D., Analytical Chemistry, 4th ed., p.108, John Wiley & Sons, New York, 1986.

36. Ranby, B., and Rodehed, C. Water vapor absorption and aqueous retention of hydrolyzed starch polyacrylonitrile graft copolymer—"superabsorbent starch". Polymer Bulletin, 5 (1981):87-94.
37. Castel, D., Richard, A., and Audebert, R. Swelling of anionic and cationic starch-based superabsorbents in water and saline solution. J. Appl. Polym. Sci., 39(1990): 11-29.
38. Guerrero, S.J., Boldarino, P., and Zurimendi, J.A. Characterization of polyacrylamides used in enhanced oil recovery. J. Appl. Polym. Sci., 30(1985): 956-957.
39. Candau, F., and Zekhnini, Z. ^{13}C NMR study of the sequence distribution of poly(acrylamide-*co*-sodium acrylate) prepared in inverse microemulsions. Macromolecules, 19 (1986): 1895-1902.
40. Ruchel, R., and Brager, M.D. Scanning electron microscopic observations of polyacrylamide gels. Anal. Biochem., 68 (1975): 415-428.

VITA

Mr. Pairat Chokwibulkit was born on June 2, 1966, in Nakhon Pathom, Thailand. He graduated with a Bachelor's degree of Science in Chemistry from Faculty of Science, Silpakorn University in 1989.



คุณยิวทัยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย