

### References

1. Odian, G., Principles of Polymerization, pp. 1-713, A Wiley Interscience Publication, New York, 2nd ed., 1981.
2. Robert, W.L., Organic Chemistry of Synthetic High Polymers, pp. 53-79, John Wiley & Sons Inc., New Your ,1967.
3. Albert, K. S., Organotin Compounds, pp. 1-245, Marcel Dekker Inc., New York, 1971.
4. Saunders, K. J., Organic Polymer Chemistry, pp. 203-244, John Wiley & Sons Inc., New york, 1973.
5. Fred, W.B., Textbook of Polymer Science, pp. 1-598, John Wiley & Sons Inc., New York, 2nd ed., 1962.
6. Morrison, R.T., R.N.Boyd, Organic Chemistry, pp. 1-1365, Allyn and Bacon Inc., Singapore, 4th ed., 1983.
7. Furniss, B.S., A.J. Hannaford, V.Rogers, P.W.G. Smith and A.R. Tatchell, Vogel's Textbook of Practical Organic Chemistry, pp.1-1368, longman Group Limitted., Suffolk, 4th ed., 1978.
8. Brydson, J.A., Plastic Materials, pp.1-845, Anchor Press Ltd., London, 5th ed., 1989.
9. Pereyre,M., J.P.Quintard and A.Rahm, Tin in Organic Synthesis, pp.1-342, Anchor Brendon Ltd., Tiptru,1987.
10. Silverstein, R.M., and G.C.B. Bassler, Spectrometric Identification of Organic Compounds, pp.1-249, John Wiley & Sons, Inc., New Yortk, 2nd edf., 1968.
11. Cazez, J., Liquid Chromatography of Polymers and Related Materials (Cazes, J. ed.), Chromatographic Science Series, Volume 8, pp.1-166, Marcel Dekker, Inc., New york and Basel, 1976.

12. Brown, M. E., Introduction to Thermal Analysis, Techniques and Applications, pp.1-211, University Press Cambridge, London, 1988.
13. Kampf, G., Characterization of Plastics by Physical Methods, pp.1-351, Hanser Publisher, New York, 1986.
14. Raston, C.L., and G. Salem, "Magnesium Anthracene : An alternative to Magnesium in the High Yield Synthesis of Grignard Reagents," J. Chem.Soc., Chem. Communication, 1702-1703, 1984.
15. Andrews, T.M., F.A. Bower, B.R. Laliberte and J. C. Montermoso, "Dibutyltin dicarboxylic Acid Esters," J. Am. Soc., 80, 4102-4104, 1958.
16. Engelhard, L.M., W.P. Leung, C.L. Raston, P. Twiss and A.H. White, "Axially Asymmetric Metal Alkyls. Part 2. Synthesis of the Di-Grignard Reagent  $[(Mg(\text{thf})_n\text{Cl})_2\text{R}][\text{thf}] =$  tetrahydrofuran,  $\text{R}=(2-\text{CH}_2\text{C}_6\text{H}_4)_2^{2-}$ " and 6,7-Dihydro-5H-dibenzo[c,e]-silepines and -stannepines; X-Ray Crystal Structures of  $[\text{SnPh}_2\text{R}]$  and -SS- and -RR-  $[\text{SnPh}_2\{\text{[2-CH}(\text{SiMe}_3)\text{C}_6\text{H}_4]\}_2]^+$ , "J.Chem.Soc.Dalton Trans.", 331-340, 1984.
17. Tanaka, M., "Unsymmetrical Ketone Synthesis from Organic Halides, Carmon Monooxide, and Organotin Compounds Catalyzed by a Palladium Complex," Tetrahedron Letters, 28, 2601-2602, 1979.

18. Lappert, M.F., and T.R. Martin, "Chemistry of o-Xylidene-Metal Complexes. Part I.o-Xylidene-Magnesium Reagents as Metallocyclic Precursors and Synthesis of  $[\text{Pt}(\text{CH}_2\text{C}_6\text{H}_4\text{CH}_2-\text{O})(\text{cod})]$  (cod = cyclo-octa-1,5-diene); the X-Ray Crystal Structure of the Macrometallocycle  $[\{\text{Mg}(\text{CH}_2\text{C}_6\text{H}_4\text{CH}_2-\text{O})(\text{C}_4\text{H}_8\text{O})_2\}_3]^+$ , "J. Chem. Soc. Dalton Trans., 1959-1964, 1982.
19. Matsukawa, K., and H. Inoue, "Synthesis of Aromatic Polyester-Siloxanes Using 1,3- Bis(p-hydroxyphenyl) disiloxanes as Diol Componenty, "Journal of Polymer Science Part C, Polymer Letter, 28, 13-19, 1990.
20. Gibbons, A.J., A.K. Sawyer, and A. Ross, "The Partial Hydrolysis of Dialkyltin Halides," J. Am. Chem. Soc., 26, 2303-2306.
21. Gaughan, R.G., H.W. Hill, and J.E. Inda, "Preparatoin and Properties of Polyester Made from 2,2- Bis(cyclohexyl) propane and adipic acid, "Journal of Polymer Science Part A, 24, 419-426, 1986.
22. Pearson, D.E., D. Cowan, and J.D. Beckker, "A Study of the Entrainment Method for Making Gringard Reagents," J. Am. Chem. Soc., 24, 504-509. 1959.
23. Organotin Research Institute, "Reprinted from Comprehensive Organometallic Chemistry, Tin(II), " Pergamon press, Essex, 1980.
24. ASTM Standards, "Standard Test Method for Molecular Weight Average and Molecular Weight Distribution by Gel Permeation Chromatography," Easton, 1988.

25. C.J. Evans., "The Development of Organotin-Based Antifouling Baints", Tin and Its Uses, vol.1, pp. 3-7 ITRI of UK., 1970.
26. Van Der Kerk, G.J.M., and J.G.Al Luijten, "Investigation on Organotin Compounds 1. The Preparation of Butyltin Compounds by a Wurtz Reaction", Journal of Apply Chemistry, vol.4, 1954, 301-319.

ศูนย์วิทยทรัพยากร  
จุฬาลงกรณ์มหาวิทยาลัย

**APPENDIX**

ศูนย์วิทยบรพยากร  
จุฬาลงกรณ์มหาวิทยาลัย



## Appendix


Calculation of conversion of polymer in step polymerization

$A = \% \text{ Conversion of polymer}$

$$A = \frac{N_0 - N}{N_0}$$

$N_0$  = the initial (at  $t=0$ ) concentration of monomer

$N$  = concentration of monomer at time  $t$ .





Vita

Mister Patipol Tadakorn was born on January 10, 1962 in Bangkok. He receive a Degree of Bachelor of Science in General science from Chulalongkorn University in 1984 and Since 1987, he was been a graduate student in the Petroleum and Petrochemical College.

ศูนย์วิทยทรัพยากร  
อุปราชกรรณมหาวิทยาลัย