



ภาษาไทย

ไชยยศ ทิปกร จันทรพิทักษ์. ตำรับยาไทย. สงขลา : โรงพิมพ์ทีวีที, 2515.

นิจศิริ เรืองรังษี. เครื่องเทศ. กรุงเทพมหานคร : โรงพิมพ์จุฬาลงกรณ์มหาวิทยาลัย, 2534.

บัญญัติ สุขศรีงาม. เครื่องเทศที่ใช้เป็นสมุนไพรเล่ม 1. กรุงเทพมหานคร : โรงพิมพ์อมรร การพิมพ์, 2527.

วีระ ดุลย์ชูประภา. ผลของอัลคาลอยด์หลักจากต้นตาสเลื่อทุ่งต่อการหดเกร็งของกล้ามเนื้อ หลอดเลือดที่โตและหัวใจของสุกร. วิทยานิพนธ์ปริญญาเภสัชศาสตรมหาบัณฑิต ภาควิชาเภสัชวิทยา บัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย, 2537.

พิทักษ์ อาภาศิริผล. การปลูกพริกไทย. กสิกร, 2517.

อัญชลี อักขระชาตะ.ฤทธิ์ของไปเปอรินต่อความดันเลือดในหนูขาว. วิทยานิพนธ์ปริญญา- วิทยาศาสตร์มหาบัณฑิต สาขาสรวิทยา บัณฑิตวิทยาลัย จุฬาลงกรณ์ มหาวิทยาลัย, 2530.

อรชร อิงคานูวัฒน์. บทบาทของเยื่อหลอดเลือดต่อการออกฤทธิ์ของสารสื่อประสาทบาง ชนิดในหลอดเลือดแดงที่แยกจากหัวใจและโตของสุกร. วิทยานิพนธ์ปริญญา- วิทยาศาสตร์มหาบัณฑิต สาขาเภสัชวิทยา บัณฑิตวิทยาลัย จุฬาลงกรณ์- มหาวิทยาลัย, 2535.

ภาษาอังกฤษ

Ashton, J.H., et al. Cooperative mediation by serotonin S_2 and thromboxane A_2 / prostaglandin H_2 receptor activation of cyclic flow variations in dogs with severes coronary artery stenosis. Circulation. 76 (1987) : 952-959.

Bartho, L., and Szolcsanyi, J .Local chemoreflexes of the guinea pig ileum elicited by sensory stimulating agents. Acta Phyiol. Acad. Sci Hung. 52 (1978) : 200.

Blatter, R., Classen, H.G., Dehnert, H., and Doring, H.J. Experiments on isolated smooth muscle preparations. Germany : Hugo Sachs Elektronik KG, 1978.

Bolton, T.B. Mechanism of action of transmitters and other substances on smooth muscle. Physio. Rev. 519 (1979) : 606-718.

- Cain, C.R., and Nicholson, C.D. Comparison of the effects of cromakalim, a potassium conductance enhancer, and nimodipine, a calcium antagonist, on 5-hydroxytryptamine responses in a variety of vascular smooth muscle preparations. *Naunyn-Schmiedeberg's Arch. Pharmacol.* 340 (1989) : 293-299.
- Carsten, M.E., and Miller, J.D. A new look at uterine muscle contraction. *Am. J. Obstet. Gynecol.* 157 (1987) : 1303-1315.
- Chow, C. The original experience of piperine in treatment of epilepsy. *J. Beijing Med. Colledge.* 4 (1974) : 214-216.
- Christie, M.I., Griffith, T.M. and Lewis, M.J. A comparison of basal and agonist stimulated release of endothelium-derived relaxing factor from different arteries. *Br. J. Pharmacol.* 98 (1989) : 397-406.
- Cock, T.M., and Angus, J.A. Endothelium - dependent relaxation of coronary arteries by noradrenaline and serotonin. *Nature.* 305 (1983): 627-630.
- Cohen, M.L., Fuller, R.W., and Kurz, K.D. LY 53857, A selective and potent serotonergic (5-HT₂) receptor antagonist, dose not lower blood pressure in the spontaneously hypertensive rat. *J. Pharmacol. Exp. Ther.* 227 (1983a) : 327-332.
- Cohen, R.A., Shepherd, J.T., and Vanhoutte, P.M. Effects of the adrenergic transmitter on epicardial coronary arteries. *Fed. Proc.* 43 (1984) : 2862-2866.
- Conner, H.E., Feniuk, W., and Humphrey, P.A. 5-Hydroxytryptamine contracts human coronary arteries predominantly via 5-HT₂ receptor activation. *Eur. J. Pharmacol.* 161 (1989) : 91-94.
- Conti, A., et al. Role of 5-HT₂ receptors in serotonin-induced contraction in the human mammary artery. *Eur. J. Pharmacol.* 176 (1990) : 207-212.
- Cushing, D.J., and Cohen, M.L. Serotonin- induced contraction in porcine coronary artery : use of ergolines to support vascular 5 - hydroxytryptamine 2- receptor heterogeneity. *J. Pharmacol. Exp. Ther.* 264 (1992) : 193-200.
- Dalvi, R.R., and Dalvi, P.S. Comparison of the effects of piperine administered intragastrically and intraperitoneally on the liver and liver mixed - function oxidases in rats. *Drug - Metabol-Drug-Interact.* 9 (1991) : 23-30.

- Ferguson, D.R., Johnson, B.I., and Price, N. Response of the pig isolated renal artery to transmural electrical stimulation and drugs. *Br.J. Pharmacol.* 84 (1985) : 879-882.
- Forstermann, U., et al. Isoforms of nitric oxide synthase. *Biochem. Pharmacol.* 42 (1991) : 1849-1857.
- Furchgott, R.F., and Zawadzki, J.V. The obligatory role of endothelial cells in the relaxation of arterial smooth muscle by acetylcholine. *Nature.* 288 (1980 b): 373-376.
- Gilman, A.G., Goodman, L.S., and Palmer, T. *Goodman and Gilman's The pharmacological basis of therapeutics.* 7 ed. New York : Mac Millan, 1985.
- Godfraind, T., and Miller, R.C. Specificity of action of Ca^{2+} entry blockers. A comparison of their actions in rat arteries and in human coronary arteries. *Circ. Res.* 52 : suppl. I (1983) : 81-91.
- Gothert, M., and Schlicker, E. Classification of serotonin receptors. *J. Cardil. Pharmacol.* 10 (1987) : 53-57.
- Gouw, M.A., Wilffert, B., and Van, P.A. Effects of inorganic cation on K^+ -5-hydroxytryptamine and noradrenaline induced contractions of the isolated rat jugular vein and aorta. *Eur. J. Pharmacol.* 185 (1990) : 147-155.
- Graser, T., Leisner, H., and Teiedt, N. Absence of role of endothelium in the response of isolated porcine coronary arteries to acetylcholine. *Circ. Res.* 20 (1986) : 299-302.
- Hills, L.D., and Lange, R. Serotonin and ischemic heart disease. *N. Engl. J. Med.* 324 (1991) : 688-690.
- Hof, R.P., and Vuoreles, H.J. Assessing calcium antagonist on vascular smooth muscle : A comparison of three methods. *J. Pharmacol. Methods.* 9 (1983) : 41-521.
- Ignarro, L.J. Endothelium - derived nitric oxide : actions and properties. *FASEB Journal.* 3 (1989 a) : 31-36.
- Ito, Y., Kitamura, K., and Kuriyama, H. Effects of acetylcholine and catecholamines on the smooth muscle of porcine coronary artery. *J. Physiol.* 294(1979) : 595-611.
- Jackson, W.F. The endothelium-derived relaxing factor. *J.Reconstruct. Microsurg.* 5(1989) : 263-271.

- Jhamandas., K., Yaksh, T.L. Harty, G. Szdlcsanyi, J., and Go, V.L.W. Action of intrathecal capsaicin and its structural analogs on the content and release of spinal substance P selectivity of action and relationship to analgesia. *Brain Res.* 306 (1984) : 215-226.
- Kamm, K.E., and Stull, J. The function of myosin and myosin light chain kinase phosphorylation in smooth muscle. *Ann. Rev. Pharmacol Toxicol.* 25 (1985) : 593 - 620.
- Kamm, P.C.A., and Govender, G. Nitric oxide : basic science and Clinical applications. *Anaesthesia.* 49 (1994) : 515-521.
- Karaki, H., Satake, N., and Shibata., S. Mechanism of barium induced contraction in vascular smooth muscle of rabbit aorta. *Br. J. Pharmacol.* 88 (1986) : 821-826.
- _____, and Weiss, G.B. Minisoview : calcium release in smooth muscle. *Life Sciences.* 42 (1988) : 111-122.
- Kawada, T., Sakabe, S., Watanabe, T., Yamamoto, M., and Iwai, K. Some pungent principles of spices cause the adrenal medulla to secrete catecholamine in anesthetized rats. *Proc. Soc. Exp. Biol. Med.* 188 (1988) : 229-233.
- Kazada, S. Inhibitory effects of nisoldipine on serotonin and potassium induced contractions of porcine coronary and femor arteries. *Arznein-Forsch./Drug Res.* 41 (1991) : 204-207.
- Kobayashi, S., Kanaide, H., and Nakamura, M. K^+ - Depolarization induces a direct release of Ca^{2+} from intracellular storage sites in cultured vascular smooth muscle cells from rat aorta. *Biochem. Biophys. Res. Commun.* 129 (1985) : 877-884.
- Koul, I.B., and Kapil, A. Evaluation of the liver protective potential of piperine, an active principle of black and long peppers. *Planta-Med.* 59 (1993) : 413-417.
- Liu, G.Q., Algeri, S., Ceci, A. Garatini, S., Gobbi, M., and Murai, S. Stimulation of serotonin synthesis in rat brain after antiepilepsirine, and antiepileptic piperine derivative. *Biochem. Pharmacol.* 33 (1984) : 3883-3886.
- Luscher, T.F. Endothelial vasoactive subatances and cardiovascular disease, Switzerland: S.Karger A.g., 1988.

- _____, and Vanhoutte, P.M. Endothelium- dependent responses to platelets and serotonin in spontaneously hypertensive rats *Hypertension*. 8 : suppl 2 (1986) : II-55-II-60.
- Madgett, I.C. Effect of neuronal uptake blockade on amplifying effect of serotonin on sympathetic vasoconstriction in rat autoperfused hindlimb. *J. Cardiol. Pharmacol.* 10 (1987) : S65-S68.
- Mangel, A.W., Nelson, D.O., Rabovsky, J.L., Prosser, C.L., and Connor, J.A. Depolarization-induced contractile activity of smooth muscle in calcium-free solution. *Am.J.Physiol.* 242 (1982) : C36-C40.
- McCall, T., and Vallance, P. Nitric oxide takes centre-stage with newly defined roles. *TIPS*. 13 (1992) : 1-6.
- Micevych, P.E., Yaksh, Y.L., and Szolcsanyi, J. Effect of intrathecal capsaicin analogs on the immuno fluorescence of peptides and serotonin in the dorsal horn in rats. *Neuroscience*. 8 (1983) : 123-132.
- Miyauchi, T., Ishikawa, T., Sugishta, Y., Saito, and Goto, K. Effects of piperine on calcitonin gene-related peptide (CGRP)- containing nerves in the isolated rat atria. *Neurosci-lett.* 91 (1988) 222-227.
- Moncada, S., and Vane, J.R. Pharmacology and endogenous roles of prostaglandin endoperoxides, Thromboxane A₂ and prostacyclin. *Pharmacol. Rev.* 30 (1979) : 293-331.
- _____, Palmer, M.J., and Higgs, E.A. Nitric oxide physiology, pathophysiology and pharmacology. *Pharmacol. Rev.* 43 (1991) : 109-142.
- Mori, A., Kabuto, H., and Pei, Y.Q. Effects of piperine on convulsions and on brain serotonin and catecholamine levels in EI mice. *Neurochem. Res.* 10 (1985) : 1269-1275.
- Mujumdar, A.M., Dhuley, J.N., Deshmukh, V.K., Raman, P.H., and Naik, S.R. Anti-inflammatory activity of piperine. *Jpn. J. Med. Sci. Biol.* 43 (1990) : 95-100.
- Nakazawa, M., Takeda, K., Nakagawa, Y., and Imai, S. Contraction of the large conductance coronary artery produced by acetylcholine in the mini pig. *Experientia* . 38 (1982) : 1470-1472.



- Ngai, J.H., Roth, P.S., and Pual, R.J. Effect of endothelium on basal tones and agonist and O_2 sensitivity in porcine coronary artery. *J.Pharmacol. Exp. Ther.* 252 (1990) : 1053-1059.
- Nishimura, J., Kanaide, H., and Nakamura, M. Characteristics of adrenoreceptors and [3H] Nitrendipine receptors of porcine vascular smooth muscle : differences between coronary artery and aorta. *Circ. Res.* 60 (1987) : 837-844.
- Noble, M.I.M., and Drake- Holland, A.J. The involvement of serotonin in the formation of thrombi at critical coronary arterial in humans. *Coron. Artery. Dis.* 1 (1990) : 675-679.
- Page, I.H., and McCubbin, J.W. The variable arterial pressure responses to serotonin in laboratory animals. *Circ. Res.* 1(1953) : 354-362.
- Palmer, R.M.J., Ferrige, A.G., and Moncada, S. Nitric oxide release accounts for the biological activity of endothelium-derived relaxing factor. *Nature.* 327 (1987) : 524-526.
- Pei, Y.Q., and Tao, C. The anticonvulsant and sedative action of piperine. *J. Beijing Med. Colledge.* 4 (1974) : 217-220.
- Piyachaturawat, P., Glinsukon, T., and Peugvicha. Postcoital antifertility effect of piperine. *Contraception.* 26 (1982) : 625-633.
- _____, Glinsukon, T., and Toskulkao, C. Acute and subacute toxicity of piperine in mice, rats and hamsters. *Toxicol. Lett.* 16 (1983) : 351-359.
- _____, Sriwattana, W., Damrongphol, P., and Pholpramool, C. Effects of piperine on hamster sperm capcitation and fertilization in vitro. *Int.J. Androl.* 14 (1991) : 283-290.
- Richards, M.H. Pharmacology and second messenger interaction of cloned muscarinic receptors. *Biochem. Pharmacol.* 42 (1991) : 1645 - 1653.
- Ruffolo, R.R. , Nichols, A.J., Stadel, J.M. and Hieble, J.P. Structure and function of β - adrenoreceptors. *Pharmacol. Rev.* 43 (1991) : 475 - 506.
- Shepherd, J.T., and Vanhoutte, P.M. The circulation in the limbs : normal function and effects of disease. In Chatterjee, K. , Karliner, J., Rapaport, E., Cheitlin, M., Parmley, W.M., and Scheinman, M. (eds.) . *Cardiology.* vol 1., pp.1.115. Singapore : Imago Productions (FE) PTE,LTD,1991.
- Shimokawa, H., Aarhus, L.L., and Vanhoutte, P.M. Porcine coronary arteries with regenerated endothelium have a reduced endothelium - dependent

- responsiveness to aggregating platelets and serotonin. *Circ. Res.* 61(1987) : 256-270.
- Smith, D.J. Reactions of the isolated surviving coronary artery to epinephrine, acetylcholine and histamine. *Proc. Soc. Exptl. Biol. Med.* 73 (1950): 449 - 452.
- Stecher, P.G. *The Merck index. an encyclopedia of chemicals and drugs.* 7 th ed. Rahway : Merck & Co., 1960.
- Szolcsanyi, J., and Janossy, T. Mechanism of the circulatory and respiratory reflexes evoked by pungent agents. *Acta Physiol. Acad. Sci. Hung.* 39 (1977) : 260.
- Takaki, M., Jim Ji-Guang., Lu, Yun-Fei., and Nakayama., S. Effects of piperine on the motility of the isolated ginea-pig ileum : comparison with capsaicin. *Eur. J. Pharmacol.* 186 (1990) : 71-77.
- Toda, N. Isolated human coronary arteries in response to vasoconstrictor substances. *Am. J. Physiol.* 245 (1983) : H 937-H941.
- Vanhoutte, P.M. Serotonin, hypertension and vascular disease. *Neth. J. Med.* 38 (1991) : 35-42.
- ., Verbeuren, T.J., and Webb, R.C. Local modulation of the adrenergic neuroeffector interaction in the blood vessel wall. *Physiol. Rev.* 61 (1981) : 151-247.
- ., and Cohen, R.A. Effect of acetylcholines on the coronary artery. *Fed. Proceeding* . 43 (1984) : 2878-2880.
- ., and shimokawa, H. Endothelium-derived relaxing factor and coronary vasospasm. *Circulation* . 80 (1989) : 1-9.
- Van Rossum, J.M., J.A. Th.M. Hurkmans, and C.J.J. Wolters. Cumulative Dose-Response Curve I. Technique for the making of dose response curves in isolated organs and the evaluation of drugs-parameter. *Arch. Int. Pharmacodyn.* 143 (1963) : 299 - 330.
- Verbeuren, T.J. Endothelium and coronary atherosclerosis. *Coron. Artery. Dis.* 2 (1991) : 323-337.
- Vichoever, A., and Cohen, I. Mechanism of action of aphrodisiac and other irritant drugs. I. Physiological evaluation of yohimbine, cantharidine, capsaicin and piperine on *Daphnia magna*. *Amer. J. Pharm.* 110 (1938) : 226-249.

- Wennmalm, A. Endothelial nitric oxide and cardiovascular disease. *J. Int. Med.* 235 (1994) : 317-327.
- Willerson, Y.T., et al. Role of thromboxane and serotonin as mediators in the development of spontaneous alterations in coronary blood flow and neointimal proliferation in canine models with chronic coronary artery stenosis and endothelial injury. *J. Am. Coll. Cardiol.* 17 (1991) : 101B-110B.
- Yamada, S., Yamamura, H.I., and Roeske, W.R. Alterations in cardiac autonomic receptors following 6-hydroxydopamine treatment in rats. *Mol. Pharmacol.* 18 (1980) :185.
- _____, Yamazawa, T., Harada, Y., Yamamura, H.T., and Nakayama, K. Muscarinic receptor subtype in porcine coronary artery. *Eur. J. Pharmacol.* 150 (1988) : 373-376.
- Zifa, E., and Follion, G. 5-hydroxytryptamine receptor. *Pharmacol. Rev.* 44 (1992) : 401-447.



ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย

ประวัติผู้เขียน

นางสาวเบญจวรรณ นีกเว้น เกิดเมื่อวันที่ 16 สิงหาคม พ.ศ. 2514 ที่จังหวัดกรุงเทพมหานคร สำเร็จการศึกษาปริญญาตรีพยาบาลศาสตรบัณฑิตจากคณะแพทยศาสตร์ โรงพยาบาลรามธิบดี มหาวิทยาลัยมหิดลเมื่อปีการศึกษา 2534 เข้ารับราชการตำแหน่งพยาบาล โรงพยาบาลรามธิบดี แผนกศัลยกรรมหญิง และเข้าศึกษาต่อในหลักสูตรเภสัชวิทยา สาขาวิชาเภสัชวิทยา คณะแพทย-ศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย ในปีการศึกษา 2536



ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย

