



นรรษานกรม

1. Thongcharoen P. The incidence of hepatitis B surface antigen in tropical infection and liver disease in Thailand. J Med Assoc Thai 1976, 9: 546-459
2. วิศิษฐ์ สิคปรีชา และ คณะ ไวรัสตับอักเสบบี แนวทางการวินิจฉัย และกลวิธีในการควบคุม คณะแพทยศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย, 2521
3. Punyaagupta S., Olson L.C., Harinasuta U., Akarawong K., Varawidhya W. The epidemiology of hepatitis B antigen in high prevalence area. Am J Epidemiol 1973 ; 97 : 349 - 354
4. Anderson G.M. Natural history of HBsAg carrier. Gut 1985 ; 26 : 848 - 860
5. Punyagupta S., Bunyaratvej S., Harisnasuta U., Akarawong K. Proceedings 5th World Congress in Gastroenterology. Mexico, October 1974 : 13 - 18
6. Punyagupta S., Harinasuta U., Akaronwong K., Bunryaratvej S. Chronic hepatitis on hepatitis B antigen. In Proceeding International Symposium on Hepatitis. Taipei. March 23- 24, 1978; 115 - 117
7. Shin Y. J., Intenational Comparision of major cause of death. In Shin, Y.J. ed. : Cause of Death Statistics Republic of Korea. National Bureau of Statistics, Economic Planning Board 1982; 94 - 97

8. Garcia G., Gentry K.R., Chronic viral hepatitis.
Medical Clinics of North America 1989; 73: 971
9. Wands J.R., Koff R.S., Isselbacher K.J. Chronic hepatitis. In Braunwald E. et al ed.
Harrison's Principle of Internal Medicine.
Mc Graw-Hill Book Company, 1987: 1338
10. Baker A.L., Kotake A.N., Schoeller D.A. Clinical utility of breath test for the assessment of hepatic function Sem Liv Dis 1983; 3: 318
11. Sherlock S, Walshe V Blood cholates in normal subjects and in liver disease Clin Sci 1948; 6: 223-228
12. Hofmann A.F. The enterohepatic circulation of bile acid in health and disease. In sleizenger M.H., Fordtran J.S., ed. Gastrointestinal Disease.
W.B. Saunder, Philadelphia ; 1980 : 115 - 131
13. Hofmann A.F. : Functions of bile in the alimentary canal. In Cook C.F., ed. Hand-book of Physiology : Alimentary Canal. American Physiological Society, Washington D.C.; 1968,
vol.5
14. Sherlock S. Disease of the Liver and Biliary Disease.
7th ed. Blackwell scientific Publication,
oxford : 1985: 20
15. Heaton K.W. Bile satts. Schiff L., Schiff E.R., ed.: Disease of the liver. J.B. Lippincott Company,
Philadelphia ; 1985 : 277 - 299.
16. Annoni G. Serum Bile Acids in Liver Disease. G-I-T-
Verlag Ernst Giebel, Darmstadt; 1983.

17. Hofman A.F. The enterohepatic circulation of bile acid in man In Stollerman G.H. ed. Advance in Internal Medicine Year Book Medical Publisher. 1976; 21 : 501 - 534
18. Matern S. Gerok W. Pathophysiology of the enterchepatic circulation of bile acid. Rev Physiol Biochem Pharmacol 1979; 85 : 125 - 204
19. Shaffer E.A. Gordon E.r. Serum bile acid as related to bile acid secretion in liver disease Am J Digest Disease 1978 ; 23 : 392 - 397
20. Schwartz C.C., Almond H.R., Vlahcevic A.R., et al. Bile acid metabolism in cirrhosis : Determination of biliary lipid secretion rate in patints with advanced cirrhosis Gastroenterology 1979; 77 : 1177 - 1182
21. Iwata T., Tamapaki L, Emzymatic determination and thin layer chromalography of bile acid in blood. J Biochem (Tokyo) 1964; 50: 424 - 431
22. Simmord S.W.J., Korman M.G., Hofmann A.F. Radioimmunassay of conjugated cholyl bile acid in serum. Gastroenterology 1973; 65: 705 - 711
23. Makino I., Hashimoto H., Shinozaki K., et al. sulfated and nonsulfated bile acids in urine, serum and bile of patient with hepatobiliary disease. Gastroenterology 1975 ; 68 : 545 - 553
24. Skrede S. Solberg H.E., Bloomhoff J.P.,Gjone E. Bile acid measured in serum during fasting as a test for liver disease. Clin Chem 1978; 24 (7) 1095- 1099

25. Festi D., Labate A.M.M., Roda A, et al. Diagnostic effectiveness of serum bile acid in liver disease as evaluated by multivariate statistics methods. Hepatology 1983 ; 3 (5) : 707 - 713
26. Neale G., Lewis B., Weaver V., Panveiliwalla D. Serum bile acid in liver disease. Gut 1971 ; 12 : 145 - 152
27. Morita T., Matsuyama Y., Fujimoto T., et al. Clinical Significance of serum bile acid measurement in liver disease. Gastroenterol Japanica 1978 ; 13 (6) : 491 - 502
28. Jones M.B., Weinstock S., Koretz R.L., et al. Clinical value of serum bile acid level in chronic hepatitis. Digest Dis and Sci 1981; 26(11) 978 - 983
29. Monroe P.S., Baker A.L., Schneider J.F., et al. The aminopyrine breath test and serum bile acid reflect histologic severity in chronic hepatitis. Hepatology 1982; 2 (3) : 317 - 322
30. Ferraris R., Colomatti G., Florentini T., et al. Diagnostic value of serum bile acids and routine liver function test in hepatobiliary disease. Digest Dis and Sci 1983; 28(2): 129 - 136
31. Kishimoto Y., Hijiya S., Takeda I. Clinical significant of fasting serum bile acid in the long term observation of chronic liver disease. Am J Gastroenterol 1985; 80(2): 136 - 138

32. Korman M.G. Hofmann A.F., Summerskill W.H.J. Assessment of activity in chronic active liver disease: serum bile acid compare with conventional test and histology Now Eng J Med 1974; 290 (25): 1399 - 1402.
33. Tennant B.C, Balazs T, Baldwin B.H., et al Assessment of hepatic function in rabbit with steroid - induced cholestasis liver injury. Fundam Appl Toxicol 1981 ; 1 (4) : 329 - 333
34. Berg J.D., Pandov H.I., Sommons H.G. Serum total bile acid level in patient receiving rifampicin and isoniazid. Ann Clin Biochem 1984; 21 : 218 - 222
35. De Barros S.G., Balistreri W.F., Soloway R.R., et al. Response of total and individual serum bile acid to endogenous and exogenous bile acid input to the enterohepatic circulation. Gastroenterology 1982 ; 82 : 647 - 652
36. Carey J.B., William G Jr. Relief of the pruritus of jaundice with bile acid sequestering resin. JAMA 1961 ; 176 : 432 - 434
37. Testa R., Dangnio F., Grass A., Celle G. Propanolol Reduce the response of serum bile acid to oral chenodeoxy cholic acid, possibly as a reflex reaction to reduce bowel flow in healthy and cirrhotic subject. Liver 1988; 8(3) : 146 - 50

38. Heikkinen J., Ronnberg L., Kirkien P., Sotaniemi E.
Serum bile acids concentration as an indicator
of liver function induced during danazol therapy.
Fertil Steril (EVF) 1988 Nov; 50(5): 761 - 5
39. Halmy L., Feher T., Steczek F. High serum bile acid
level in obesity : its decrease during and after
total fasting Acat Med Hung 1986; 43(1) : 55 - 58
40. Paupon R.E., Poupon P.Y., Grosdemouge M.L. et al. Effect
of portacaval shunt on serum bile acids
concentration in patient with cirrhosis.
Digestion 1977; 16: 138 - 145
41. Linblad L., Lundholm K., Schersten. Bile acid
concentration in systemic and portal system
presumably normal and in cholestatic and
cirrhosis condition. Scan J Gastroenterol 1977;
12: 395 - 400
42. Kaplowitz N, Kok E, Javitt N.B. Postpandrial serum bile
acids for the detection of hepatobiliary disease.
JAMA 1973 ; 225 : 292 - 293
43. Fausa O. Serum bile acids concentration after a test
meal Scan J. Gastroenterol 1976; 11 : 229 - 232
44. Hofmann A.F., Molin G., Belforte G. Description and
simulation of a physiological pharmacokinetic
model for the metabolism and enterohepatic
circulation of bile acid in man. J. Clin Inverst
1983; 71 : 1003 - 1022

45. Whiting M.J. Cyclic fluctuation in the fast serum bile acid level with a sensitive enzyme bioluminescent assay. Clin Biochem (DVB) 1987; 20 :317 - 21
46. Kawasaki H., Yamanishi Y., Miyake M., et al. Age and sex related profile of serum primary and total bile acid in infant children and adults. J exp Med 1986; 150 (3) : 353 - 357
47. Altomonte L., Zoli A., Scrimier D., et al Serum bile acid in dyslipidemia patients. Mierva Med 1984; 74 (14-15): 807 - 9
48. Angelin B. Bile acid metabolism in heterozygous familial hypercholesterolemia : a study comparing affected and unaffected siblings of four kindred. Eur J Clin Invest 1988; 18 (2): 153 - 61
49. Josephson B. Circulation of bile acid in connection with their production, conjugation and excretion. Physiol Re 1941; 21 : 463 - 486
50. Gato J., Kato H., Saruta Y., Nombara T. Separation and determination of bile acid in human bile by high performance liquid chromatography J Chomatogr 1980; 181 : 123 - 128
51. Miyaoki S., Tanaka H., Horikawa R., et al. Rapid determination of glycine and taurine - conjugated bile acid in human bile by high performance liquid chromatography. J Chromatogr 1980; 181 : 177 - 185

52. Sandberg D.H., Sjovall J., Sjorvall K., Turner D.A.
Measurement of human serum bile acid by gas
liquid chromatography. J Lipid Res 1965; 6:
182 - 197
53. Makion I., Sjovall J. A versatile method for analysis
of bile acid in plasma. Anal Lett 1972; 5:
341 - 349
54. Maentausta O., Janne O. Radioimmunoassay of conjugated
cholic acid, chenodeoxycholic acid, deoxycholic
acid from human serum with use of ^{125}I - labelled
ligands. Clin chem 1979; 25 : 264 - 268
55. Talalay P., Dobson M.M., Tapley D.F. Dature 1952; 170:
620 - 642
56. Mashige F., Tanaka N., Maki A., et al Direct Spectrophotometry of total bile acid in serum. Clin chem 1981 ; 27 (8) : 1352 - 1356
57. Roda A., Krica L., H. De Luca M., et al. Bioluminescence measurement of primary bile acid using immobilized 7 alphahydroxy steroid dehydrogenase: application to serum bile acid. J Lipid Res 1982; 23:
1334 - 1359
58. Tanghoj H., Foberg V., Fryden A., et al. Serum bile acid determination after different dose of orally ingested chenodeoxycholic acid. Evaluation of simplified enzymatic method. Scan J Gastroenterol 1983; 20(10) 1221 - 6

59. Jara P., Codocea R., Angel H., et al. Serum bile acid level in children with chronic persistent hepatitis and chronic aggressive hepatitis. Digestion 1983; 27 : 81- 86
60. Greenfield S.M., Soloway R.D., Carthers R.L., et al. Evaluation of postprandial serum bile acid as a test of hepatic function. Digest Dis and Sci 1986; 1 (18): 785 - 791
61. Tobiasson P., Boeryd B. Serum cholic and chenodeoxycholic acid conjugate and standard liver function test in various morphological stage of alcoholic liver disease. Scand J. Gastroenterol 1980; 15: 657 - 663
62. Simko V., Michael S. Bile acid level in diagnosing mild liver disease, Arch Intern Med 1986; 146: 695 - 697
63. Alm R., Carlson J., Eriksson S. Fasting serum bile acid in liver disease : a comparison of histological feature. Scand J Gastroenterol 1982; 17: 213 - 218
64. Johnson D.E., Roger A., Bonagura J.D., Caldewell J.H. Determination of serum bile acid in fasting dog with hepatobiliary disease. Am J Vet Res 1985; 46(10): 2048 - 2053
65. Center S.A., Baldwin B.H., Erb H.N., Terrian B.C. Bile acid concentration in the diagnosis of hepatobiliary disease. J Am Vet Assoc 1985; 189(9): 935 - 940.

66. Fausa O. Serum bile acid concentration after a test meal Scand J gastroenterol 1976; 11: 229 - 232
67. Demer L.M., Hepner G. Radioimmunoassay serum bile acid. Clin chem 1976; 22 (5) : 602 - 606
68. Gruppo R.A., Suchy F.F., Balistreri. Liver disease in hemophilia. Pediatr 1980; June : 1110
69. Robb T.A., Davidson G.P., Kirubakaran C. Conjugated bile acid in serum and secretion in response to cholecystokinin in children with cystic fibrosis Gut 1985; 26(11) : 1246 - 56
70. Franco G., Fronte R., Tempini G., Candura F. Serum bile acid concentrations as a liver function test in worker occupationally exposed to organic solvent. Int Arch Occup Environ Health 1986; 58(2): 157 - 64
71. จิตร สิทธิ์อมร และคณะ การตรวจพิเศษเพื่อการวินิจฉัย หนังสือระบบวิทยา
จุฬาลงกรณ์มหาวิทยาลัย 2530
72. William A.L.B., Hofnagle J.H. Ratio of serum aspartate to alanine aminotransferase in chronic hepatitis Gastroenterol 1988; 95(3) : 734 - 39
73. Franchis R., Annoni G., Veechi M., Ciacci D. Diagnostic value of serum cholyglycine assay in chronic asymptomatic HBsAg carrier Gastroenterology 1980; 78 (5) : 1304
74. Shaffer E.A., Small D.M. Biliary lipid secretion in cholesterol gall stone disease. The effect of cholecystectomy and obesity. J Clin Invest 1977; 59: 828 - 840

75. Ponz L.M., Loria P., Iorid P., Carulli N. Cholesterol absorption and individual bile acid pool size. Gastroenterole 1981; 80: 1428 - 1437
76. Foberg U., Fryden A., et al. Comparion of three bile acid provocation tests. Scand J Gastroenterol 1987, 22: 606- 608
77. Barnes I., Gallo G.A., Trash D.B., Morris J.S. Diagnostic value of serum bile acid estimation in liver disease. J Clin Patho 1975; 28: 506 - 509
78. Kaplowitz N., Kok E., Javitt N.B. Postpandrial serum bile acid for the defection of hepatobiliary disease. JAMA 1973; 225: 292 - 293
79. Kosuge T., Beppu T., Kadama T., et al. Serum bile acid pofile in thyroid dysfunction and effet of medical threatment. Clini Sci(DIZ) 1987; 73(4): 425 - 9
80. Simko V., Ferris., Michael S., Zachary K. Random urine bile acid in prediction of liver abnormality in asymtomatic alcoholics. Arch Intern Med 1988, 148(2): 312 - 5
81. Korman M.G. Hofman A.F., Summerskill W.H.J. Asessment of activity in chronic liver disease: serum bile acid compared with conventional test and histology, New Eng J Med 1974; 290 (25): 1399 - 1402
82. Mora N.P., Cienfuegos J.F., et al. Monitoring of serum total bile acid as an early indicator of graft function in clinical and experimental liver transplantation. Transplant Proc (WEG) 1987; 1915: 3840 - 1



51

ประวัติผู้เขียน

ชื่อ - สกุล

นายพงษ์เชณ्ठ เบศรภิญโญวงศ์

เกิด

24 เมษายน 2500

สถานที่เกิด

กรุงเทพมหานคร ประเทศไทย

ประวัติการศึกษา

พ.ศ. 2522 วิทยาศาสตรบัณฑิต (เกียรตินิยม)

พ.ศ. 2524 แพทยศาสตรบัณฑิต (เกียรตินิยม)

พ.ศ. 2530 รุ่มปัจารัสคงความรู้ความชำนาญในการประกอบวิชาชีพเวชกรรม
สาขาอายุรศาสตร์ ของแพทยสภา

คำแทนง แพทย์ระดับ 5 แผนกอายุรกรรม โรงพยาบาลสมเด็จ ฯ ศรีราชา
สภากาชาดไทย

ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย