



REFERENCES

- Alfredsson, G., and G. Sedvall, "Rapid high-performance liquid chromatographic method for the assay of glutamine in human cerebrospinal fluid," J. chromatogr., 274, 325-330, 1983.
- Armstrong, D.M., "Functional significance of connections of the inferior olive," Physiol.Rev., 54, 358-417, 1974.
- Baeten, D., L.M. Garcia-Segura, and A. Perrelet, "Effect of climbing fiber destruction on large dendrite spine of Purkinje cells," Exp.Brain Res., 48, 256-262, 1982.
- Bardin, J.M., C. Batini, J.M. Billard, C. Buisseret-Delmas, M. Conrath-Verrier, and N. Corvaja, "Cerebellar output regulation by the climbing and mossy fibers with and without the inferior olive," J.Comp.Neurol., 213, 464-477, 1983.
- Baughman, R.W., and C.D. Gillbert, "Aspartate and glutamate as possible neurotransmitters of cell in layer 6 of the visual cortex," Nature, 287, 848-850, 1980.

Benedetti, F., P.G. Montarolo, P. Strata, and F. Tempia, "Inferior olive inactivation decreases the excitability of the intracerebellar and lateral vestibular nuclei in the rat," J.Physiol.(Lond), 340, 195-208, 1982.

Benson, J.R., and P.F. Hare, "o-Phthalaldehyde : Fluorogenic detection of primary amines in the picomole range. Comparison with fluorescamine and ninhydrin," Proc.Nat.Acad.Sci., 72, 619-622, 1975.

Bertilsson, L., A. Suria, and E. Costa, "r-Aminobutyric acid in rat superior cervical ganglion," Nature, 260, 540-541, 1976.

Clark, R.M., and G.G.S. Collins, "The release of endogeneous amino acids from the rat visual cortex," J.Physiol., 262, 383-400, 1976.

Collingridge, G.L., G.G.S. Collins, J. Davies, T.A. James, M.J. Neal, and P. Tongroach, "Effect of tetanus toxin on transmitter release from the substantia nigra and striatum in vitro," J.Neurochem., 34, 540-547, 1980.

Desclin, J.C., and J. Escubi, "Effect of 3-acetylpyridine in the central nervous system of the rat, as demonstrated by silver methods," Brain Res., 77, 349-364, 1974.

Dufosse, M., M. Ito, and Y. Miyashita, "Diminution and reversal of eye movement induced by local stimulation of rabbit cerebellar flocculus after partial destruction of the inferior olive," Exp. Brain Res., 33, 139-141, 1980.

Eccles, J.C., M. Ito, and J. Szentagothai, The Cerebellum as a Neuronal Machine, Springer-Verlag, Berlin, 1967.

Fagg, G.E., and A.C. Foster, "Amino acid neurotransmitters and their pathways in the mammalian central nervous system," Neurosci., 9, 701-719, 1983.

Fonnum, F., and F. Walberg, "The concentration of GABA within inhibitory nerve terminals," Brain Res., 62, 577-579, 1973.

Gardner, W.S., and W.H. Miller, "Reverse-phase liquid chromatographic analysis of amino acids after reaction with o-phthalaldehyde," Anal. Biochem., 101, 61-63, 1980.

Gauchy, C., M.L. Kelnel, I. Glowinski, and M.J. Besson," In vivo release of endogeneously synthesized $\left[\begin{smallmatrix} 3 \\ \text{H} \end{smallmatrix} \right]$ GABA from the cat substantia nigra and the pallido-entopeduncular nuclei," Brain Res., 193, 129-141, 1980.

Hamberger, A.C., G.H. Chiang, E.S. Nylen, S.W. Scheff, and C.W. Cotman," Glutamine as a CNS transmitter. 1.Evaluation of glucose and glutamine as a preursors for the synthesis of preferentially released glutamate," Brain Res., 168, 513-529, 1979.

Hamberger, A.C., G.H. Chiang, E. Sandoval, and C.W. Cotman," Glutamate as a CNS transmitter. 2.Regulation of synthesis in the release pool," Brain Res., 168, 531-541, 1979.

Ishida, Y., T. Fujita, and K. Asai," New detection and seperation method for amino acids by high-performance liquid chromatography," J.Chromatogr., 204, 143-148, 1981.

Ito, M.," Neurophysiological aspect of the cerebellar motor control system," Inter.Nat.J.Neuro., 7, 162-176, 1970.

- Ito, M., " Roles of the inferior olive in the cerebellar control of vestibular functions," The Inferior Olivary Nucleus: Anatomy and Physiology (Courville, J., et al., eds.) pp.367-377, Raven press, New York, 1980.
- Ito, M., I. Orlov, and I. Shimoyama," Reduction of the cerebellar stimulus effect on rat Deiters neurons after chemical destruction of the inferior olive," Exp.Brain Res., 33, 143-145, 1978.
- Ito, M., M. Sakurai, and P. Tongroach," Climbing fibre induced depression of both mossy fibre responsiveness and glutamate sensitivity of cerebellar Purkinje cells," J.Physiol., 324, 113-134, 1982.
- Ito, M., N. Nisimaru, and K. Shibuki," Destruction of inferior olive induces rapid depression in synaptic action of cerebellar Purkinje cells," Nature, 277, 568-569, 1979.
- Lenda, K., and G. Svenneby," Rapid high-performance liquid chromatographic determination of amino acids in synaptosomal extracts," J.Chromatogr., 198, 516-519, 1980.

Lindroth, P., and K. Mopper, " High performance liquid chromatographic determinative of subpicomole amount of amino acids by precolumn fluorescence derivatization with o-phthaldialdehyde," Anal.Chem., 51, 1667-1674, 1979.

Llinas, R.," The cortex of the cerebellum," Sci.American., 232, 56-71, 1975.

Llinas, R., K. Walton, D.E. Hillman, and C. Sotelo, " Inferior olive: its role in motor learning," Science, 190, 1230-1231, 1975.

Marr, D.," A theory of cerebellar cortex," J.Physiol.(London), 202, 437-470, 1969.

Miller, S., O. Oscarsson, " Termination and functional organization of spino-olivo-cerebellar paths," The Cerebellum in Health and Disease (Fields, W.S., and W.D. Willis, eds.) pp.172-200, MO Green, St. Louis, 1970.

Montarolo, P.G., F. Raschi, and P. Strata, " Are the climbing fibers essential for the Purkinje cell inhibitory action ?," Exp.Brain Res., 42, 215-218, 1981.

Nadi, N.S., D. Kanter, W.J. McBride, and M.H. Aprison,
" Effect of 3-acetylpyridine on several
putative neurotransmitter amino acids in the
cerebellum and medulla of the rat,"
J.Neurochem., 28, 661-662, 1977.

Nadler, J.V., K.W. Vaca, W.F. White, G.S. Lynch, and
C.W. Cotman, " Aspartate and glutamate as
possible transmitters of excitatory hippocampal
afferents," Nature , 260, 538-540, 1976.

Nicholson, C., " Modulation of extracellular calcium
and its functional implications," Federation
Proc., 39, 1519-1523, 1980.

Nieoullon, A., A. Cheramy, and J. Glowinski, " An
adaptation of the push-pull canula method to
study the in vivo release of [³H] dopamine
synthesized from [³H] tyrosine in the cat
caudate nucleus : effect of various physical
and pharmacological treatment," J.Neurochem.,
28, 819-828, 1977.

Obata, K., and K. Takeda, " Release of r-aminobutyric
acid into the fourth ventricle induced by
stimulation of the cat's cerebellum,"
J.Neurochem., 16, 1043-1047, 1969.

- Obata, K., K. Takeda, and H. Shinozaki, " Further study on pharmacological properties of the cerebellar-induced inhibition of Deiters neurons," Exp.Brain Res., 11, 327-342, 1970.
- Obata, K., M. Ito, R. Ochi, and N. Sato, " Pharmacological properties of postsynaptic inhibition by Purkinje cell axons and the action of γ -aminobutyric acid on Deiters neurons," Exp.Brain Res., 4, 43-57, 1967.
- Otsuka, M., K. Obata, Y. Miyata, and Y. Tanaka, " Measurement of γ -aminobutyric acid in isolated nerve cells of cat central nervous system," J.Neurochem., 18, 287-295, 1971.
- Perry, T.L., J. Maclean, T.L. Perry ,Jr., and S. Hansen, " Effect of 3-acetylpyridine on putative neurotransmitter amino acids in rat cerebellum," Brain Res., 109, 632-635, 1976.
- Rea, M.A., W.J. McBride, and B.H. Rohde, " Regional and synaptosomal level of amino acid neurotransmitters in the 3-acetylpyridine deafferentated rat cerebellum," J.Neurochem., 34, 1106-1108, 1980.
- Roth, M., and A. Hampai, " Column chromatography of amino acids with fluorescence detection," J.Cromatogr., 83, 353-356, 1980.

- Rubin, R.P., " The role of calcium in the release of neurotransmitter substance and hormones," Pharmac.Rev., 22, 389-428, 1970.
- Sotelo, C., D.E. Hillman, A.J. Zamora, and R. Llinas, " Climbing fibre deafferentation : its action on Purkinje cell dendrite spine," Brain Res., 98, 574-581, 1975.
- Van der Heyden, J.A.M., K. Vene, and J. Kofe, " In vivo release of endogeneous GABA from rat substantia nigra measured by a novel method," J.Neurochem., 32, 469-476, 1979.
- Veale, W.L., " A stereotaxic method for the push-pull perfusion of discrete regions of brain tissue of the unanesthetized rabbit," Brain Res., 42, 479-481, 1972.
- Venema, K., W. Leever, J.O. Bakker, G. Hayer, and J. Korf, " Automated precolumn derivatization device to determine neurotransmitter and other amino acids by reverse-phase high-performance liquid chromatography," J.Chromatogr., 269, 371-376, 1983.
- Watkin, J.C., and R.H. Evans, " Excitation amino acid transmitters," Ann.Rev.Pharmacol.Toxicol., 21, 165-204, 1981.

Wood, J.D., and W.J. Watson, " The effect of amino-
oxyacetic acid and hydroxylamine on rats
breathing oxygen at high pressure,"
J.Neurochem., 12, 663-669, 1965.

Yask, T.L., and H.I. Yamamura, " Factor affecting
performance of the push-pull canula in brain,"
J.Appl.Physiol., 37, 428-434, 1974.



ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย

VITA

Miss Pornthip Saksucharith was born on 11th February 1961 at U-dornthanee. She received her high school certificate from Strirachinutid ,U-dornthanee in 1977 and her B.Sc.in Nursing from Khon Kaen university, Khon Kaen in 1981.



ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย