REFERENCES

ADEMA, D. (1967), The Largest oxidation Ditch in the World for the treatment of Industrial Wastes. Proceedings of the 22nd Industrial Wastes Conference May 2,3, and 4, 1967; Part Two Purdue University. Lafayette, Indiana.

BABBITT, HE & BAUMANN, Sewerage and Sewage Treatment, JOHN WILLY & SONS, INC N.Y (1966), 343, 360.

Clark, J.W. & W. Viessman. (1970) <u>Water Supply & Pollution</u> Control.

FAIR, G.M. etal, <u>Water & Waste Water</u> Engineering, JOHN WILLY & SONS, INC, N.Y (1966),

Mc Kinney, R.E., Microbiologyfor Sanitary Engineers Mc Graw Hill Book Company INC, N.Y, (1962), 33, 195, 221. 242.

Disposal Problem of Louissiana Raw Sugar Industry, Ph.D Dissertation, Louisiana State University, July (1960)

JONES D. etal, <u>Proceeding the 24th Industrial Waste Conference May, 6, 7, and 8, 1969</u>. Part One, Purdue University. Lafayette, Indiana.

PASVEER A. (1960). New Developments in the Application of Kessener Brus (Aeration Rotors) in activated - Sludge Treatment of Trade - Waste Waters. Waste Treatment,

Proceedings of the Second Symposium on the Treatment of Waste Water, ISAAC, P.C.G., Editor Pergamon Press, London.

SAWYER, C.N. & P.L Mc CARTY, (1967) Chemistry For Sanitary Engineers. Mc Graw Hill Book Company, N.Y. 2nd Edition, 88, 132, 233, and 396.

SEIP J.J. Chemical Engineer, The Sugar Journal, November 1970, Presented at ASSCT Meeting, July 1970

3

VITA

The author, Channarong Rukkulchon, was born on April 10, 1945 in Nakornpathom, Thailand. He received a Bachelor's Degree of Engineering in Industrial Plant Engineering from Chulalongkorn University in 1969.

After working with the Factory Control Division, the Ministry of Industry for one year, he had been granted a year's leave to further his study at the Sanitary Engineering Department, Chulalongkorn University and he obtained a Graduate Diploma in Sanitary Engineering in 1971. In the following year, he was admitted as a Master Degree Student. At the time of writing this thesis, he is still serving as a government official of the Factory Control Division, the Ministry of Industry.

APPENDIX :

Table A - 1 Data obtained from the experiments, bulking is likely to occur

Time in	Temp	D.O	C O D	вор	SS
days	°C	mg/L	mg/L	mg/L	mg/L
1	27	0.3	4736	2681	178
2	28	0.5	4210	-	481
3	28	0.6	3651		614
4	29	0.6	3401	-	608
5	28	0.8	2347	-	549
6	30	1.2	1536	, -	382
7	30	2.0	916	, , -	249
8	29	3.1	384	-	141
9	30	4.2	198	110	97

NO3 at first day is about 240 ppm.

Table A - P Data obtained from the experiments, bulking is likely to occur

Time in	Temp	DO	COD	вор	SS
days	Č	mg/L	mg/L	mg/L	mg/L
1	32	0.4	7118	3899	314
2	31	0.5	6331	-	554
3	32	0.5	4986	-	775
4	32	0.5	4079	-	812
5	31	0.6	3617	-	801
6	30	0.6	3195	-	768
7	31	1.0	2166		580
8	30	1.8	1181	- "	421
9	29	3.1	630	-	276
10	30	4.5	420	246	197
				i	

NO3 at first day is about 336 ppm.

