เอกสารอ้างอิง

Aunstrup, K.,"Production,Isolation and Economic of Extracellular Enzymes,"Appl. Biochem. Bioeng., 2, 27-68, 1979.

_____,"Protease,"Economic Microbiology (Rose, A.H., ed.), pp. 49-114, Acadamic press, London, 1980.

Bernlohr, R.W., M.K. Maddox, and N.D. Goldberg," Cyclic Guanosine 3', 5'-Monophosphate in Escherichia Coli and Bacillus licheniformis," J. Mol. Chem., 249, 4329-4331, 1974.

Both, G.W., J.L. McInnes, J.E. Honlon, B.K. May, and W.H. Elliott, "Evidence for an Accumulation of Messenger RNA Specific for Extracellular Protease and its Relevance to the Mechanism of Enzyme Secretion in Bacteria," J. Mol. Biol.,67, 199-217, 1972.

Brown, S., and G. Coleman,"Messenger Ribonucleic Acid in Bacillus amyloliquefaciens Throughout its Growth Cycle Compare with Bacillus subtilis 168," J. Mol. Biol., 96, 345-352, 1975a.

_____," Stability of Labeled Messenger Ribonucleic Acid in Bacillus amyloliquefaciens During the Phase of Minimal and Maximal Extracellular Enzyme Formation," J. Mol. Biol., 96, 335-344, 1975b.

Cashel, M.," Inhibition of RNA Polymerase by ppGpp, a Nucleotide Accumulation during the Stringent Response to Amino Acid

Starvation in E. Coli, " Cold spring Harbor Symp. Quant. Biol., 35, 407-413, 1970.

Chaloupka, J.,and P.,Kreckova," Protease Repression in Bacillus megaterium KM," Biochem. Biophys. Res. Comm., 8,120-124,1968.

_____,"Regulation the Formation of Protease in Bacillus megaterium. I. Effect of Amino acid in Enzyme Formation,"Folia Microbiol., 11, 82-88, 1966.

Coleman, G., "Studies on the Regulation of Extracellular Enzyme Synthesis by Bacillus subtilis," J. Gen. Mictobiol., 49, 421-431, 1967.

Dawson, P.S.S., and W.G., Kurz, "Studies on the Relationship Between Specific Growth Rate and Concentration of Nitrogen Source for Heterogeneous Microbial Populations of Sewage Origin," Biotechnology and Bioengineering., 11, 66, 1969.

Deshpande, K.L., J.R. Kate, and J.F. Kane," Effect of Glutamine on Enzyme of Nitrogen Metabolism in Bacillus subtilis," J. Bacteriol., 145, 768-774, 1981.

Deuel, T.F., A. Ginsburg, J. Yeh, E. Shelton, and E.R. Stadman," Bacillus subtilis Glutamine Synthetase, Purification and Physical Characterization," J. Biol. Chem., 245, 5195-5205, 1970.

Elliot,W.H., "Enzyme of Protein Metabolism,"Methods in Enzymology., 2, 337-342, 1955.

Emmer, M., B. de Crombrugghe, I. Pastan, and R. Perlman," Cyclic AMP Receptor Protein of E. Coli.:its Role in the Synthesis of Inducible Enzyme," Proc. Natl. Acad. Sci.

U.S.A., 20, 480-487, 1970.

Freundlich, M., R.O. Burns, and H.E. Umbarger," Control of Isoleucine, Valine, and Luecine Biosynthesis, I. Multivalent Repression," Proc. Natl. Acad. Sci U.S.A., 48, 1804, 1962.

Glenn, A.R., G.W. Both, J.L. McInnes, B.K. May, and W.H. Elliott, " Dynamic State of the Messenger RNA Pool Specific for Extracellular Protease in Bacillus amyloliquefaciens:its Relevance to the Mechanism of Enzyme Secretion ," J. Mol. Biol., 73, 221-230, 1973.

Hanlon, G.W., and N.A. Hodges,"Requirement for Glucose During Production of Extracellular Serine Protease by Culture of Bacillus licheniformis," FEMS Microbiology Letter, 11, 51-54, 1981a.

_____," Bacitracin and Protease Production in Relation to Sporulation During Exponential Growth of Bacillus licheniformis on Poorly Utilize Carbon and Nitrogen Sources," J. Bacteriol., 147, 427-431, 1981b.

Hanlon, G.W., N.A. Hodges, and A.D. Russell, "The Influence of Glucose, Ammoniumand Magnesium Avialability on the Production of Protease and Bacitracin by Bacillus licheniformis," J. Gen. Microbiol., 128, 845-851, 1982.

Hanson, R.S., J. Blicharska, M. Arnaud, and J. Szulmajster, "Observation on the Regulation of the Synthesis of the Tricarboxylic Acid Cycle Enzyme in Bacillus subtils Marburg," Biochem. Biophys. Res. Comm., 17, 690-695,1964.

Heineken, F.G.,and R.J. O' Connor," Continous Culture Studies on the Biosynthesis of Alkaline Protease and Amylase by Bacillus subtilis NRRL-B3411," J. Gen. Microbiol., 73, 35-44,1972.

Ide, M.,"Adenyl Cyclase of Bacteria," Arch. Biochem. Biophys., 144, 262-268, 1971.

Kanamori, K., R.L. Weiss, and J.D. Roberts," Ammonia Assimilation in Bacillus polymyxa," J. Biol. Chem., 262, 11038-11045, 1987.

Kane, J.F., J. Wakin, and R.S. Fischer," Regulation of Glutamate Dehydrogenase in Bacillus subtilis," J. Bacteriol., 148, 1002-1005, 1981.

Kawamura, F., and R.H. Doi," Construction of a Bacillus subtilis Double Mutant Deficient in Extracellular Alkaline and Nutral Protease," J. Bacteriol., 160, 442-444, 1984.

Keay, L., M.H. Moseley, R.G. Anderson, R.J. O'Conor, and B.S. Wildi, "Production and Isolation of Microbial Proteases," Biotechnol. Bioeng. Symp.(Wingard, L.B., ed.), 3, 63-92, 1972.

Keay, L., "Proteases of the Genus Bacillus," Proceedings of the Fourth International Fermentation Technology(Terui, G, ed), 289-298, 1972.

Kraut, J., "Subtilisin : X-ray structure," The Enzymes(Boyer, P.D., ed.), 3, 547-560, 1971.

Laishley, E.J., and R.W. Bernlohr," Regulation of Arginine and Proline Catabolism in Bacillus licheniformis," J. Bacteriol., 96, 322-329, 1968.

Levisohn, S., and A.L. Aronson, "Regulation of Extracellular Protease Production by Bacillus cereus," J. Bacteriol., 93, 1023-1030, 1967.

Lowry, O.H., N.J. Rosebrough, A.L. Farr, and R.J. Randall, "Protein measurement with the Folin Phenol Reagent," J. Biol. Chem., 193, 265-275, 1951.

Mandelstam, J.,"Induction and repression of β-galactosidase in non-growing E. coli," Biochem. J., 79, 489, 1961.

_____,"The repression of constitutive β-galactosidase in E. coli," Biochem. J., 82, 489, 1962.

Markland, F., and Jr. Smith," Subtilisin:Primary Structure, Chemical and Physical Properties," The Enzymes (Boyer, P.D., ed), 3, 561-608, 1971.

Matsubara, H., and J. Feder, " Other Bacterial, Mold and Yeast Proteases, The Enzymes (Boyer, P.D., ed), 3, 721-795, 1971.

May, G.K., and W.H. Elliott," CharacteristicsofExtracellular Protease Formation by Bacillus suibtilis and its Control by Amino acid Repression," Biochim. Biophys. Acta., 157, 607-615, 1968.

Millet,J.,"Characterization of Proteinases Excreted by Bacillus subtilis Marburg strain During Sporulation," J. Appl. Bacteriol., 33, 207-219, 1970.

Prestidge, L., V. Gage and J. Spizizen., "Protease Activity During the Course of Sporulation in Bacillus subtilis," J. Bacteriol., 107, 815-823, 1971.

Priest., F.G., "Extracellular Enzyme Synthesis in the Genus

Bacillus," Bacteriol. Rev., 41, 711-753, 1977.

Ramos, F., J.M. Wiame, J. Wynants, and J. Bechet," Effect of Mutant of Bacillus subtilis on the Specific Transport of Aconitase and Dicarboxylic Acid," Nature, 193, 70, 1962.

Rebello., J.L., and N. Strauss, "Regulation of Synthesis of Glutamine Synthase in Bacillus subtilis," J. Bacteriol., 98, 683-688, 1969.

Rhaese, H.J., H. Dichtelmuller, R. Grade, and F. M. Groscurth, "Highly phosphorylated nucleotides involved in regulation of sporulation in Bacillus subtilis," (Gerhardt, P., ed.) Spores VI. American Society for Microbiology, Washington, D.C., 335-340, 1975.

Rhaese, H.J., R. Grade, and H. Dichtelmuller,"Studies on the control of development. Correlation of initiation of diferentiation with synthesis of highly phosphorylated nucleotides in Bacillus subtilis," Eur. J. Biochem., 64, 205-213, 1976.

Richardson, B.C., and I.E. Te Whaiti, "Partial Characterization of Heat Stable Extracellular Protease of Some Psychrotrophic Bacteria from Row Milk," N.Z.J. Dairy. Sci. Technol., 13, 172-176, 1978.

Sanders, R.L., and B.K. May, "Evidence for Extrusion of Unfolded Extracellular Enzyme Polypeptide Chains Through Membranes of Bacillus amyloliquefaciens," J. Bacteriol.,123,806-814, 1975.

Schaeffer, P., "Sporulation and the Production of Antibiotics, Exoenzyme, and Exotoxin," Bacteriol. Rev., 33, 48-71, 1969.

Schaeffer, P.,J. Millet, and J.P. Aubert," Catabolite Repression of Bacterial Sporlultion," Proc. Natl. Acad. Sci. U.S.A., 54, 704-711, 1965.

Smith, E.L., R.J. Delange, W.H. Evans, M. Landon, and F. Markland, "Subtilisin Carlsbeng V. The Complete Sequence: Comparison with Subtelisin BPN., Evolutionary Relationships, J. Biol. Chem., 243, 2184-2191, 1968.

Susan, H.F., S.R. Mark, and L.S. Abraham," Glutamine Synthethase Gene of Bacillus subtilis," Gene, 32, 427-438, 1984.

Stryer, L., Biochemistry, 3rd edition, W.H. Freeman and company, New York, pp. 283-613, 1981.

Tyler, B.," Regulation of the Assimilation of Nitrogen compounds," Ann. Rev. Biochem., 47, 1127,-1162, 1978.

Uehara, H., Y. Yoneda, K. Yamane, and B. Maruo, "Regulation of Neutral Protease Productivity in Bacillus subtilis: Transformation of High Protease Productivity,"J. Bacteriol., 119, 82-91, 1974.

Ward, O.P., "Proteinases," Microbial Enzymes and Biotechnology (Forgarty, W.M., ed.) pp. 251-317, Applied Science Publishers, London and New York, 1983.

Zubay, G., D. Schawrtz, and J. Beckwith," Mechanism of Activation of Catabolite-Sensitive Genes: a Positive Control System," Proc. Natl. Acad. Sci. U.S.A., 66,104-110, 1970.

ปกรณ์ จิโรจน์กุลกิจ," การแยกให้บริสุทธิ์และการศึกษาสมบัติของแอลคาไลน์โปรตีเอสจากเชื้อ Bacillus subtilis TISTR 25," วิทยานิพนธ์ปริญญามหาบัณฑิต ภาควิชาชีวเคมี บัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย, 2532.

ภาคผนวก

ภาคผนวกที่ 1 กราฟมาตรฐาน สำหรับวิเคราะห์ปริมาณโปตีนด้วยวิธี ลอรี แปรเปลี่ยนความเข้มข้นของโปรตีนมาตรฐานที่ใช้ คือ อัลบูมิน ของซีรัมวัว (Bovine serum albumin) ในช่วง 0-100 ไมโครกรัม (รายละเอียดวิธีทดลองตามข้อ 3.8) วัดการดูดกลืนแสงที่ความยาวคลื่น 650 นาโนเมตร



ภาคผนวกที่ 2 กราฟมาตรฐาน แสดงค่าการดูดกลืนแสง ที่ความยาวคลื่น 540 นาโนเมตร กับความเข้มข้นของสารละลายมาตรฐาน แกรมมากลูตามิล ไฮดรอกซามิกแอซิด (ɣ-glutamyl hydroxamic acid)



ประวัติผู้เขียน

นายสนธยา ศรีเมฆ เกิดวันที่ 29 กรกฎาคม พ.ศ. 2501 สำเร็จการศึกษาปริญญาวิทยาศาสตรบัณฑิต (เคมี) สาขาวิชาเอกเคมี จากคณะวิทยาศาสตร์มหาวิทยาลัยรามคำแหง เมื่อปี พ.ศ. 2524