

References

- [1] Peter F. Sharkey, William J. Hozack , Richard H. Rothman , Shani Shastri and Sidney M. Jacoby. Insall award paper, Why are total knee arthroplasties failing today? Clin Orthop 404(2002) : 7 – 13.
- [2] Fehring TK , Valadie AL. Knee instability after total knee arthroplasty. Clin Orthop 299(1994) : 157 – 162.
- [3] Insall JN. Surgical techniques and instrumentation in total knee arthroplasty. Surgery of the knee. 2nd ed. Churchill Livingstone , New York p.739
- [4] Figgie HE 3rd, Goldberg VM, Figgie MP, Inglis AE , Kelly M , Sobel M. The effect of alignment of the implant on fractures of the patella after condylar total knee arthroplasty. J Bone Joint Surg Am 71(1989) : 1031 – 1039.
- [5] Noble PC, Gordon MJ, Weiss JM, et al. Does total knee replacement restore normal knee function? Clin Orthop 431(2005) : 157.
- [6] Seedhom BB, Longton EB, Wright V, Dowson D. Dimensions of the knee. Radiographic and autopsy study of sizes required by a knee prosthesis. Ann Rheum Dis 31(1972) : 54 – 58.
- [7] Ranawat CS. The patellofemoral joint in total condylar knee arthroplasty. Clin Orthop 205(1986) : 93.
- [8] Krackow KA . The technique of total knee arthroplasty. CV Mosby, St Louis, 1990
- [9] Cheng CK, Lung CY, Lee YM, and Huang CH. A new approach of designing the tibial baseplate of total knee prostheses. Clin Biomech 14(1999) : 112 – 117.
- [10] K. Uehara , Y . kadoya , A. Kobayashi and Y. Yamano . Anthropometry of the proximal tibia to design a total knee prosthesis for the Japanese population. J Arthroplasty 17(2002) : 1028 – 1032.
- [11] Ho WP, Cheng CK and Liao JJ. Morphometrical measurements of resected surface of femurs in Chinese knees: Correlation to the sizing of current femoral implants. The Knee 13(2006): 12 – 14 .

- [12] Urabe K, Miura H, Kuwano T, Matsuda S, et al. Comparison between the shape of resected femoral sections and femoral prostheses used in total knee arthroplasty in Japanese patients-simulation using three-dimensional computed tomography. *J Knee Surg* 16(2003) : 27 – 33.
- [13] Shrinand V. Vaidya , Chitranjan S. Ranawat , Alaric Aroojis and N.S. Laud. Anthropometric measurements to design total knee prostheses for the Indian population. *The Journal of Arthroplasty* 15(2000) : 79 – 85.
- [14] A McPherson, J Karrholm, V Pinskerova, A Sosna, S Martelli. Imaging Knee position using MRI , RSA/CT and 3D digitization. *Journal of Biomechanics* 38(2005) : 263 – 268.
- [15] Hitt K, Shurman JR, Greene K, McCarthy J, et al. Anthropometric measurements of the human knee: correlation to the sizing of current knee arthroplasty system. *J Bone Jt Surg* 185(2003) : 115 – 122.
- [16] Design rationale : NexGen Complete knee solution (Zimmer)
- [17] P.F.C. Sigma knee system : Primary surgical technique, specialist instruments (DePuy- Johnson&Johnson)
- [18] System specification guide. Genesis II total knee system (Smith&nephew)
- [19] Product catalogue, single axis total knee system , Scorpio [™] (Stryker)
- [20] Wang SW, Feng CH, Lu HS. A study of Chinese knee joint geometry for prosthesis design. *Chin Med J* 105(1992) : 227 – 233.
- [21] Low FH, Khoo LP, Chua CK, Lo NN. Determination of the major dimensions of femoral implants using morphometrical data and principal component analysis. *Proc Inst Mech Eng, Part H*; 214(2002) : 301 – 309
- [22] Chow SL. Design and analysis of a total knee prosthesis. MEng thesis, Nanyang Technological University, 1996

- [23] Huang CH, Cheng CK, Liao JJ, Lee YM. Morphometrical comparison between the resected surfaces in osteoarthritic knees and Porous-coated Anatomic knee prosthesis. *J Musculoskelet Res* 4(2000) : 39 – 46.
- [24] Berger RA, Rubash HE, Seel MJ, et al. Determining the rotational alignment of the femoral component in total knee arthroplasty using the epicondylar axis. *Clin Orthop* 286(1993) : 40 – 47.
- [25] Griffin FM, Insall JN, Scuderi GR. The posterior condylar angle in osteoarthritic knees. *J Arthroplasty* 12:8(1988) : 12 – 15.
- [26] Arima J, Whiteside LA, McCarthy DS, White SE. Femoral rotational alignment, based on the anteroposterior axis, in total knee arthroplasty in a valgus knee. *J Bone Joint Surg [Am]* 77(1995) : 1331 – 4.
- [27] Tanavalee A, Yuktanandana P, Ngarmukos C. Surgical epicondylar axis vs anatomical epicondylar axis for rotational alignment of the femoral component in total knee arthroplasty: *J Med Assoc Thai* 84(2001) : 401 – 408.
- [28] Poilvache PL, Insall JN, Scuderi GR, Font-Rodriguez DE. Rotational landmarks and sizing of the distal femur in total knee arthroplasty. *Clin Orthop*. 331(1996) : 35 – 46.
- [29] Yoshino N, Takai S, Ohtsuki Y, Hirasawa Y. Computed tomography measurement of the surgical and clinical transepicondylar axis of the distal femur in osteoarthritic knees. *J Arthroplasty* 16(2001) : 493 – 497.
- [30] Kenneth A. Greene . Gender-specific design in total knee arthroplasty. *The Journal of Arthroplasty* 22(2007) : 27 – 31.



Biography

ประวัติและผลงานวิจัยที่ผ่านมาของคณะผู้วิจัย

ประวัติของ นพ. ไชยยศ ชัยชาญกุล

NAME	Chaiyos Chaichankul, M.D.
NATIONALITY	Thai
POSITION	Resident 3 rd year
DATE OF BIRTH	September 21, 1979
AFFILIATION	Department of Orthopaedics, Chulalongkorn Hospital Faculty of Medicine Chulalongkorn University
EDUCATION	Medical School - Faculty of Medicine, Chulalongkorn University, Bangkok, Thailand (2003) Residency Training - Department of Orthopaedics, Chulalongkorn Hospital, Bangkok, Thailand (2006) Qualifications Doctor of Medicine, Thai Medical License No. 27741 (2003)