

REFERENCES

CHAPTER I

- Pace-Rodriguez RA, Wang S, Yang NL. (1990) Functionalized polyacetals, 1. Copolymerization of trioxane with 1,3-dioxep-5-ene and properties of the resulting copolymer. *Die Makromolekulare Chemie*, 191, 99–105.
- Matsuzaki K, Maeda M, Kondo M, Morishita I, Hamada M, Yamaguchi T, (1997) Morphospecific polymer from the copolymerization of trioxane and ethylene oxide. *Journal of Polymer Science, Part A: Polymer Chemistry*, 35, 2479–2486.
- Chiang WY, Huang CY. (1989) The effect of the soft segment of polyurethane on copolymer-type polyacetal/polyurethane blends. *Journal of Applied Polymer Science*, 38, 951–968.
- Chiang WY, Huang CY. (1993) Properties of copolymer-type polyacetal/ethylene-propylene-diene terpolymer blends. *Journal of Applied Polymer Science*, 47, 105–112.
- Y. Kojima, A. Usuki, M. Kawasumi, A. Okada, T. Kurauchi, O. Kamigaito, K. Kaji, (1994) Fine structure of nylon-6-clay hybrid. *Journal of Polymer Science Part B: Polymer Physics*, 32, 625–630.
- Usuki A., Kawasumi Y., Kojima M., Fukushima Y., Okada A., Kurauchi T., Kamigaito O. (1993) Gas permeabilities in rubber-clay hybrid. *Journal of Material Science Letters*, 12, 889–890.
- Jinguo Zhang, Charles A. Wilkie, (2003) Preparation and flammability properties of polyethylene-clay nanocomposites. *Polymer Degradation and Stability*, 80, 163–169.
- M.A. Osman, V. Mittal, M. Morbidelli, U.W. Suter. (2004) Epoxy-Layered Silicate Nanocomposites and Their Gas Permeation Properties. *Macromolecules*, 37, 7250–7257.
- M. Alexandre, P. Dubois, (2000) Polymer-layered silicate nanocomposites: preparation, properties and uses of a new class of materials. *Materials Science and Engineering*, 28, 1–63.

- S. Sinha Ray, M. Okamoto, (2003) Polymer/layered silicate nanocomposites: a review from preparation to processing. *Progress in Polymer Science*, 28, 1539–1641.
- W. Xu, M. Ge, P. He, (2001) Nonisothermal Crystallization Kinetics of Polyoxymethylene/Montmorillonite Nanocomposite. *Journal of Applied Polymer Science*, 82, 2281–2289.
- Krzysztof Piechowski, Agnieszka Leszczynska, (2006) Polyoxymethylene-based nanocomposites with montmorillonite : an introductory study. *Polimery*, 51, 143-149.
- J.M. Samon, J.M. Schultz, B.S. Hsiao, S. Khot, H.R. Johnson, (2001) Structure development during the melt spinning of poly(oxymethylene) fiber. *Polymer*, 42, 1547–1559.
- Y. Duan, H. Li, L. Ye, X. Liu, (2006) Study on the thermal degradation of polyoxymethylene by thermogravimetry-Fourier transform infrared spectroscopy (TG-FTIR). *Journal of Applied Polymer Science*, 99, 3085–3092.
- Reneker, D. H. and Chun, I. (1996) Nanometre diameter fibres of polymer, produced by electrospinning. *Nanotechnology*, 7, 216–223.
- M.M. Berghoef, G.J. Vansco, (1999) Transparent Nanocomposites with Ultrathin, Electrospun Nylon-4,6 Fiber Reinforcement. *Advanced Materials*, 11, 1362–1365.
- M. Bognitzki, W. Czado, T. Frese, A. Schaper, M. Hellweg, M. Steinhart, A. Greiner, J.H. Wendorff, (2001) Nanostructured Fibers via Electrospinning. *Advanced Materials*, 13, 70–72.
- J. Doshi, D.H. Reneker, (1995) Electrospinning Process and Applications of Electrospun Fibers. *Journal of Electrostatic*, 35, 151–160.
- S.R. Givens, K.H. Gardner, J.F. Rabolt, D.B. Chase, (2007) High-Temperature Electrospinning of Polyethylene Microfibers from Solution. *Macromolecules*, 40, 608-610.
- Jun Zeng, Achim Aigner, Frank Czubayko, Thomas Kissel, Joachim H. Wendorff, Andreas Greiner. (2005) Poly(vinyl alcohol) Nanofibers by Electrospinning

- as a Protein Delivery System and the Retardation of Enzyme Release by Additional Polymer Coatings. *Biomacromolecules*, 6, 1484–1488.
- Yang, F.; Murugan, R.; Wang, S.; Ramakrishna, S. (2005) Electrospinning of nano/micro scale poly(L-lactic acid) aligned fibers and their potential in neural tissue engineering. *Biomaterials*, 26, 2603-2610.
- J.P. Chen, G.Y. Chang, J.K. Chen, (2008) Electrospun collagen/chitosan nanofibrous membrane as wound dressing. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 313–314, 183–188.
- Gibson PW, Shreuder-Gibson HL, Rivin D. (1999) Electrospun fiber mats: Transport properties. *AICHE Journal*, 45, 190–195.
- Gibson PW, Shreuder-Gibson HL. US Army Soldier and Biological Chemical Command Technical Report Natick/TR-99/016L (1999).
- M. Katarzyna, P.G. Sawicka, (2006) Electrospun composite nanofibers for functional applications. *Journal of Nanoparticle Research*, 8, 769-771.
- Xianyan Wang, Christopher Drew, Soo-Hyoung Lee, Kris J. Senecal, Jayant Kumar, Lynne A. Samuelson (2002) Electrospun Nanofibrous Membranes for Highly Sensitive Optical Sensors. *Nano Letters*, 2, 1273–1275.

REFERENCES CHAPTER II

- Toshio Uchida, Hiroyuki Tadokoro, (1967) Structural studies of polyethers. IV. Structure analysis of the polyoxymethylene molecule by three-dimensional fourier syntheses. Journal of Polymer Science Part A-2: Polymer Physics, 5, 63–81.
- Carazzolo, G.; (1960) Structure of the normal crystal form of polyoxymethylene. J. Polym. Sci., Part A, 1, 1573–1583.
- Kobayashi, M.; Sakashita, M. (1992) Morphology dependent anomalous frequency shifts of infrared absorption bands of polymer crystals: Interpretation in terms of transition dipole-dipole coupling theory. Journal of Chemical Physics, 96 (1), 748–760.
- Reneker, D.H.; Geil, P.H. (1960) Morphology of Polymer Single Crystals. Journal of Applied Physics, 31, 1916.
- Holland, V.F.; Lindenmeyer, P.H. (1962) Morphology and crystal growth rate of polyethylene crystalline complexes. Journal of Polymer Science, 57, 589–608.
- Wunderlich, B. ; Melillo, L. ; Cormier, C.M. ; Davidson, T. ; Synder, G. J. Macromol.Sci., Part B : Phys. 1967, 3, 485.
- Wunderlich, B. ; Melillo L. (1968) Morphology and growth of extended chain crystals of polyethylene. Makromol. Chem., 118, 250.
- Bassett, D.C. ; Dammont, F.R. ; Salovey, R. (1964) Radiolysis of polyisobutene IV: A study of the role of free radicals in the fracture reaction using radioactive additives. Polymer, 5, 589-600.
- Tadokoro, H.; Kobayashi, M.; Kawaguchi, Y.; Kobayashi, A. ; Murahashi, S. (1963) Normal vibrational of the polymer molecules of helical configuration. III. polyoxymethylene and polyoxymethylene- d_2 . Journal of Chemical Physics, 38, 703–721.
- Kern W, Cherdron H. (1960) Der abbau von polyoxymethylenen. Poloxymethylene. 14. Mitteilung. Makromol Chem, 40, 101-17.

- Hermann HD, Weisermel K. (1966) Die copolymerisation von formaldehyd mit cyclischen formalen. Makromol Chem, 94, 91-102.
- Zweifel H, editor. (2000) Plastic additives handbook. 5th ed. München: Hanser Verlag;.
- USFDA. 21CFR177.2480 (2002) Polyoxyethylene homopolymer. Code Fed Regul, 3, 331–332.
- Laluppa JA, McAdams TA, Papoutsakis ET, Miller WM. (1997) Culture materials affect ex vivo expansion of hematopoietic progenitor cells. J Biomed Mater Res, 36, 347–359.
- Björk VO. (1969) A new tilting disc valve prosthesis. Scand J Thorac Cardiovasc Surg, 3, 1–10.
- MacAfee KA, Quinn PD. (1992) Total temporomandibular joint reconstruction with a Delrin titanium implant. J Craniofac Surg, 3, 160 –169.
- Fister JS, Memoli VA, Galante JO, Rostoker W, Urban RM. (1985) Biocompatibility of Delrin 150: a creep-resistant polymer for total joint prostheses. J Biomed Mater Res, 19, 519 –533.
- Brown SA, Mayor MB: (1978) The biocompatibility of materials for internal fixation of fractures. J Biomed Mater Res, 12, 67–82.
- Havelin LI, Gjerdet NR, Lunde OD, Rait M, Sudmann E. (1986) Wear of the Christiansen hip prosthesis. Acta Orthopaed Scand, 57, 419–422.
- M. Takayanagi, T. Ogata, M. Mohkawa, T. Kai, J. (1980) Macromo. Sci., Phys., B17, 591.
- H. van Olphen, (1977) “An Introduction to Clay Colloid Chemistry”, 2nd edition, Wiley-Interscience, New York.
- A. Blumstein, (1965) Polymerization of adsorbed monolayers. I. Preparation of the clay-polymer complex. Journal of Polymer Science, 3A, 2653–2664.
- H. G. G. Dekking, (1967) Propagation of vinyl polymers on clay surfaces. II. Polymerization of monomers initiated by free radicals attached to clay. J. Appl. Polym. Sci., 11, 23.
- Jpn Tokkyo Koho 1204305 (1983, priority date: March, 24, 1975), Unitika Ltd., invs.: S. Fujiwara, T. Sakamoto; Chem. Abstr. 1997, 86, 141002.

- D.H. Reneker, A.L. Yarin, H. Fong, and S. Koombhongse (2000) Bending Instability of Electrically Charged Jets of Polymer Solutions in Electrospinning. *Journal of Applied Physics*, 87, 4531-4547.
- Giannelis EP. (1996) Polymer layered silicate nanocomposites. *Advanced Materials*, 8, 29–35.
- Vaia RA, Jant KD, Kramer EJ, Giannelis EP. (1996) Microstructural evaluation of melt-intercalated polymer-organically modified layered silicate nanocomposites. *Chemistry of Materials*, 8, 2628–35.
- Formhals A. US patent 1,975,504, 1934.
- Formhals A. US patent 2,160,962, 1939.
- Formhals A. US patent, 2,187,306, 1940.
- Formhals A. US patent, 2,323,025, 1943.
- Formhals A. US patent, 2,349,950, 1944.
- Baumgarten PK. (1971) Electrostatic spinning of acrylic microfibers. *Journal of Colloid and Interface Science*, 36, 71–9.
- Deitzel JM, Kleinmeyer J, Hirvonen JK, BeckTNC. (2001) Controlled deposition of electrospun poly(ethylene oxide) fibers. *Polymer*, 42, 8163–70.
- Fong H, Reneker DH. Electrospinning and formation of nanofibers. In: Salem DR, editor. Structure formation in polymeric fibers. Munich: Hanser; 2001. p. 225–46.
- Fang X, Reneker DH. (1997) DNA fibers by electrospinning. *J Macromolecular Sci-Phys*, B36, 169–73.
- Taylor GI. (1969) Electrically driven jets. *Proc R Soc London, Ser A*, 313, 453–75.
- Reneker DH, Yarin AL. (2008) Electrospinning jets and polymer nanofibers, *Polymer*, doi: 10.1016/j.polymer.2008.02.002
- Doshi J, Reneker DH. (1995) Electrospinning process and applications of electrospun fibers. *Journal of Electrostatics*, 35(2-3), 151–60.
- Deitzel JM, Kleinmeyer J, Harris D, Tan NCB. (2001) The effect of processing variables on the morphology of electrospun anofibers and textiles. *Polymer*, 42, 261–72.
- Demir MM, Yilgor I, Yilgor E, Erman B. (2002) Electrospinning of polyurethane fibers. *Polymer*, 43, 3303–9.

- Fong H, Reneker DH. (1999) Elastomeric nanofibers of styrene-butadiene-styrene triblockcopolymer. *J Polym Sci: Part B Polym Phys*, 37(24), 3488–93.
- Zussman E, Yarin AL, Weihs D. (2002) A micro-aerodynamic decelerator based on permeable surfaces of nanofiber mats. *Experiments in Fluids*, 33, 315–20.
- W.E.Teo and S. Ramakrishna (2006) A reviewon electrospinning design and nanofibre assemblies. *Nanotechnology*, 17, R89–R106.
- Matthews J A, Wnek G E, Simpson D G and Bowlin G L (2002) Electrospinning of collagen nanofibers. *Biomacromolecules*, 3, 232.
- Kameoka J, Orth R, Yang Y, Czaplewski D, Mathers R, Coates G W and Craighead H G (2003) A scanning tip electrospinning source for deposition of oriented nanofibres. *Nanotechnology*, 14, 1124.
- Subramanian A, Vu D, Larsen G F and Lin H Y (2005) Preparation and evaluation of the electrosyn chitosan/PEO fibers for potential applications in cartilage tissue engineering. *J. Biomater. Sci. Polym. Edn*, 16, 861.
- Kim KW, Lee K H, Khil M S, Ho Y S and Kim H Y (2004) The effect of molecular weight and the linear velocity of drum surface on the properties of electrospun poly(ethylene terephthalate) nonwovens. *Fiber Polym.*, 5, 122.
- Kowalewski T A, Blonski S and Barral S (2005) Experiments and modelling of electrospinning process. *Bull. Pol. Acad. Sci. Tech. Sci.*, 53, 385.
- Sundaray B, Subramanian V, Natarajan T S, Xiang R Z, Chang C C and Fann W S (2004) Electrospinning of continuous aligned polymer fibers. *Appl. Phys. Lett.*, 84, 1222.
- Smit E, Buttner U and Sanderson R D (2005) Continuous yarns from electrospun fibers. *Polym. Commun.*, 46, 2419.
- Zussman E, Rittel D and Yarin A L (2003) Failure modes of electrospun nanofibers. *Appl. Phys. Lett.*, 82, 3958.
- Chew S Y, Wen J, Yim E K F and Leong K W (2005) Sustained release of proteins from electrospun biodegradable fibers. *Biomacromolecules*, 6, 2017.
- Li D, Wang Y and Xia Y (2003) Electrospinning of polymeric and ceramic nanofibers as uniaxially aligned arrays. *Nano Lett.*, 3, 1167.

- Katta P, Alessandro M, Ramsier R D and Chase G G (2004) Continuous electrospinning of aligned polymer nanofibers onto a wire drum collector. *Nano Lett.*, 4, 2215.
- Bhattarai N, Edmondson D, Veiseh O, Matsen F A and Zhang M (2005) Electrospun chitosan-based nanofibers and their cellular compatibility. *Biomaterials*, 26, 6176.
- Teo WE, Kotaki M, Mo X M and Ramakrishna S (2005) Porous tubular structures with controlled fibre orientation using a modified electrospinning method. *Nanotechnology*, 16, 918.
- Theron A, Zussman E and Yarin A L (2001) Electrostatic field-assisted alignment of electrospun nanofibres. *Nanotechnology*, 12, 384.
- Inai R, Kotaki M and Ramakrishna S (2005) Structure and properties of electrospun PLLA single nanofibres. *Nanotechnology*, 16, 208.
- Xu C Y, Inai R, Kotaki M and Ramakrishna S (2004) Aligned biodegradable nanofibrous structure: a potential scaffold for blood vessel engineering. *Biomaterials*, 25, 877.

CURRICULUM VITAE

Name: Ms. Thontree Kongkhlang

Date of Birth: November 25, 1980

Nationality: Thai

University Education:

1998–2002 B.Sc. Chemistry, Prince of Songkla University, Songkla,
Thailand

Honor and Scholarships:

1. University Mobility in Asia and the Pacific (UMAP) grant, Ministry of Education and Culture of Thailand, (2007)
2. Partial Research Grant, 232nd ACS National Meeting, San Francisco, CA, Mitsubishi Gas Chemical Company, Japan and Thai Polyacetal Co.Ltd., Thailand (2006)
3. Partial Research Grant, 232nd ACS National Meeting, San Francisco, CA, The Petroleum and Petrochemical College, Chulalongkorn University (2006)
4. Research Grant, Development Polyoxymethylene based Nanocomposites and Nanofiber Materials, Mitsubishi Gas Chemical Company, Japan and Thai Polyacetal Co.Ltd., Thailand (2005–2008)
5. Research Grant, Study on Adhesion Mechanism of Polyethylene/Aluminium Film, Thai Polyethylene Co.Ltd., Thailand (2004–2005)
6. Partial Scholarship, The Petroleum and Petrochemical College, Chulalongkorn University (2003–2008)

Publications and Proceeding:

1. Thontree Kongkhlang, Yasushi Kousaka, Toshikazu Umemura, Daigo Nakaya, Wandee Thuamthong, Yupin Pattamamongkolchai, Suwabun Chirachanchai (2008) Role of Primary Amine in Polyoxymethylene/Bentonite Nanocomposites. *Polymer*, 49, 1676–1684.



2. Thontree Kongkhlang, Masaya Kotaki, Yasushi Kousaka, Toshikazu Umemura, Daigo Nakaya, Suwabun Chirachanchai (2008) Electrospun Polyoxymethylene: Spinning Conditions and Its Consequent Nanoporous Nanofiber. *Macromolecules*, **41**, 4746–4752.
3. Thontree Kongkhlang, Kohji Tashiro, Masaya Kotaki, Yasushi Kousaka, Toshikazu Umemura, Daigo Nakaya, Suwabun Chirachanchai. Electrospinning Method as a New Technique to Control the Crystal Morphology and Molecular Orientation of Polyoxymethylene Nanofiber. *Journal of the American Chemical Society*, Submitted.
4. Thontree Kongkhlang, Yasushi Kousaka, Toshikazu Umemura, Daigo Nakaya, Wandee Thuamthong, Yupin Pattamamongkolchai, Suwabun Chirachanchai. Molecular Design of Unique Organo-modified Clay for POM/Clay Nanocomposites. In preparation.
5. Kongkhlang T.; Chirachanchai, S.; Nakaya D.; Pattamamongkolchai Y. (2006, October 10–14) Molecular design and preparation of a unique organo-clay for polyoxymethylene/clay nanocomposites. Proceeding of 232nd ACS National Meeting. USA.

Presentations:

1. Kongkhlang T.; Kotaki M.; Kousaka Y.; Umemura T.; Nakaya D.; Chirachanchai S. (2007, December 4–7) Controlling surface morphology of electrospun polyoxymethylene nanofibers. Poster presented at 10th Pacific Polymer Conference, Kobe, Japan.
2. Kongkhlang T.; Chirachanchai, S.; Nakaya D.; Pattamamongkolchai Y. (2006, October 10–14) Molecular design and preparation of a unique organo-clay for polyoxymethylene/clay nanocomposites. Paper presented at 232nd ACS National Meeting. San Francisco, CA, USA.
3. Chirachanchai S., Seangkiatiyuth K., Kongkhlang T., Boonyakiat K., Kuriyama T., Mizoguchi M., Nakai H., Nakaya D., and Umemura T. (2006, December 6–8) Effects of oxyethylene repeat unit on the packing structure of polyoxymethylene. Paper presented at Asian Workshop on Polymer Processing, Bangkok, Thailand.