# ผลกระทบด้านสุขภาพของฝุ่นขนาดเล็กในกรุงเทพมหานคร



นาง อุมา ลางคุลเสน

วิทยานิพนธ์นี้เป็นส่วนหนึ่งของการศึกษาตามหลักสูตรปริญญาวิทยาศาสตรดุษฎีบัณฑิต สาขาวิชาการจัดการสิ่งแวดล้อม (สหสาขาวิชา)

บัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย

ปีการศึกษา 2548

ISBN 974-17-4504-4

ลิขสิทธิ์ของจุฬาลงกรณ์มหาวิทยาลัย

### HEALTH EFFECTS OF RESPIRABLE PARTICULATE MATTER IN BANGKOK

Mrs. Uma Langkulsen

A Dissertation Submitted in Partial Fulfillment of the Requirements for the Degree of Doctor of Philosophy Program in Environmental Management

(Inter-Department)

Graduate School

Chulalongkorn University

Academic Year 2005

ISBN 974-17-4504-4

Copyright of Chulalongkorn University

	MATTER IN BANGKOK
Ву	Mrs. Uma Langkulsen
Field of Study	Environmental Management
Thesis Advisor	Associate Professor Wanida Jinsart, Ph.D.
Thesis Co-advisor	Professor Eiji Yano, M.D.
Accep	ted by the Graduate School, Chulalongkorn University in Partial
Fulfillment of the Red	quirements for the Doctor's Degree
	Dean of the Graduate School (Assistant Professor M.R. Kalaya Tingsabadh, Ph.D.)
THESIS COMMITTI	Chairman  (Manaskorn Rachakornkij, Ph.D.)  (Associate Professor Wanida Jinsart, Ph.D.)  (Professor Eiji Yano, M.D.)  Member  (Professor Sawang Saenghirunvattana, M.D.)  Member  (Benjalak Karnchanasest, Ph.D.)  Member  (Tassanee Pluksasit, Ph.D.)  Member  (Ekawan Luepromchai, Ph.D.)

HEALTH EFFECTS OF RESPIRABLE PARTICULATE

Thesis Title

อุมา ลางคุลเสน: ผลกระทบด้านสุขภาพของฝุ่นขนาดเล็กในกรุงเทพมหานคร (HEALTH EFFECTS OF RESPIRABLE PARTICULATE MATTER IN BANGKOK). อ. ที่ปรึกษา: รศ.ดร. วนิดา จีนศาสตร์, อ. ที่ปรึกษาร่วม: ศ.นพ. อิจิ ยาโนะ, 173 หน้า. ISBN 974-17-4504-4.

การศึกษาการประเมินผลกระทบด้านสุขภาพชนิดเรื้อรังของมลพิษในอากาศที่มีต่อเด็กอายุ 10 ถึง 15 ปี นั้น ได้ทำการตรวจสมรรถภาพปอดด้วย Spirometry และประเมินอาการของระบบทางเดินหายใจโดยใช้ แบบสอบถามของ American Thoracic Society Division of Lung Diseases (ATS-DLD-78-C) ในช่วงเดือน พฤษภาคมถึงเดือนสิงหาคม 2547 ทั้งนี้ผลกระทบของพื้นที่ที่อยู่อาศัยได้นำมาวิเคราะห์ด้วยสถิติความถดถอย โลจิสติก โดยได้ตรวจสมรรถภาพปอดและประเมินอาการของระบบทางเดินหายใจในนักเรียน 722 (82%) คนใน จำนวน 878 คน ในการศึกษาได้แบ่งพื้นที่ศึกษาออกเป็น 4 กลุ่ม ได้แก่ พื้นที่บริเวณริมถนน (R) และพื้นที่ทั่วไป (G) ในระดับกลุ่มมลพิษสูง (H) ปานกลาง (M) และต่ำ (C) พบว่า ความชุกของอาการของระบบทางเดินหายใจ เพิ่มขึ้นอย่างมีนัยสำคัญที่ระดับความเชื่อมั่น 95% ในพื้นที่ที่มีมลพิษสูงบริเวณริมถนนและทั่วไป คือ OR=2.44 (95% CI 1.21-4.93) และ 2.60 (1.38-4.91) ตามลำดับ ในสัดส่วนของนักเรียนที่มีความผิดปกติของสมรรถภาพ ไม่มีความแตกต่างกันอย่างมีนัยสำคัญในพื้นที่บริเวณริมถนนและพื้นที่ทั่วไปที่มีมลพิษสงและปาน กลาง (HR; OR=1.41 (95% Cl 0.89-2.22), HG; 1.08 (0.71-1.64), MR; 0.99 (0.63-1.57)) พื้นที่ที่อยู่อาศัยและ จำนวนสมาชิกภายในบ้านมีความสัมพันธ์กับความชุกของอาการของระบบทางเดินหายใจ ได้แก่ ผู้ที่ตอบแบบสอบถาม เพศ อายุ ระยะเวลาที่อยู่อาศัย ขนาดของบ้าน พฤติกรรมการสูบบุหรี่ของผู้ปกครอง การใช้เครื่องปรับอากาศ และการมีสัตว์เลี้ยงภายในบ้านไม่มีความสัมพันธ์ดังกล่าว ทั้งนี้อายุมีความสัมพันธ์กับ การเสื่อมของสมรรถภาพปอด ในขณะที่ปัจจัยอื่นไม่มีความสัมพันธ์ดังกล่าว จากการศึกษาพบความสัมพันธ์ ระหว่างการได้รับสัมผัสฝุ่นละอองขนาดเล็ก และอาการของระบบทางเดินหายใจในเด็กนักเรียนที่อาศัยอยู่ใน กรุงเทพมหานคร ทั้งนี้ประชาชนที่อาศัยอยู่ในกรุงเทพมหานครอาจได้รับผลกระทบจากมลพิษซึ่งบุคคลเหล่านั้น กำลังเผชิญอยู่

สาขาวิชาการจัดการสิ่งแวดล้อม (สหสาขาวิชา) ลายมือชื่อนิสิต...... ปีการศึกษา 2548...... ลายมือชื่ออาจารย์ที่ปรึกษา

##4589693220 : MAJOR ENVIRONMENTAL MANAGEMENT
KEY WORD: AIR POLLUTION / BANGKOK / CHILDREN / LUNG FUNCTION /

RESPIRATORY SYMPTOMS.

UMA LANGKULSEN: HEALTH EFFECTS OF RESPIRABLE PARTICULATE MATTER IN BANGKOK. THESIS ADVISOR: ASSOC. PROF. WANIDA JINSART, Ph.D., THESIS CO-ADVISOR: PROF. EIJI YANO, M.D., 173 pp. ISBN 974-17-4504-4.

Chronic effects of air pollution in Bangkok schoolchildren aged 10 to 15 yr were investigated. Spirometry tests and respiratory symptoms by the American Thoracic Society's Division of Lung Diseases (ATS-DLD-78-C) questionnaire were conducted during May-August 2004. Effects of residential area were estimated by multiple logistic regression analysis. 722 (82%) of the 878 children were measured lung function test and filed in the ATS-DLD questionnaires. The studied sites were divided into four categories, roadside (R) and general area (G) with high (H), moderate (M) and low pollution (C). The prevalence of respiratory symptoms increased significantly with odds ratios (95% Confidence Interval) in HR and HG are: 2.44 (1.21-4.93) and 2.60 (1.38-4.91), respectively. Proportion of children with impaired lung function were not significantly different in H and M-polluted roadside and general area (HR; OR=1.41 (95% CI 0.89-2.22), HG; 1.08 (0.71-1.64), MR; 0.99 (0.63-1.57)). Residential locations and family members were associated with the prevalence of respiratory symptoms, whereas those factors of responder of ATS-DLD, gender, age, residential years, home size, parental smoking habits, use of air conditioners, and domestic pets were not associated. Age was associated with the impaired lung function, whereas others factors were not associated. The association between exposure to fine particulate matter and respiratory symptoms in Bangkok schoolchildren was demonstrated. Bangkok populations' health may be adversely affected by the air pollution to which they are regularly exposed.

Field of study Environmental Management	Student's signature	Muna	Langkulsen
Fleid of Study Environmental Management	State of Signature	(.1, 11	. Di - 1
(Inter-Department)	Advisor's signature	Mama	o Vimiani
Academic year2005	Co-advisor's signatu	ireCoff.	Zjano

#### **ACKNOWLEDGEMENTS**

I am deeply grateful to the cooperation of the school principals, the many teachers, the student, and their parents who participated in this study. The Royal Golden Jubilee (RGJ) Ph.D. Program Thailand Research Fund and National Research Center for Environmental and Hazardous Waste Management (NRC-EHWM), Faculty of Science, Chulalongkorn University, Thailand financially supported this research.

I would like to express my gratitude to several people who have helped in the formulation of this research. Firstly, I would like to thank Associate Professor Wanida Jinsart, Department of General Science, Faculty of Science, Chulalongkorn University, Professor Eiji Yano, Associate Professor Kanae Karita, Department of Hygiene and Public Health, Teikyo University School of Medicine, Japan and Professor Sawang Saenghirunvattana, Bangkok Samitivej Sukumvit Hospital, all of who gave valuable comments on the first draft of this research and provided excellent advice.

Secondly, I gratefully acknowledge the invaluable comments and suggestions of Dr. Manaskorn Rachakornkij, Chairman of the committee, Dr. Benjalak Karnchanasest, Dr. Tassanee Prueksasit, Dr. Ekawan Luepromchai members of thesis committee. I also special thanks to officers of NRC-EHWM, Department of General Science, and staffs of Teikyo University School of Medicine for help during the study.

Thirdly, I would like to thank technicians Mr. Wichian Srilam, Mr. Suwat Tangchityongsiva, Mr. Nattapol Promlee, Respiratory and Tuberculosis Division, and nurses, Faculty of Medicine Siriraj Hospital, Mahidol University for help in measurement spirometry and provided Spiro Thai 2.0 Program. Special thanks to GlaxoSmithKline (Thailand) Limited for provide Micro Medical Smoke Check. In addition, I acknowledge the Pollution Control Department for the very important data.

Finally, Dedicated to my husband Mr. Phuttipun, and to my son BOSS. To my loving family: Kamol, Chalida, Sittisak, Vanee, Jirawat, Suttinee, Ram, Puttaporn, and Budsaracome.

## CONTENTS

	Page
ABSTRACT (IN THAI)	iv
ABSTRACT (IN ENGLISH)	v
ACKNOWLEDGEMENTS	vi
CONTENTS	vii
LIST OF FIGURES	x
LIST OF TABLES	xi
NOMENCLATURE	xiii
CHAPTER I INTRODUCTION	1
1.1 Statement of the Problem	1
1.2 Objectives	2
1.3 Scopes of the Study	2
1.4 Benefits of the Study	3
CHAPTER II BACKGROUND AND LITERATURE REVIEW	4
2.1 Air Pollution.	4
2.2 Respiratory System	14
2.3 Health Effects	28
2.4 Epidemiology	31
2.5 Statistical Analysis	35
CHAPTER III RESEARCH METHODOLOGY	51
3.1 Study Site and Population	51
3.1.1 Study Site	51
3.1.2 Study Population	54
3.2 Materials	58
3.2.1 Air Pollution Data	58
3.2.2 Respiratory Questionnaire	59
3.2.3 Lung Function Test	59
3.2.4 CO Breathe test	65

	Page
3.3 Statistical Analysis	66
3.3.1 One-way ANOVA	66
3.2.2 Yates'Chi-Square Test	67
3.3.3 Logistic Regression Technique	68
CHAPTER IV RESULTS AND DISCUSSION	70
4.1 Results	70
4.1.1 Demographic and Risk Factor Characteristics	70
4.1.2 Respiratory Symptoms	74
4.1.3 Impaired Lung Function	79
4.1.4 Confounding Factors	82
4.1.5 Only Mother Responder	84
4.1.6 CO Level	85
4.1.7 Urban versus Rural	86
4.1.8 Non-Response Analysis	90
4.2 Discussions	91
CHAPTER V CONCLUSIONS AND RECOMMENDATION	98
5.1 Conclusions	98
5.1.1 Prevalence of Respiratory Symptoms	98
5.1.2 Prevalence of Impaired Lung Function	98
5.1.3 Association between Particulate Matter and	99
Respiratory Health	
5.1.4 Comparison of Respiratory Health	99
5.2 Recommendations	100
REFERENCES	103

	Page
APPENDICES	. 113
APPENDIX A Respiratory Questionnaire ATS-DLD-78-C	114
APPENDIX B Spirometry Parameters	. 140
APPENDIX C SPSS Output	151
APPENDIX D Pony Graphic User Manual	155
APPENDIX E Micro Medical Smoke Check Operating Manual	158
APPENDIX F Publication	162
BIOGRAPHY	173

## LIST OF FIGURES

Figu	Figure	
2.1	Roadside PM <sub>10</sub> concentrations in Bangkok, 1999-2004	9
2.2	Number of motor vehicles registered in Bangkok under Motor Vehicle	10
	Act and Land Transport Act, 1999-2004	
2.3	Passage of air and the respiratory structures	15
2.4	Alveolar macrophages of human lung	17
2.5	Range of particle size	18
2.6	Spirometry standardization steps	19
2.7	Lung volume	25
2.8	Normal flow volume loop.	26
2.9	Levels of CoHb, MetHb, and SulfHb in 1995-2000	43
3.1	Location of air monitoring stations in the study areas. Dark shading	52
	represents high-polluted area	
3.2	Map of study sites in Bangkok	56
3.3	Map of study sites in Ayutthaya	57
3.4	Spirometer Pony Graphic 3.3	60
3.5	Steps of spirometry	61
3.6	Sample acceptable flow-volume spirogram	62
3.7	Spirometry	63
3.8	Guidelines for spirometric interpretation	63
3.9	Calibration syringe with spirometer	65
3.10	CO breathe detector	66

### LIST OF TABLES

Table		Page
2.1	Ambient air quality in the general areas of Bangkok in 2004	6
2.2	Ambient air quality at the roadside sites of Bangkok in 2004	7
2.3	Ambient air standards of Thailand (1995)	8
2.4	Source contributions to PM <sub>10</sub> ambient concentrations	11
2.5	Hazardous Air Pollutants	12
2.6	Compositions of emission sources in Bangkok area	13
2.7	Minimal recommendations for diagnostic spirometry	20
2.8	Equipment quality control summary	22
2.9	Annual average of other air pollutants in the general areas of Bangkok	44
	during 1999-2003	
3.1	Traffic volume, zone characteristic, and 24-hour average concentration of	54
	PM <sub>10</sub> in Bangkok, Thailand, 2004	
3.2	School and distance from PCD air quality monitoring station	55
3.3	Sample size among study areas	58
3.4	Spiro Thai 2.0 Program	64
4.1	Demographic and risk factor characteristics of children included in	71
	analysis, Thailand, 2004 (n=722)	
4.2	Any of respiratory symptoms among schoolchildren in HR area	75
4.3	Any of respiratory symptoms among schoolchildren in HG area	76
4.4	Any of respiratory symptoms among schoolchildren in MR area	77
4.5	Any of respiratory symptoms among schoolchildren in C area	78
4.6	Lung function defect in schoolchildren, Thailand (n=722)	80
4.7	Number and prevalence (%) of respiratory symptoms and impaired lung	81
	function in schoolchildren, Thailand (n=722)	
4.8	Multiple logistic regression analyses for the association between	83
	independent variables, any of respiratory symptoms and impaired lung	
	function among schoolchildren in Bangkok	

Table		Page
4.9	Multiple logistic regression analyses only mother responder	84
4.10	Alveolar CO concentrations in Bangkok schoolchildren (n=56)	85
4.11	Demographic data of Ayutthaya schoolchildren (n=173)	87
4.12	Impaired lung function in Ayutthaya schoolchildren	88
4.13	Respiratory health data of study subjects from Bangkok and Ayutthaya	89
4.14	Comparison of atmospheric pollutant levels (mean) in Bangkok and	90
	Avutthaya	

1.

#### **NOMENCLATURE**

ACCP American College of Chest Physicians

Al Aluminum

ANOVA Analysis of variance

AQS Air quality pollutants system

As Arsenic

ATS American Thoracic Society

ATS-DLD-C American Thoracic Society Division of Lung Disease for

Children

Ba Barium

BaP Benzo(a)pyrene

BMA Bangkok Metropolitan Administration

BMR Bangkok Metropolitan Region

Br Bromine

BTPS Ambient temperature and pressure, saturated

C Control area

Ca Calcium

CI Confidential interval

Cl Chlorine

Cl<sup>-</sup> Chlorine ion

cm centimeter

COHb Carboxyhemoglobin
CO Carbon monoxide

Cr Chromium

Cu Copper

CVD Cardiovascular disease

DAD Diffuse alveolar damage

EC Elemental carbon

e.g. exempli gratia

EPA Environmental Protection Agency

ERV Expiratory reserve volume

etc et cetara

Fe Iron

FEF<sub>25-75%</sub> Mean forced expiratory flow during the middle half of the FVC

FEV<sub>1</sub> Forced expiratory volume in one second

FEV<sub>t</sub> Timed forced expiratory volume

FVC Forced vital capacity

g gram

g/l gram per liter

HAPs Hazardous air pollutants

HC Hydrocarbon

HG High-polluted general area

H<sub>2</sub>O Water

HR High-polluted roadside area

HRV Heart rate variability

Hz Hertz

IC Inspiratory capacity

i.e. id est

IgE Immunoglobulin E
IgG Immunoglobulin G

K Potassium

L Liter

L/min Liters per minute
L/s Liters per second

LPG Liquefied petroleum gas

LSD Fisher's Least-Significant Difference

MetHb Methemoglobin

min Minute
mm Milimeter
Mn Manganese

MR Moderate-polluted roadside area

MSE Mean square between groups

MST Mean square within groups

MVV Maximal voluntary ventilation

NAAQS National Ambient Air Quality Standards

NH<sub>4</sub><sup>+</sup> Ammonium ion

Ni Nickel

NIOSH National Institute of Occupational Safety and Health

NO<sub>2</sub> Nitrogen dioxide

NO<sub>3</sub> Nitrate ion

NSRD Non-specific respiratory disease

O<sub>3</sub> Ozone

OC Organic carbon

OR Odds ratio
P Phosphorus

PAHs Polycyclic aromatic hydrocarbons

PCP Persistent cough and phlegm

Pe Probability of developing disease, among those exposed to the

risk factor

Po Probability of developing disease, among those not exposed to

the risk factor

Pb Lead

PCD Pollution Control Department

PEFR Peak expiratory flow rate
PFTs Pulmonary function tests

PM<sub>2.5</sub> Particulate matter less than 2.5  $\mu$ m in diameter

PM<sub>10</sub> Particulate matter less than 10 μm in diameter

ppb parts per billion
ppm parts per million
Q Questionnaire
R Rural area

RV Residual volume

s second S Sulfur

SD Standard deviation

SE Standard error

SES Socioeconomic status

Si Silicon

 $SO_2$  Sulfur dioxide  $SO_4^{2-}$  Sulfate anion

SPM Suspended particulate matter

SPSS Statistical package for social science

SulfHb Sulfhemoglobin

Ti Titanium

TLC Total lung capacity

TSP Total suspended particulate matter

TV Tidal volume U.S. United States

V Flow

V Vanadium

VC Vital capacity

Zn Zinc

μg/m<sup>3</sup> Microgram per cubic meter

μm Micrometer