

REFERENCES

- Agag, T., and Takeichi, T. (2003) Synthesis and Characterization of Novel Benzoxazine Monomers Containing Allyl Groups and Their High Performance Thermosets. Macromolecules, 36, 6010-6017.
- An, B., Steinwinder, T.R., and Zhao, D. (2005) Selective removal of arsenate from water using a polymeric ligand exchanger. Water Research, 39, 4993-5004.
- Bosco, S.M.D., Jimenez, R.S., and Carvalho, W.A. (2005) Removal of toxic metals from wastewater by Brazilian natural scolecite. Journal of Colloid and Interface Science, 281, 424-431.
- Chaisuwan, T., and Ishida, H. (2006) High-Performance Maleimide and Nitrile-Functionalized Benzoxazines with Good Processibility for Advanced Composites Applications. Journal of Applied Polymer Science, 101, 548-558.
- Cotton, F. A., Wilkinson, G. (1980) Advanced Inorganic Chemistry. pp 685-686. John Wiley & Sons, New York.
- Du, W., Pan, B., Jiang, P., Zhang, Q., Zhang, W., Pan, B., Zhang, Q., and Zhang, Q. (2008) Selective sorption and preconcentration of tartaric acid using a copper (II)-bound polymeric ligand exchanger. Chemical Engineering Journal, 139, 63-68.
- Dunkers, J., and Ishida, H. (1995) Vibrational assignments of 3-alkyl-3,4-dihydro-6-methyl-2H-1,3-benzoxazines in the fingerprint region. Spectrochimica Acta, 51, 1061-1074.
- Gârea, S.-A., Iovu, H., Nicolescu, A., and Deleanu, C. (2007) Thermal polymerization of benzoxazine monomers followed by GPC, FTIR and DETA. Polymer Testing, 26, 162-171.
- Ghosh, N.N., Kiskan, B., and Yagci, Y. (2007) Polybenzoxazines—New high performance thermosetting resins: Synthesis and properties. Journal of progress in polymer science, 32, 1344-1391.
- Henry, W.D., Zhao, D., SenGupta, A.K., and Lange, C. (2004) Preparation and characterization of a new class of polymeric ligand exchangers for selective

- removal of trace contaminants from water. Reactive & Functional Polymers, 60, 109-120.
- Kim, P.-H., Kwon, J.-D., and Kim, J.S. (2004) The impregnated synthesis of polypyrrole into carbon aerogel and its applications to photovoltaic materials. Synthetic Metals, 142, 153-160.
- Ko, Y.G., and Choi, U.S. (2007) Observation of metal ions adsorption on novel polymeric chelating fiber and activated carbon fiber. Separation and Purification Technology, 57, 338–347.
- Kumar, M., Badruzzaman, M., Adham, S., and Oppenheimer, J. (2007) Beneficial phosphate recovery from reverse osmosis (RO) concentrate of an integrated membrane system using polymeric ligand exchanger (PLE). Water Research, 41, 2211-2219
- Li, P., and SenGupta, A.K. (2004) Sorption of hydrophobic ionizable organic compounds (HIOCs) onto polymeric ion exchangers, Reactive & Functional Polymers, 60, 27-39.
- Ngah, W.S.W., and Hanafiah M.A.K.M. (2008) Removal of heavy metal ions from wastewater by chemically modified plant wastes as adsorbents: A review. Bioresource Technology, 99, 3935–3948.
- Ngeontae, W., Aeungmaitrepirom, W., and Tuntulani, T. (2007) Chemically modified silica gel with aminothioamidoanthraquinone for solid phase extraction and preconcentration of Pb(II), Cu(II), Ni(II), Co(II) and Cd(II). Talanta, 71, 1075-1082.
- Özer, A., and Özer, D. (2003) Comparative study of the biosorption of Pb(II), Ni(II) and Cr(VI) ions onto *S. cerevisiae*: determination of biosorption heats. Journal of Hazardous materials, 100, 219–229.
- Paulino, A.T., Santos, L.B. and Nozaki, J. (2008) Removal of Pb²⁺, Cu²⁺, and Fe³⁺ from battery manufacture wastewater by chitosan produced from silkworm chrysalides as a low-cost adsorbent. Reactive & Functional Polymers, 68, 634–642.
- Schubert, U.S., and Heller, M. (2001) Metallo-Supramolecular Initiators for the Preparation of Novel Functional Architectures. Chemistry a European journal, 7(24), 5252-5259.

- Sesalan, B. S., Koca A., Gül. A. (2008) Water soluble novel phthalocyanines containing dodeca-amino groups. Dyes and Pigments, 79, 259–264.
- Su, Y. C., Chen, W.-C., Chang F.-C. (2004) Investigation of the Thermal Properties of Novel Adamantane-Modified Polybenzoxazine. Journal of Applied Polymer Science, 94, 932–940.
- Takeichi, T., and Agag, T., (2006) High Performance Polybenzoxazines as Novel Thermosets. High Performance Polymers, 18, 777–797.
- Takeichi, T., Kano, T., and Agag, T. (2005) Synthesis and thermal cure of high molecular weight polybenzoxazine precursors and the properties of the thermosets. Polymer, 46, 12172–12180.
- Tokuda, H., Kuchar, D., Mihara, N., Kubota, M., Matsuda, H., and Fukuta, T. (2008) Study on reaction kinetics and selective precipitation of Cu, Zn, Ni and Sn with H₂S in single-metal and multi-metal systems. Chemosphere, 73, 1448-1452.
- Wang, C.-F., Wang, Y.-T., Tung, P.-H., Kuo, S.-W., Lin, C.-H., Sheen, Y.-C., and Chang, F.-C. (2006) Stable Superhydrophobic Polybenzoxazine Surfaces over a Wide pH Range. Langmuir, 22, 8289-8292.
- Zhao, D., and SenGupta, A.K. (1998) Ultimate removal of phosphate from wastewater using a new class of polymeric ion exchangers. Water Research, 32, 1613-1625.

CURRICULUM VITAE

Name: Ms. Tidarat Komalwanich

Date of Birth: February 2, 1985

Nationality: Thai

University Education:

2003-2007 Bachelor Degree of Chemical Engineer in Engineering, Faculty of Engineering, King Mongkut's University Technology of North Bangkok, Bangkok, Thailand

Proceedings:

1. Komalwanich, T.; Chaisuwan, T.; and Wongkasemjit, S. (2009, March 22-26) Removal of Heavy Metals from Wastewater Model by Polybenzoxazine-Based Aerogel. Proceedings of the 237th ACS National Meeting & Exposition. Utah, USA.
2. Komalwanich, T.; Chaisuwan, T.; and Wongkasemjit, S. (2009, April 22) Removal of Heavy Metals from Wastewater Model by Using Polybenzoxazine-Based Aerogel as A Polymeric Ligand Exchanger. Proceedings of the 15th PPC Symposium on Petroleum, Petrochemicals and Polymers. Bangkok, Thailand.

Presentations:

1. Komalwanich, T.; Chaisuwan, T.; and Wongkasemjit, S. (2009, March 22-26) Removal of Heavy Metals from Wastewater Model by Polybenzoxazine-Based Aerogel. Poster presentation at 237th ACS National Meeting & Exposition. Utah, USA.
2. Komalwanich, T.; Chaisuwan, T.; and Wongkasemjit, S. (2009, April 22) Removal of Heavy Metals from Wastewater Model by Using Polybenzoxazine-Based Aerogel as A Polymeric Ligand Exchanger. Poster Presentation at 15th PPC Symposium on Petroleum, Petrochemicals and Polymers. Bangkok, Thailand.

