

REFERENCES

- Abraham, M.H., Chadha, H.S., Dixon, J.P., Rafols, C. and Treiner, C. (1997). Hydrogen bonding. Part 41. Factors that influence the distribution of solutes between water and hexadecylpyridinium chloride micelles. J. Chem. Soc., Perkin Trans., 2, 19-24.
- Akita, S. and Takeuchi, H. (1995). Cloud-point extraction of organic compounds from aqueous solutions with nonionic surfactant. Sep. Sci. and Technol., 30(5), 833-846.
- Choori, U. N., Scamehorn, J. F., O'Haver, J. H. and Harwell, J. H. (1998). Removal of volatile organic compounds from surfactant solutions by flash vacuum stripping in a packed column. Ground Water Monit. Rem., 18, 157-165.
- Claesson, P.M., Kjellander, R., Stenius, P. and Christenson, H.K. (1986). Direct measurement of temperature-dependent interactions between non-ionic surfactant layers. J. Chem. Soc., Faraday Trans., 82, 2735-2746.
- Clint, J.H. (1992). Surfactant Aggregation. Glasgow and London: Blakie.
- Corkhill, J.M. and Goodman, J. F. (1969). The interaction of non-ionic surface-active agents with water. Adv. in Colloid and Interface Sci., 2, 298-330.
- Donbrow, M. and Azaz, E. (1976). Solubilization of phenolic compounds in non-ionic surface-active agents, J. Colloid Interface Sci., 57, 20-27.
- Foust, A.S., Wenzel, L.A., Clump, C.W., Maus, L. and Andersen, L.B. (1980). Principles of Unit Operation, 2nd Ed.; John Wiley & Sons: Singapore, Chap 2.
- Frankewish, R.P. and Hinze, W.L. (1994). Evaluation and optimization of the factors affecting nonionic surfactant-mediated phase separations. Anal. Chem., 66, 944-954.
- Friberg, Stig and Lindman, Björn, eds. (1992). Organized Solutions: Surfactants in Science and Technology, New York: Marcel Dekker.
- Gadelle, F., Koros, W.J. and Schechter, R.S. (1995). Solubilization of aromatic solutes in surfactant aggregates, J. Colloid Interface Sci., 170, 57-64.

- Gu, T. and Galera-Gomez, P.A. (1995). Clouding of Triton x-114: the effect of added electrolytes on the cloud point to triton x-114 in the presence of ionic surfactants. Colloids and Surfaces, 104, 307-312.
- Gu, T. and Galera-Gomez, P.A. (1999). The effect of alcohols and other polar organic additives on the cloud point of Triton x-114 in the water. Colloids and Surfaces, 147(3), 365-370.
- Gu, T. and Sjoblom, J. (1992). Surfactant structure and its relation to the kraft point, cloud point, and micellization: some empirical relationships. Colloids and Surfaces, 64, 39-46.
- Hinze, W.L. and Pramauro, E. (1993). Critical review of surfactant-mediated phase separations (cloud point extraction): Theory and application. Analytical Chemistry, 24(2), 133.
- Huibers, P.D.T., Shah, D.O., and Katritzky, A.R. (1997). Predicting surfactant cloud point from molecular structure. J. Colloid Interface Sci., 193, 132-136.
- Li Jing-Liang and Chen Bing-Heng (2003). Equilibrium partition of polycyclic aromatic hydrocarbons in a cloud-point extraction process. Journal of Colloid and Interface Science, 263, 625-632.
- Kandori, K., McGreevy, R.J. and Schechter, R.S. (1989). Solubilization of phenol in polyethoxylated nonionic micelles', J. Colloid Interface Sci., 132, 395-402.
- Kato T., Taguchi N., Terao T. and Seimiya T. (1995). Structure of networks formed in concentrated solutions of nonionic surfactant studied by the pulsed-gradient spin-echo method. Langmuir, 11, 4661-4664.
- Kimchuwanit, W., Osuwan, S., Scamehorn, J.F., Harwell, J.H. and Haller, K.J. (2000). Use of a micellar-rich coacervate phase to extract trichloroethylene from water. Sep. Sci. and Technol., 35(13), 1991-2002.
- King, C.J. (1980). Separation Processes, 2nd Ed.; McGraw-Hill, Inc.: Singapore, Chap. 6 and Chap. 14.
- Kouloheris, A. P. (1989). Surfactants: Important Tools in Chemical Processing. Chem. Eng., 96, 130-136.
- Kungsanant, S., Kitiyanan, B., Rirksomboon, T., Osuwan, S. and Scamehorn, J.F. (2008) Toluene removal from nonionic surfactant coacervate phase solutions by vacuum stripping. Sep. Purif. Technol., 63, 370-378.

- Lins de Barros Neto, E., Canselier, J.P. and Gourdon, C., Solvent Extraction for the 21st Century, Vol 1, 171-176, SCI. London, UK, (2001).
- Liu, G.G., Roy, D. and Rosen, M.J. (2000). A simple method to estimate the surfactant micelle-water distribution coefficients of aromatic hydrocarbons. Langmuir, 16, 3595-3605.
- Luning Prak, D.J. (2007). Solubilization of nitrotoluenes in micellar nonionic surfactant solutions. Chemosphere, 68: 1961-1967.
- Mackay, D. (2006) Handbook of Physical-Chemical Properties and Environmental Fate for Organic Chemicals, 2nd Ed.; CRC/Taylor & Francis: Florida.
- Materna, K., Milosz, I., Miesiac, I., Cote, G. and Szymanowski, J. (2001). Removal of phenols from aqueous streams by the cloud point extraction technique with oxyethylated methyl dodecanoates as surfactants, Environ. Sci. Technol., 35, 2341-2346.
- Materna, K. and Szymanowski, J. (2002). Separation of phenols from aqueous micellar solutions by cloud point extraction. J. Colloid Interface Sci., 255, 195-201.
- Quina, F.H. and Hinze, W.L. (1999). Surfactant-mediated cloud point extraction: an environmentally benign alternative separation approach. Ind. Eng. Chem. Res., 38(11), 4150-4168.
- Pra Mauro, E. and Pelizzetti, E. (1990). The Effect of surface active compounds on chemical processes occurring in aquatic environments. Colloids Surf B., 48, 193-208.
- Rosen, M.J. (1989). Surfactants and Interfacial Phenomena. 2nd ed. New York: Wiley.
- Saito, H. and Shinoda, K. (1967). The solubilization of hydrocarbons in aqueous solutions of nonionic surfactants, J. Colloid Interface Sci., 24, 10-15.
- Saitoh, T. and Hinze, W.L. (1995). Use of surfactant-mediated phase separation (cloud point extraction) with affinity ligands for the extraction of hydrophilic proteins. Talanta, 42(1), 119-127.
- Sakulwongyai, S., Trakultamupatam, P., Scamehorn, J.F., Osuwan, S. and Christian, S.D. (2000). Use of surfactant coacervate phase to extract chlorinated aliphatic compounds from water: extraction of chlorinated ethanes and

- quantitative comparison to solubilization in micelles. Langmuir, 16(22), 8226-8230.
- Scamehorn, J.F. and Harwell, J.H. (1989). Surfactant-Based Separation Processes. New York: Marcel Dekker.
- Scamehorn, J.F. and Harwell, J.H., eds. (2000). Surfactant-Based Separations: Science and Technology; American Chemical Society: Washington, DC.
- Scamehorn, J.F., Sabatini, D.A. and Harwell, J.H. (2004). Encyclopedia of supramolecular chemistry. New York: Marcel Dekker.
- Schick, M.J., ed. (1987). Nonionic Surfactants: Physical Chemistry. New York: Marcel Dekker.
- Szymanowski, J. and Apostoluk, W. (2000). Estimation of distribution parameters of organic solutes in cloud point extraction. J. Colloid Interface Sci., 228,178-181.
- Trakultamupatam, P., Scamehorn, J.F. and Osuwan, S. (2002). Removal of volatile aromatic contaminants from wastewater by cloud point extraction. Sep. Sci. and Technol., 37(6), 1291-1305.
- Trakultamupatam, P., Scamehorn, J.F. and Osuwan, S. (2004). Scaling up Cloud Point Extraction of Aromatic Contaminants from Wastewater in a Continuous Rotating Disc Contactor. Sep. Sci. and Technol., 39, 479-516.
- Treiner, C. and Chattopadhyay, A.K. (1986). Correlation of partition coefficients for polar aromatic and aliphatic molecules between trimethyldodecylammonium bromide micelles + water and octanol + water systems at 298.15 K. J. Colloid Interface Sci., 109, 101-108.
- Valsaraj, K.T. and Thibodeaux, L.J. (1989). Relationships between micelle-water and octanol-water partition constants for hydrophobic organics of environmental interest. Water Res., 23, 183-189.
- Valsaraj, K.T. and Thibodeaux, L.J. (1990). On the estimation of micelle-water partition constants for solutes from their octanol-water partition constants, normal boiling points, aqueous solubilities, and group and bond contribution schemes. Sep. Sci. Technol., 25, 369-395.

- Wang, Z., Zhao, F. and Li, D. (2002). Determination of solubilization of phenol at coacervate phase of cloud point extraction. Colloids and Surfaces, 216, 207-214.
- Watanabe, H. (1982). In Solution Behavior of Surfactants (K.L. Mittal and E. J. Fendler, Eds.), Plenum Press. New York, 1305.
- Yalkowsky, S.H. (1999). Solubility and Solubilization in Aqueous Media; American Chemical Society: Washington, DC, Chap 7.
- Zhou, W. and Zhu, L. (2005). Solubilization of polycyclic aromatic hydrocarbons by anionic-nonionic mixed surfactant. Colloids Surf A., 255, 145-152.

CURRICULUM VITAE

Name: Miss Phanphat Taechangam

Date of Birth: May 26, 1981

Nationality: Thai

University Education:

1998-2001 Bachelor of Science (First Class Honors), Department of Food Technology, Faculty of Science, Chulalongkorn University, Bangkok, Thailand

Publications:

1. Taechangam, P., Scamehorn, J.F., Osuwan, S. and Rirksomboon, T. Continuous cloud point extraction of volatile organic contaminants from wastewater in a multi-stage rotating disc contactor: effect of structure and concentration of solutes. Separation Science and Technology, 2008, volume 43, page 3601-3623.
2. Taechangam, P., Scamehorn, J.F., Osuwan, S. and Rirksomboon, T. Cloud point extraction of aromatic contaminants from wastewater: effect of nonionic surfactant molecular structure, Colloids Surf. A: Physicochem. Eng. Aspects, In Press.
3. Taechangam, P., Scamehorn, J.F., Osuwan, S. and Rirksomboon, T. Continuous cloud point extraction of aromatic contaminants from wastewater: surfactant entrainment and potential solution, In preparation.

Proceedings:

1. Taechangam, P., Scamehorn, J.F., Osuwan, S. and Rirksomboon, T. (2004, December 1-3) Cloud point extraction of organic pollutant from wastewater: effect of nonionic surfactant molecular structure. Proceedings of Regional Symposium on Chemical Engineering 2004 in conjunction with the 14th National Chemical Engineering and Applied Chemistry Conference, Bangkok, Thailand.



Presentations:

1. Taechangam, P., Scamehorn, J.F., Osuwan, S. and Rirksomboon, T. (2004, May 9-12) Removal of organic compound from wastewater by using cloud point extraction of nonionic surfactant: effect of surfactant molecular structure. Paper presented at the 95th American Oil Chemists' Society Annual Meeting, Cincinnati, Ohio, USA.
2. Taechangam, P., Scamehorn, J.F., Osuwan, S. and Rirksomboon, T. (2005, April 28-30) Cloud point extraction of organic pollutants from wastewater: effect of nonionic surfactant molecular structure. Paper presented at RJG-Ph.D. Congress VI, Pattaya, Thailand.
3. Taechangam, P., Scamehorn, J.F., Osuwan, S. and Rirksomboon, T. (2006, January 10-12) Continuous cloud point extraction for removal of aromatic contaminants from wastewater. Paper presented at the International Conference on Hazardous Waste Management for a Sustainable Future, Bangkok, Thailand.
4. Taechangam, P., Scamehorn, J.F., Osuwan, S. and Rirksomboon, T. (2006, March 26-30) Continuous cloud point extraction for removal of aromatic contaminants from wastewater in a multi-stage rotating disc contactor. Paper presented at the 231st American Chemical Society National Meeting and Exposition, Atlanta, Georgia, USA.
5. Taechangam, P., Scamehorn, J.F., Osuwan, S. and Rirksomboon, T. (2006, April 30- May 3) Removal of aromatic contaminants from wastewater by continuous cloud point extraction in a multi-stage rotating disc contactor. Paper presented at the 97th American Oil Chemists' Society Annual Meeting, St.Louis, Missouri, USA.
6. Taechangam, P., Scamehorn, J.F., Osuwan, S. and Rirksomboon, T. (2007, May 13-16) Continuous Cloud Point Extraction of Volatile Organic Contaminants from Wastewater: Effect of Concentration and Hydrophobicity of Solute. Paper presented at the 98th American Oil Chemists' Society Annual Meeting, Quebec city, Quebec, Canada.