REFERENCES



ATSDR (Agency for Toxic Substances and Disease Registry). (1997). Toxicological profile for trichloroethylene [online], Available from http://www.atsdr.cdc.gov/toxprofiles/tp-c3.pdf. [2004, April 10]

Berlin A.A. (1986). Kinetics of radical-chain decomposition of persulfate in aqueous solutions of organic compounds. <u>Kinet. Catal</u> 27:34-39

Benjamin M.M. (2002). Water chemistry. International ed. Boton: McGrawHill

- Clesceri L.S., Greenberg A.E., and Eaton A.D. (1998) <u>Standard method for the</u> examination of water and wastewater 20th ed.: APHA, AWWA, and WEF
- Environmental Protection Department, Environmental Restoration Division. (1999). Historical case analysis of chlorinated volatile organic compound plumes [online], Available from <u>http://www-erd.llnl.gov/library/voc/docs/Maintxt.pdf</u>.

[2004, April 10]

- Environmental Research and Training Center (ERTC), Water Research and Technology Development Section, Department of Environmental Quality Promotion, Thailand. (2001). Contamination of chlorinated ethylene substances in soil and water and case studies in Thailand. [online], Available from <u>http://www.ertc.degp.go.th/downloads/ertcwt441-1.pdf.</u> [2004, April 10]
- Goffman F.D., Ruckle M., Ohlrogge J., Shachar-Hill Y. (2004). Carbon dioxide concentrations are very high in developing oilseeds. <u>Plant Phys. Bio.</u> 42:703-708

- Govindan S.V., Hoag G.E., Huang K.C., and Mao F. (n.d.). <u>Remediation of PCB</u> contaminated sediment by persulfate oxidation. (Unpublished Manuscript)
- Hawk R.M. and Fuller G.L. (1997). Electrolytic oxidation studies of 2,2'dichlorobiophenyl using ruthenium oxide electrodes, persulfate oxidizers, and UV irridation. <u>Waste Manage</u> 17:489-495
- House D.A. (1962). Kinetics and mechanism of oxidations by peroxydisulfate. <u>Chem.</u> <u>Rev.</u> 62:185-203
- Huang K.C., Hoag G.E., Chheda P., Woody B.A., and Dobbs G.M. (2002a). Chemical oxidation of trichloethylene with potassium permanganate in a porous medium. Adv. Environ. Res. 7:217-229
- Huang K.C., Couttenye R.A., and Hoag G.E. (2002b). Kinetics of heat-assisted persulfate oxidation of methyl *tert*-buthyl ether (MTBE). <u>Chemosphere</u> 49:413-420
- Kola H., Kuokkanen T., Valimaki I., Peramaki P., and Lauhanen R. (2002) Evaluation and optimization of the oxidation efficiency of UV-persulfate-oxidation TOCanalyzer for the determination of oil contamination from forestry in ground water. <u>Intern. J. Environ. Anal. Chem.</u> 83:157-165
- Kolthoff I.M. and Miller I.K. (1951). The chemistry of persulfate. I. The kinetics and mechanism of the decomposition of the persulfate ion in aqueous medium. <u>J.</u> <u>Am. Chem. Soc.</u> 73:3055-3059
- Kuhn H.J., Braslavsky S.E., and Schmidt R. (2004). Chemical actinometry (IUPAC technical report). <u>Pure Appl.Chem.</u> 76:2105-2146
- Liang C.J., Bruell C.J., Marley M.C., and Sperry K.J. (2003). Thermally activated persulfate oxidation of trichloroethylene (TCE) and 1,1,1-trichloroethane

(TCA) in aqueous systems and soil slurries. <u>Soil Sediment Contam.</u> 12:207-228

- Montgomery J.H. (2000). <u>Groundwater chemicals desk reference</u>. 3rd ed. Boca Raton : Lewis publisher.
- Murov S.L., Carmichael I., and Hug G.L. (1993). <u>Handbook of photochemistry</u>. 2nd ed. New York : Marcel Dekker.
- NIOSH. (1994). NIOSH Manual of Analytical Methods (NMAM):Method 6603. 4th ed. [online], Available from <u>http://www.cdc.gov/niosh/nmam/pdfs/6603.pdf.</u> [2004. April 10]
- Oppenlander T. (2003). <u>Photochemical purification of water and air</u> Germany: WILEY-VCH

OSHA. (1990). Carbon dioxide in workplace atmospheres. [online], Available from http://www.osha-sic.gov/dts/sltc/methods/inorganic/id172/id172.html
http://www.osha-sic.gov/dts/sltc/methods/inorganic/id172/id172.html

- Parsons S. (2004). Advanced oxidation processes for water and wastewater treatment. London:IWA publishing
- PCD (Pollution Control Department). (2000). Contained data in Pollution Control Department. [online], Available from <u>http://www.pcd.go.th/ [2004, April 10]</u>
- Sutinun O. (2003). <u>Biodegradation of trichloroethylene using plant terpenes as</u> <u>inducer.</u> Master's Thesis. , Inter-Department of Environmental Management, Graduate School, Chulalongkorn University.
- Tipler P.A. and Mosca G. (2003). Physics for scientists and engineers Volume 1: mechanics, oscillations and waves, thermodynamics. 5th ed. New York : W.H Freeman and Company

US EPA. (1992). Ground Water Issue: TCE Removal from contaminated soil and ground water. [Online] Available from

http://www.epa.gov/tio/tsp/download/tce.pdf. [2004, April 10]

- US EPA. (2004). 2004 Edition of the drinking water standard and health advisories. Washington, DC. U.S. Environmental Protection Agency Office of Water EPA 822-R-04-005
- Wang Y. and Hong C.S. (1998). Effect of hydrogen peroxide, periodate and persulfate on photocatalysis of 2-chlorobiphenyl in aqueous TiO₂ suspensions. <u>Wat.</u>
 <u>Res.</u>, 33:2031-2036

APPENDICES

APPENDIX A

EXPERIMENTAL DATA

No.	Persulfate/TCE	Duration	TCE conc. (ppm)			
	molar ratio	time (hr)	1	2	3	Average
1	5:1	1	8.30	8.55	9.13	8.66
2	5:1	2	5.89	5.24	5.74	5.62
3	5:1	3	3.81	9.77	2.25	3.28
4	5:1	4	1.28	1.30	1.50	1.36
5	5:1	5	0.95	1.04	1.11	1.03
6	10:1	1	7.82	8.03	7.95	7.93
7	10:1	2	5.37	5.84	5.27	5.49
8	10:1	3	3.26	3.34	3.39	3.33
9	10:1	4	1.32	1.52	1.73	1.53
10	10:1	5	0.54	1.00	0.66	0.73
11	15:1	1	4.88	5.69	5.77	5.45
12	15:1	2	2.30	2.18	1.70	2.06
13	15:1	3	0.28	0.36	0.50	0.38
14	15:1	4	0.01	0.02	0.01	0.02
15	15:1	5	0.01	0.01	0.01	0.01

Table A-1 TCE degradation using heat activated persulfate oxidation at variouspersulfate/TCE molar ratios (Initial TCE concentration of 10.95 ppm)

Table A-2 TCE removal percentage using the optimal condition of heat activated	
persulfate oxidation system for degrading 50 ppm and 100 ppm TCE	

No.	Persulfate/TCE	Initial TCE	Duration				
	molar ratio	conc. (ppm)	time (hr)	1	2	3	Average
1	5:1	53.7	1	31.2	32.3	32.9	32.1
2	5:1	53.7	2	12.4	13.1	15.0	13.5
3	5:1	53.7	3	4.7	3.3	8.5	5.5
4	5:1	53.7	4	0.1	0.1	0.1	0.1
5	5:1	53.7	5	0.1	0.1	0.1	0.1
6	10:1	104.2	1	53.8	52.2	55.0	53.6
7	10:1	104.2	2	31.2	32.3	26.7	30.1
8	10:1	104.2	3	12.8	12.9	14.4	13.4
9	10:1	104.2	4	1.0	0.8	1.6	1.1
10	10:1	104.2	5	0.1	0.1	0.1	0.1

 Table A-3 TCE degradation using UV activated persulfate oxidation at various

 persulfate/TCE molar ratios

No.	Persulfate/TCE	Initial TCE	Duration	TCE conc. (ppm)			
	molar ratio	conc. (ppm)	time (hr)	1	2	3	Average
1	5:1	10.20	1	9.12	8.36	9.01	8.83
2	5:1	10.20	2	6.46	5.50	5.56	5.84
3	5:1	10.20	3	3.89	3.52	2.85	3.42
4	5:1	10.20	4	1.97	2.17	1.58	1.91
5	5:1	10.20	5	1.32	0.69	0.60	0.87
6	10:1	9.80	1	5.48	5.25	5.38	5.36
7	10:1	9.80	2	1.38	0.78	1.08	1.08
8	10:1	9.80	3	0.27	0.02	0.04	0.11
9	10:1	9.80	4	0.05	0.02	0.04	0.04
10	10:1	9.80	5	0.01	0.02	0.02	0.02
11	15:1	10.10	1	6.25	6.14	5.99	6.12
12	15:1	10.10	2	3.00	3.32	2.68	3.00
13	15:1	10.10	3	0.24	0.07	0.38	0.22
14	15:1	10.10	4	0.03	0.02	0.09	0.05
15	15:1	10.10	5	0.02	0.01	0.02	0.02

No.	Initial TCE	Duration	TCE conc. (ppm)			
	conc. (ppm)	time (hr)	1	2	3	Average
1	51.1	1	42.2	38.2	38.9	39.8
2	51.1	2	29.2	25.8	25.9	27.0
3	51.1	3	20.4	15.2	16.6	17.4
4	51.1	4	7.6	10.0	10.9	9.5
5	51.1	5	5.9	2.4	6.3	4.8
6	102.4	1	75.5	85.4	71.6	77.5
7	102.4	2	57.0	58.9	57.0	57.6
8	102.4	3	42.8	31.5	34.2	36.2
9	102.4	4	16.7	19.0	20.8	18.8
10	102.4	5	3.8	3.9	5.4	4.4

Table A-5 TCE degradation by persulfate oxidation without heat and UV activated condition at various persulfate/TCE molar ratios (Initial TCE concentration of 9.35 ppm)

No.	Persulfate/TCE	Duration	TCE conc. (ppm)			
	molar ratio	time (hr)	1	2	3	Average
1	5:1	1	8.05	7.18	7.18	7.47
2	5:1	2	7.55	7.46	7.65	7.55
3	5:1	3	6.93	7.91	7.42	7.42
4	5:1	4	7.12	6.43	6.86	6.80
5	5:1	5	6.23	6.49	6.17	6.30
6	10:1	1	9.05	8.46	8.16	8.56
7	10:1	2	7.62	7.29	8.55	7.82
8	10:1	3	7.26	8.30	7.89	7.82
9	10:1	4	7.22	7.32	7.38	7.31
10	10:1	5	5.90	6.48	6.51	6.30
11	15:1	1	8.68	7.62	9.05	8.45
12	15:1	2	8.27	8.01	9.27	8.52
13	15:1	3	7.02	7.28	7.76	7.35
14	15:1	4	9.42	5.90	7.11	7.48
15	15:1	5	6.29	6.31	5.16	5.92

Sample	% TCE remaining at different treatment time							
Name	1 hr	2 hrs	3 hrs	4 hrs	5 hrs			
X _{1,1}	99.9	98.7	98.2	94.5	93.3			
X _{1,2}	99.8	98.7	99	98.1	96.3			
X _{1,3}	98.9	95.9	93.5	92.9	92.1			
X _{2,1}	100.0	99.4	95.8	95.6	93.8			
X _{2,2}	99.8	97.6	96.5	94.1	93.2			
X _{2,3}	99.7	98.5	93.4	95.2	92.8			

Table A-6 TCE remaining percentage of blanks at different reaction time

($X_{a,b}$; a = persulfate oxidation method; 1= activated by heat; 2 = activated by UV

, b = concentration of TCE ; 1 = 10 ppm, 2 = 50 ppm ; 3 = 100 ppm)

Chromatogram of CO2 standards and blank

R₁ of CO₂ is approximately 1.130

.



Figure A-1 Chromatogram of blank (air) in the analysis of CO₂

4

Figure A-2 Chromatogram of 4.205 ppm CO₂



Figure A-3 Chromatogram of 33.604 ppm CO₂



Figure A-4 Chromatogram of 67.208 ppm CO₂



Figure A-5 Chromatogram of 100.812 ppm CO₂



Figure A-6 Chromatogram of 134 ppm CO₂

APPENDIX B

CALIBRATION CURVE

Calibration curve of TCE

A calibration curve was developed for 10 ppm TCE and 100 ppm TCE, then the standards were diluted to obtain the desired concentration and extracted like samples (triplicate per each). The calibration standards were analyzed similar to sample procedures. Calibration curve was shown in FigureB-1 and Figure B-2.



FigureB-1 Calibration curve for 10 ppm TCE (Detection limit = 0.01 ppm)



FigureB-2 Calibration curve for 50 and 100 ppm TCE (Detection limit = 0.1 ppm)

APPENDIX C

UV INTENSITY MEASUREMENT

UV intensity measurement

UV intensities were measured to determine potential energy of the UV lamp configuration (See Figure C-1) for scale-up reactor design. UV intensities were measured by ferrioxalate actinometer at every sample position. Average intensity of this system was 10.96 μ Einstein/s (SD = 0.94, CV = 9 %). UV intensities at different sample positions (Figure C-1 and Table C-1) were grouped as in Figure C-2 to C-5. In groups of X, Y, and Z, UV intensities of group X was the lowest and those of group Z was the highest showing that intensities depended on the distance from samples to center of UV lamps. Farther distance from lamp center provided lower intensity.

Due to the fact that UV intensities were different depending on the distance from lamp center, experiment for group A, B, C, and D was set to determine its effects. Sets of 3 samples were experimented at 4 sets of positions (A, B, C, and D). From Table C-2, concentrations of TCE of each set were not different so much according to the values of CV which were less than 13% (the value of CV, which was less than 15 %, indicated that there was no significant difference in this measurement). Hence, the variation of intensities did not significantly affect the oxidation processes due to relatively constant concentrations of residual TCE.



Figure C-1 Position of samples in the UV activated persulfate oxidation system

Table C-1 UV intensity of UV persulfate oxidation system at every sample position

Sample Position	UV intensity
(Group of sample)	(µEinstein/s)
1 (X, A)	10.06
2 (Y, A)	10.92
3 (Z, A)	12.90
4 (X, B)	9.54
5 (Y, B)	10.42
6 (Z, B)	13.03
7 (Z, C)	12.95
8 (Y, C)	10.14
9 (X, C)	9.81
10 (Z, D)	12.40
11 (Y,D)	9.90
12 (X, D)	9.48



Figure C-2 Position of groups of similarity



Figure C-3 UV intensities of groups of similarity



Figure C-4 Position of groups of difference



Figure C-5 UV intensities of groups of difference

Group		C/	SD	CV			
	Sample 1	Sample 2	ample 2 Sample 3 Avera		50		
А	0.894	0.820	0.884	0.866	0.033	3.8 %	
В	0.634	0.540	0.545	0.573	0.043	7.5 %	
С	0.381	0.345	0.279	0.335	0.042	12.6 %	
D	0.193	0.213	0.155	0.187	0.024	12.7 %	

Table C-2 Normalized concentrations of TCE (C/C_0) in UV persulfate oxidation system at each group of difference

APPENDIX D

CALCULATIONS

Preparation of synthetic samples

Given data

Molecular weight : $C_2HCl_3 = 131.39$

Density : $C_2HCl_3 = 1.465 \text{ g/mL}$ @ 20°C

1) Volume of TCE in 50 mL of 500 ppm TCE stock solution

= (500 mg/L * 0.05 L) * 1 mL/1465 mg

- = 0.01706 mL
- $= 17.06 \,\mu L$
- 2) Volume of TCE in 250 mL of 500 ppm TCE stock solution

= (500 mg/L * 0.25 L) * 1 mL/1465 mg

= 0.085324 mL

 $= 85.32 \ \mu L$

3) Volume of 500 ppm TCE stock solution in 50 mL of 10 ppm TCE

 $C_1V_1 = C_2V_2$ (10 ppm)(50 mL) = (500 ppm)(V₂); $V_2 = 1 mL$

4) Volume of 500 ppm TCE stock solution in 50 mL of 50 ppm TCE

 $V_2 = (50 \text{ ppm } * 50 \text{ mL})/500 \text{ ppm}$ $V_2 = 5 \text{ mL}$

5) Volume of 500 ppm TCE stock solution in 50 mL of 100 ppm TCE

 $V_2 = (100 \text{ ppm * } 50 \text{ mL})/500 \text{ ppm}$

 $V_2 = 10 \, mL$

For 10 ppm TCE, a synthetic sample was prepared by adding 1 mL of 500 ppm TCE in 50 mL vial with 48.5 mL of DI water. For 50 ppm TCE, a synthetic sample was prepared by adding 5 mL of 500 ppm TCE in 50 mL vial with 44.5 mL of DI water. For 100 ppm TCE, a synthetic sample was prepared by adding 10 mL of 500 ppm TCE in 50 mL vial with 39.5 mL of DI water. Then, 0.5 mL of persulfate solution was added to react with TCE.

Preparation of persulfate and thiosulfate solutions for 10 ppm TCE

<u>Given data</u>

Molecular weight : $C_2HCl_3 = 131.39$, $Na_2S_2O_8 = 238.10$, $Na_2S_2O_3.5H_2O = 248.18$ Water solubility : $Na_2S_2O_8 = 556$ g/L @ 20°C , $Na_2S_2O_3 = 790$ g/L @ 4°C

1) Amount of 10 ppm TCE in a 50 ml vial

= (10 mg/L * 0.05 L) * 1 g/1000 mg= $0.0005 \text{ g} = 0.0005 \text{ g} * 1 \text{ mol/} 131.39 \text{ g} = 3.8 * 10^{-6} \text{ mol}$

- 2) Amount of persulfate
 - > The molar ratio of persulfate and contaminant = 5:1
 - Amount of persulfate in a 50 ml vial
 = 5 * 3.8 * 10⁻⁶ mol * 238.1 g/mol *1000 mg/1 g = 4.53 mg
 [Persulfate] = 90.61 ppm
 - Adding 0.5 ml from persulfate stock solution

 $C_1V_1 = C_2V_2$

 $(4.53 \text{ mg}) = (C_2)(0.0005 \text{ L})$; $C_2 = 9,061 \text{ mg/L}$

- > The molar ratio of persulfate and contaminant = 10:1
 - Amount of sodium persulfate in a 50 ml vial = 9.06 mg
 - [Persulfate] = 181.2 ppm
 - Adding 0.5 ml of 18,122 ppm persulfate stock solution
 - o Adding 906.1 mg in 50 mL
- > The molar ratio of persulfate and contaminant = 15:1
 - Amount of sodium persulfate in a 50 ml vial = 13.59 mg

o [Persulfate] = 271.8 ppm

- Adding 0.5 ml of 27,182 ppm persulfate stock solution

• Adding 1.3591 g in 50 mL

3) Amount of sodium thiosulfate for quenching reaction

Stoichiometric reaction between persulfate and thiosulfate is as followed;

 $S_2O_8^- + 2S_2O_3^- \longrightarrow 2SO_4^- + S_4O_6^-$

Adding 3 moles of sodium thiosulfate in excess for quenching a mole of sodium persulfate

- > The molar ratio of thiosulfate, persulfate and contaminant = 15:5:1
 - Amount of sodium thiosulfate in a 50 ml vial

 $= 15 * 3.8 * 10^{-6} \text{ mol} * 248.18 \text{ g/mol} * 1000 \text{ mg/l} \text{ g} = 14.16 \text{ mg}$

> The molar ratio of thiosulfate, persulfate and contaminant = 30: 10: 1

- Amount of sodium thiosulfate in a 50 ml vial = 28.33 mg

The molar ratio of thiosulfate, persulfate and contaminant = 45 : 15 : 1

- Amount of sodium thiosulfate in a 50 ml vial = 42.50 mg

Amount of Na ₂ S ₂ O ₃	Concentration (pp	om) of stock solu	Stock solution for 0.1mL		
in a 50 ml vial (mg)	1 μL	10 µL	100 µL / 0.1 mL	g in 50 mL	g in 25 mL
14.16	14,166,603	1,416,660	141,666	7.0833	3.54165
28.33	28,333,206	2,833,321	283,332	14.1666	7.0833
42.50	42,499,810	4,249,981	424,998	21.2499	10.62495

Table C-1 Calculation for preparation of thiosulfate solution quenching 10 ppm TCE

Adding 0.1 ml of 141.7, 283.3 and 425.0 g/L sodium thiosulfate stock solutions for ratio 15:5:1, 30:10:1 and 45:15:1, respectively was the best solution for adding less volume as possible due to water solubility of sodium thiosulfate.

For 50 ppm TCE and 100 ppm TCE, preparation of persulfate and thiosulfate solutions were calculated with the same pattern.

Energy consumption of heat and UV activated persulfate oxidation system

In heat activated persulfate oxidation system, the amount of heat energy was calculated from temperature change and heat capacity as follows (Tipler and Mosca, 2003).

$$Q = C\Delta T = mc\Delta T....(1)$$

(Q= the amount of heat energy (kJ), C = the heat capacity (kJ/K), m = the mass of substance (kg), c = the specific heat or heat capacity per unit mass (kJ/(kg.K)))

Because wastewater used in this study was mixture of water and TCE, equation for calculation of energy will be as followed (Beckermann and Viskanta, 1987).

$$Q = C\Delta T = m\overline{c}\Delta T \qquad(2)$$

$$\overline{c} = \underline{\epsilon\rho_1 c_1 + (1 - \epsilon)\rho_2 c_2} \qquad(3)$$

$$\overline{\rho} = \epsilon\rho_1 + (1 - \epsilon)\rho_2 \qquad(4)$$

(\overline{c} = the average specific heat, ρ = density (g/L), $\overline{\rho}$ = the average density (g/L), ε = liquid volume fraction)

Since liquid volume fraction of TCE was much less than that of water $(6.83 \times 10^{-5} \text{ for } 100 \text{ ppm TCE and } 0.9999, \text{ respectively})$, c in this case should be c_{water} which is 4.184 kJ/kg.K (Tipler and Mosca, 2003).

The amount of energy of each sample is as follows;

$$Q = (0.05 \text{ kg})(4.184 \text{ kJ/kg.K})(40-25\text{K})$$
$$= 3.138 \text{ kJ}$$

Anyhow, in the contaminated site, volume of water should not be only 0.05L. 1000 L of water was assumed to compare with UV persulfate oxidation method .

$$Q = (1000 \text{ kg})(4.184 \text{ kJ/kg.K})(40-25\text{K})$$
$$= 62,760 \text{ kJ}$$

In UV activated persulfate oxidation system, the amount of required energy was E_{EO} (electric energy per order, kWh order⁻¹ m⁻³) (Oppenländer, 2003).

$$E_{EO} = P_{el}t10^{3} / Vlog([C]_{t=0} / [C]_{t})$$

= (0.02kW x 5 hrs x 1000)/(1000 x log (100/1))
= 0.05 kWh order⁻¹ m⁻³
= 180 kJ order⁻¹ m⁻³

 $(P_{el} = \text{electric energy supplied (kW)}, t = \text{time (hr)}, V = \text{volume of water treated in the time t (L)}, [C]_{t=0} = \text{initial TCE concentration, and } [C]_t = \text{TCE concentration at time t,} Assumption : P_{el} = 20 W, t = 5 hrs, % removal = 99% (according to the experiment), V = 1000 L)$

From the study of effects of concentration of TCE on UV activated persulfate oxidation system, at higher temperature, 20 W of lamp power was not enough to degrade TCE effectively compared with heat persulfate oxidation method. If lamp power is increased to 1 kW, E_{EO} will be 9,000 kJ order⁻¹ m⁻³.

Concentration of 10 ppm TCE in gas and aqueous phase in a sample vial

<u>Given data</u>

Molecular weight $(C_2HCl_3) = 131.39$

Henry's law constant of TCE (
$$H_{TCE}$$
) = 9.09 x 10⁻³ atm-m³/mol @ 25°C

 $= 17.82 \text{ x } 10^{-3} \text{ atm-m}^3/\text{mol} @ 40^{\circ}\text{C}$

 $R = 8.205 \times 10^{-5} \text{ atm-m}^3/\text{mol-K}$, Liquid volume = 50 mL, Gas volume = 7 mL

The unchanging number of moles of TCE in the system is

$$n_{\rm tot,TCE} = 3.8 \times 10^{-6} \, {\rm mol}$$

At equilibrium, this mass of TCE is distributed between the gas and aqueous phases in accordance with Henry's law (Benjamin, 2002):

$$P_{\text{TCE(g)}} = \frac{3.8 \times 10^{-6} \text{ molx} 8.205 \times 10^{-5} \text{ atm-m}^3/\text{mol-Kx} 298 \text{ Kx} 9.09 \times 10^{-3} \text{ atm-m}^3/\text{mol}}{(9.09 \times 10^{-3} \text{ atm-m}^3/\text{molx} 7 \times 10^{-6} \text{m}^3) + (50 \times 10^{-6} \text{m}^3 \times 8.205 \times 10^{-5} \text{ atm-m}^3/\text{mol-Kx} 298 \text{ K})} = 6.58 \times 10^{-4} \text{ atm}$$

 $[TCE_{(ag)}] = 6.58 \times 10^{-4} \text{ atm}/9.09 \times 10^{-3} \text{ atm}-\text{m}^3/\text{mol}$ = 0.072 mol/m³ x 131.39 x 10³mg/mol x m³/1000L = 9.50 mg/L [TCE_{(g)}] = (10 mg/L - 9.50 mg/L) x 0.05 L / 0.007 L = 3.54 mg/L

At 40°C

$$P_{TCE(g)} = \frac{3.8 \times 10^{-6} \text{ mol} \times 8.205 \times 10^{-5} \text{ atm} - \text{m}^3/\text{mol} - \text{Kx} 313 \text{ Kx} 17.82 \times 10^{-3} \text{ atm} - \text{m}^3/\text{mol}}{(17.82 \times 10^{-3} \text{ atm} - \text{m}^3/\text{mol} \times 7 \times 10^{-6} \text{m}^3) + (50 \times 10^{-6} \text{m}^3 \times 8.205 \times 10^{-5} \text{ atm} - \text{m}^3/\text{mol} - \text{Kx} 313 \text{ K})}$$

= 12.36 x 10⁻⁴ atm
$$[TCE_{(ag)}] = 12.36 \times 10^{-4} \text{ atm} / 17.82 \times 10^{-3} \text{ atm} - \text{m}^3/\text{mol} = 0.069 \text{ mol}/\text{m}^3 = 9.11 \text{ mg/L}$$

$$[TCE_{(g)}] = (10 \text{ mg/L} - 9.11 \text{ mg/L}) \times 0.05 \text{ L} / 0.007 \text{ L} = 6.33 \text{ mg/L}$$

For 50 ppm TCE and 100 ppm TCE, volatilization of TCE were calculated with the same pattern.

BIOGRAPHY

Miss Trakarn Prapaspongsa was born on September 19, 1981 in Bangkok, Thailand. She attended Navaminthrachinutit Bodindecha School in Bangkok and graduated in 1996. She received Bachelor's degree of Environmental Engineering from Chulalongkorn University in 2002. She pursued her Master Degree study in the International Postgraduate Programs in Environmental Management, Inter-Department of Environmental Management, Chulalongkorn University, Bangkok, Thailand in May 2003. She finished her Master Degree of Science in Environmental Management May 2005.

