REFERENCES

- 1. Mcgrum N.G. A Review of The Science of Fibre Reinforced

 Plastics. pp. 82-85. London: H.M. Stationery

 Office, 1971.
- 2. Gerald L.Steele. <u>Fiber Glass Projects and Procedures</u>

 (1st ed.). Illinois: McKNIGHT & McKNIGHT Publishing

 Company, 1962.
- 3. John R.Lawrence. <u>Polyester Resins.</u> New York: Reinhold Publishing Corporation, 1960.
- 4. Gottfried Wiedmann, Horst Frenzel, Margit Matzke, and Ursula Renner. Silane treatment for improving the interfacial adhesion of glass fiber materials.

 Brit. 1,260,798 (January 19, 1972).
- 5. Takeshi Moritani and Yukio Nosaka. Sizing agents for glass fibers. Japan. Kokai 74 87,888 (August 22, 1974).
- 6. Toshihito Fujita, Kazumubu Inoue, Hirokasu Inoguchi, and
 Tadanori Kitamura. Sizes for glass fiber.

 Japan. Kokai 74 100,392 (September 21, 1974).
- 7. Junichi Furukawa and Yoshinao Kono. Sizing agents for glass fibers. U.S. Pat. 3,920,596 (November 18, 1975).
- 8. ----- Sizing agents for glass fibers.

 U.S. Pat. 3,923,708 (December 2, 1975).
- 9. Junichi Furukawa, Yoshinao Kono, and Kahei Sakaguchi. Sizing agents for glass fibers. <u>Japan. Kokai 76 04,388</u>
 (January 14, 1976).
- 10. Nippon Glass Fiber Co., Ltd. Transparent glass fiber reinforced resin boards. <u>Jpn. Kokai Tokkyo Koho JP</u> 59 179,529 [84,179,529] (October 12, 1984).

- 11. Dainippon Ink and Chemicals, Inc. Sizes for glass fibers.

 Jpn. Kokai Tokkyo Koho JP 60 05,044 [85 05,044]

 (January 11, 1985).
- 12. Hiroshi Masuda. Sizing agents for glass fibers for reinforcing plastics. <u>Jpn. Kokai Tokkyo Koho JP</u>
 63,297,249 [88,297,249] (December 5, 1988).
- 13. Seiichi Shimanuki, Michio Tanabe, and Ryozo Koike. Sizing agents for glass fibers. Jpn. Kokai Tokkyo Koho JP

 01,252,554 [89,252,554] (October 9, 1989).
- 14. Anton Miskolki, Jozef Matula, Juraj Forro, and Stanislav Florovic. Polyester-based lubricants for glass fibers for reinforcing of transparent polyester laminates.

 Czech. CS 242,337 (November 15, 1987).
- 15. Juraj Forro, Stanislav Florovic, and Jozef Martisovic.

 Aminoamide-epoxy resin adducts, as lubricants.

 Czech. CS 255,318 (November 15, 1988).
- 16. Samuel S.Olcesky, and Mohr J.Gilbert. <u>Handbook of Reinforced</u>

 <u>Plastics</u> (2nd ed.). New York: The Guinn Company Inc.,

 1964.
- 17. Nicholas P.Cheremisinoff and Paul N.Cheremissinoff.

 Fiberglass Reinforced Plastics Deskbook (2nd ed.).

 Michigan: Ann Arbor Science Publishers Inc., 1978.
- 18. Gaylord M.W. Reinforced Plastic: Theory and Practice

 (2nd ed.). pp. 38-102. Boston: Cahners Publishing

 Company Inc., 1974.
- 19. Owens-Corning Fiberglass Corporation. <u>Fiberglass Reinforced</u>
 Plastics. 1964.
- 20. David G.Mettes. Glass fibers. In George Lubin (ed.),

 Handbook of Fiberglass and Advanced Plastics

 Composites (2nd ed.). New York: Noble Offset

 Printers Inc., 1969.

- 21. Melvin Rubin. Polyester resins. In George Lubin (ed.),

 Handbook of Fiberglass and Advanced Plastics

 Compositions (2nd ed.). New York: Noble Offset

 Printers Inc., 1969.
- 22. Brydson J.A. <u>Plastics Materials.</u> New Jersey:
 D. Van Norstrand Company Inc., 1966.
- 23. Korshak V.V., and Vinogradova S.V. <u>Polyesters.</u>
 New York: Pergamon Press. 1965.
- 24. Boenig H.V. Polyesters, Unsaturated. Encyclopedia of

 Polymer Science and Technology (vol.11). pp. 129-168.

 New York: John Wiley & Sons Inc., 1969.
- 25. Joseph Makhlouf. Polyester, Unsaturated.

 Encyclopedia of Chemical Technology (vol.18, 3rd ed.).

 3rd ed.). pp. 575-594. New York: John Wiley & Sons
 Inc., 1982.
- 26. Jeffrey Selley. Polyester, Unsaturated. Encyclopedia of

 Polymer Science and Engineering (vol.12, 2nd ed.).

 pp. 256-290. New York: John Wiley & Sons Inc., 1988.
- 27. Ivor H. Updegraff. Unsaturated polyester resins. In George
 Lubin (ed.), <u>Handbook of Composites</u>. New York:

 Van Nostrand Reinhold Company Inc., 1982.
- 28. Crystic Research Center. <u>Crystic Monograph No.2: Polyester</u>
 Handbook. England: Scott Bader Company Limited, 1971.
- 29. Mary E. Carter. Glass. <u>Essential Fiber Chemistry.</u>
 pp. 183-200. New York: Marcel Dekker Inc., 1971.
- 30. Pluddemann E.P. Silylating agents. <u>Encyclopedia of Chemical Technology</u> (vol.20, 3rd ed.). pp. 962-973.

 New York: John Wiley & Sons Inc., 1982.
- 31. James H. MacGregor. Sizing. Encyclopedia of Polymer Science

 and Technology (vol.12). pp. 585-613. New York:

 John Wiley & Sons, Inc., 1970.

- 32. Jones F.R. Interfacial aspects of glass fiber reinforced plastics. <u>Interfacial Phenomena in Composite</u>

 <u>Materials'89.</u> pp.25-32. London: Butterworths, 1989.
- 33. Gachter R., and Mulkler H. <u>Plastics Additives Handbooks</u>
 (2nd ed.). pp. 410-414. New York: Hanser Puhlishers,
 1987.
- 34. Patrick E.Cassidy, and Bill J.Yager. Coupling agents as adhesion promoters. In Irving Skeist (ed.). Reviews in Polymer Technology. pp. 1-49. New York: Marcel Dekker, inc., 1972.
- 35. Malcome E.Schrader. Surface properties of glass fibers. In Schick M.J. (ed.). Surface Characteristics of Fiber and Textiles: part II. pp. 525-562. New York:

 Marcel Dekker, Inc., 1975.
- 36. Pluddemann E.P. Coupling agents. Encyclopedia of Polymer

 Science and Engineering (vol.4, 2nd ed.).

 pp. 284-298. New York: John Wiley & Sons, Inc., 1986.
- 37. Zeev Gur-Arieh and Bertie J.Reuben. Antistatic agents.

 Encyclopedia of Chemical Technology (vol.3, 3rd ed.).

 pp. 149-183. New York: John Wiley & Sons, Inc., 1978.
- 38. SBP Board of Consultants & Engineers. <u>Technology of Fiber</u>

 <u>Reinforced Plastics Products.</u> Delhi: Small Business

 Publications. n.d.
- 39. Kutsenko N.I., et al. 2,2'-bis[4-(2-Hydroxypropoxy)phenyl]

 propane raw material for unsaturated polyester resins.

 Plast. Massy. 8(1975): 27-28.
- 40. Japanese Industrial Standard. Testing methods for liquid unsaturated polyester resin. <u>JIS K 6901</u>. 1968.

- 41. American Society for Testing Material (ASTM). Standard test methods for flexural properties of unreinforced and reinforced plastics and electrical insulating materials. ASTM D 790-86 (vol.08.01). pp. 280-298.

 New york: ASTM, 1988.
- 42. Roy C.Williams. Polyesters, water-soluble. Encyclopedia of

 Polymer Science and Engineering (vol.12, 2nd ed.).

 pp. 300-313. New york: John Wiley & Sons, Inc., 1988.
- 43. Saunders K.J. Polyesters. <u>Organic Polymer Chemistry</u>
 (2nd ed.). pp. 224-235. New york: Chapman and Hall,
- 44. Brian Parkyn and Clifton B.V. <u>Polyesters</u> (volume 2).

 New York: London iliffe Books Ltd., 1980.
- 45. Kenneth S.Rosenzweig. Oxyalkylation of Diphenols.

 U.S. Pat. 3,803,246 (April 9,1974).
- 46. Clifford C.Carroll. Liquid, non-crystallizing two mole diphenol alkoxylate mixtures. <u>U.S. Pat. 4,846,996</u>
 (July 11, 1989).
- 47. Willium C.Griffen. Emulsions. Encyclopedia of Chemical


 Technology (vol.8, 3rd ed.). pp. 900-930.

 New York: John Wileys & Sons, Inc., 1979.
- 48. Arno Cahn. Surfactants and Detersive Systems.

 Encyclopedia of Chemical Technology (vol.22, 3rd ed.).

 pp. 332-391. New york: John Wiley & Sons, Inc., 1983.
- 49. Charles R. Martens. Emulsion and water-soluble paints and coatings (2nd ed.). New York: Reinhold Publishing Corporation, 1965.
- 50. Ferdinand Rodriguez. <u>Principles of Polymer Systems</u> (2nd ed.).

 Singapore: McGraw-Hill International Book Co., 1985.



APPENDIX A

SPECIFICATION OF THE UNSATURATED POLYESTER RESIN, "ALPOLIT VUP 9026"

Characteristics

Alpolit VUP 9026 is a medium viscous, light stabilized unsaturated polyester resin of medium reactivity, containing methyl methacrylate. It can be cured at ambient or at elevated temperature according to the usual method.

Application

Alpolit VUP 9026 is specially formulated for the production of highly translucent laminates and the continuous manufacture of plane and corrugated sheets. It has an excellent optical clarity and the superior weather resistance.

Remarks

Alpolit VUP 9026 can be thinned with styrene in any ratio. Additions of more than 5% are not recommended since the mechanical properties will be influenced adversely.

| Property | | Unit | Test method |
|---------------------------------------|--------------|--------|-------------|
| Appearance | clear liquid | | |
| Colour | max. 100 | Hazen | , - |
| Viscosity at 20°c | 220-240 | sec. | . DIN 53211 |
| Content of styrene | 27±1 | % B.W. | - |
| Gel time at 25°c (0.6% CO.1,1% MEKP) | 13-18 | min | - |
| Styrene compatibility | 00 | - | - |
| Storage stability at 25°c in darkness | at least 6 | month | - |

APPENDIX B

PATTERN OF CONSUMPTION OF AN UNSATURATED POLYESTER AND REINFORCED UNSATURATED POLYESTER IN JAPAN FROM 1985 TO 1992

| UNSATURATED POLYESTER | | | |
|-----------------------------|------------------|------------------|--|
| Market | 1000 met | ric tons | |
| FRP uses Non FRP uses Total | 144 50 194 | 149 59 208 | |

| REINFORCED UNSATURATED POLYESTER | | |
|----------------------------------|----------|----------|
| Market | 1000 met | ric tons |
| Construction | 25 | 26 |
| Building materials | 93 | 95 |
| Marine and ships | 32 | 30 |
| Automotive and vehicles | 7 | 10 |
| Tanks and containers | 34 | 36 |
| Industrial materials | 31 | 32 |
| Miscellaneous uses | · 18 | 19 |
| Other | 14 | 15 |
| Total | 254 | 263 |

| UNSATURATED POLYESTER | | | |
|-----------------------------|------------------|------------------|--|
| Market | 1000 met | tric tons | |
| FRP uses Non FRP uses Total | 149 50 199 | 145 45 190 | |

| | 1000 | metric tons |
|-------------------------|------|-------------|
| Market | 1985 | 1986 |
| Construction | 25 | 25 |
| Building materials | 96 | 98 |
| Marine and ships | 33 | 33 |
| Automotive and vehicles | 9 | 14 |
| Tanks and containers | 35 | 37 |
| Industrial materials | 35 | 36 |
| Miscellaneous uses | 18 | 19 |
| Other | 15 | 15 |
| Total | 266 | 277 |

| UNSATURATED POLYESTER | | | |
|-----------------------------|------------------|------------------|--|
| Market | 1000 met | ric tons | |
| FRP uses Non FRP uses Total | 150 50 200 | 147 48 195 | |

| REINFORCED UNSATURATED POLYESTER | | |
|----------------------------------|---------|--------------------|
| Market | 1000 me | etric tons 1987 |
| Construction | 27 | 28 |
| Building materials | 100 | 101 |
| Marine and ships | 33 | 34 |
| Automotive and vehicles | 11 | 14 |
| Tanks and containers | 32 | 34 |
| Industrial materials | 38 | 37 |
| Miscellaneous uses | 18 | 18 |
| Other | 13 | 12 |
| Total | 272 | 278 |

| UNSATURATED POLYESTER | | | |
|-----------------------------|------------------|------------------|--|
| Market | 1000 met | ric tons 1988 | |
| FRP uses Non FRP uses Total | 166 41 207 | 180 45 225 | |

| REINFORCED UNSATURATED POLYESTER | | |
|----------------------------------|--------------|-------------|
| Market | 1000 1987 | metric tons |
| Construction | 30 | 32 |
| Building materials | 129 | 148 |
| Marine and ships | 34 | 35 |
| Automotive and vehicles | 12 | 13 |
| Tanks and containers | 38 | 42 |
| Industrial materials | 48 | 55 |
| Miscellaneous uses | 21 | 2.3 |
| Other | 10 | 9 |
| Total | 322 | 357 |
| | | |

| UNSATURATED POLYESTER | | | |
|-----------------------------|------------------|------------------|--|
| Market | 1000 met | tric tons | |
| FRP uses Non FRP uses Total | 181 57 238 | 199 65 264 | |

| REINFORCED UNSATURATED POLYESTER | | |
|----------------------------------|----------|----------|
| | 1000 met | ric tons |
| Market | 1988 | 1989 |
| Construction | 31 | 37 |
| Building materials | 154 | 180 |
| Marine and ships | 37 | 39 |
| Automotive and vehicles | 17 | 20 |
| Tanks and containers | 46 | 49 |
| Industrial materials | 56 | 53 |
| Miscellaneous uses | 26 | 32 |
| Other | 12 | 11 |
| Total | 379 | 421 |

| UNSATURATED POLYESTER | | | |
|-----------------------------|------------------|------------------|--|
| Market | 1000 1989 | metric tons | |
| FRP uses Non FRP uses Total | 195 63 258 | 201 65 266 | |

| RELINFORCED UNSATURAT | LED FOI | YESTER |
|-------------------------|---------|-------------|
| | 1000 | metric tons |
| Market | 1989 | 1990 |
| Construction | 35 | 39 |
| Building materials | 182 | 190 |
| Marine and ships | 38 | 40 |
| Automotive and vehicles | 21 | 23 |
| Tanks and containers | 49 | 49 |
| Industrial materials | 52 | 53 |
| Miscellaneous uses | 33 | 38 |
| Other | 12 | 13 |
| Total | 422 | 444 |
| | | |

| UNSATURATED POLYESTER | | |
|-----------------------------|------------------|------------------|
| Market | 1000 met | ric tons |
| FRP uses Non FRP uses Total | 210 48 258 | 202 45 247 |

| REINFORCED UNSATURATED POLYESTER | | |
|----------------------------------|----------|----------|
| Market. | 1000 met | ric tons |
| TIGI NEG | 1550 | 100.1 |
| Construction | 38 | 36 |
| Building materials | 194 | 191 |
| Marine and ships | 40 | 35 |
| Automotive and vehicles | 25 | 26 |
| Tanks and containers | 49 | 51 |
| Industrici materials | 54 | 56 |
| Miscellaneous uses | 41 | 44 |
| Other | 13 | 6 |
| Total | 454 | 445 |
| | | |

| UNSATURATED POLYESTER | | | |
|-----------------------------|--------------------|------------------|--|
| Market | 1000 metri 1991 | c tons 1992 | |
| FRP uses Non FRP uses Total | 206 47 253 | 197 64 261 | |

| REINFORCED UNSATURA | TED POI | LYESTER |
|-------------------------|--------------|-------------|
| Market | 1000 1991 | metric tons |
| Construction | 37 | 38 |
| Building materials | 188 | 180 |
| Marine and ships | 34 | 31 |
| Automotive and vehicles | 27 | 25 |
| Tanks and containers | 52 | 51 |
| Industrial materials | 58 | 58 |
| Miscellaneous uses | 48 | 37 |
| Other | 13 | 12 |
| Total | 457 | 432 |

Source : Modern Plastic International, vol. 16 - 23 , NO. 1.

APPENDIX C

PATTERN OF CONSUMPTION OF AN UNSATURATED POLYESTER AND REINFORCED UNSATURATED POLYESTER IN USA FROM 1983 TO 1992

| DESATURATED POLYESTER | | |
|---|-------------------|-------------------|
| Harket | 1000 met. 1982 | ric Lone: 1983 |
| Reinforced polyester* | | |
| Molded, filmment-wound, pultruded, etc. | 237 | 283 |
| Sheet, flat and corrugated | 50 | 60 |
| Surface coatings | 5 | 6 |
| Export | 4 | 6 |
| Other | 90 | 95 |
| Total | 386 | 450 |

| | 1000 metric tons | |
|-------------------------------|------------------|------|
| Harket | 1982 | 1983 |
| Aircraft./aerospace | 9 | 10 |
| Appliances/business equipment | 32 | 3- |
| Construction | 120 | 150 |
| Consumer | 45 | 5 |
| Corrosion-resistant products | 110 | 1.31 |
| Electrical | 53 | 64 |
| Marine | 112 | 133 |
| Transpotation | 64 | a |
| Other | 30 | 2 |
| Total | 575 | GB |

| UNSATURATED POLYESTER | | |
|---|------------------|----------|
| Market | 1000 met 1983 | ric tons |
| Reinforced polyester | | |
| Molded, filament-wound, pultruded, etc. | 300 | 350 |
| Sheet, flat and corrugated | 74 | ы |
| Surface coatings | С | 7 |
| Other ^b | 111 | 127 |
| Total | 386 | 450 |

| | 1000 met | ric Lons |
|-------------------------------|----------|----------|
| Market | 1983 | 1984 |
| Aircraft/aerospace | 10 | 12 |
| Appliances/business equipment | 34 | 35 |
| Construction | 180 | 190 |
| Consumer | 52 | 53 |
| Corrosion-resistant products | 130 | 145 |
| Electrical | 23 | 28 |
| Marine | 125 | 140 |
| Transpotation | 80 | 92 |
| Other | 33 | 36 |
| Total | 667 | 74 |

| | 1000 met | ric tans |
|---|----------|----------|
| Markel. | 1984 | 1985 |
| Reinforced polyester | | |
| Molded, filament-wound, pultruded, etc. | 350 | 347 |
| Sheet, flat and corrugated | 77 | 75 |
| Surface coatings | 7 | 7 |
| Other ^b | 125 | 125 |
| Total | 386 | 49 |

| | 1000 met | 1985 |
|-------------------------------|----------|------|
| Market | 1984 | 1905 |
| Aircraft/aerospace | 12 | 13 |
| Appliances/business equipment | 39 | 39 |
| Construction | 191 | 182 |
| Consumer | 59 | 61 |
| Corrosion-resistant products | 141 | 145 |
| Electrical | 28 | ::8 |
| Marine | 140 | 145 |
| Transpotation | 91 | 100 |
| Other | 23 | 24 |
| Total | 724 | 730 |

| UNSATURATED POLYESTER | | | |
|---|-----------|----------|--|
| Market | 1000 met. | ric tons | |
| Reinforced polyester | | | |
| Molded, filament-wound, pultruded, etc. | 350 | 349 | |
| Sheet, flat and corrugated | 80 | 81 | |
| Surface coatings | 7 | 7 | |
| Export | 4 | | |
| Other D | 117 | 120 | |
| Total | 558 | 563 | |

| RELINITORICAD LINESATURATED | 100.110.110.00 | |
|--------------------------------|----------------|------|
| | 1000 metric t | |
| Market. | 1985 | 1986 |
| Aircraft/aerospace | 13 | 15 |
| Appliances/husiness equipment. | 39 | 40 |
| Construction | 182 | 183 |
| Consumer | 60 | 59 |
| Corrosion-resistant products | 145 | 146 |
| Electrical | 22 | 24 |
| Marine | 145 | 147 |
| Transpotation | 100 | 91 |
| Ot.lier | 24 | 23 |
| Total | 730 | 728 |

| (DESATURATED FOLYESTER | | | |
|---|------------------|----------|--|
| Market | 1000 met 1986 | ric tons | |
| Reinforced polyester | | | |
| Molded, filament-wound, pultruded, etc. | 349 | 357 | |
| Sheet, flat and corrugated | 81 | 86 | |
| Surface coatings | 7 | ε | |
| Export | 4 | 5 | |
| Other b | 120 | 142 | |
| Total | 561 | 598 | |

| REINFORCED UNSATURATED POLYFSTER | | |
|----------------------------------|-------------------------------|-----|
| Market | 1000 metric tons 1986 1987 | |
| Aircraft/aerospace | 14 | 15 |
| Appliances/business equipment | 40 | 41 |
| Construction | 183 | 179 |
| Consumer | \$45 | 59 |
| Corrosion-resistant products | 1 17 | 149 |
| Electrical | 21 | 25 |
| Marine | 1.17 | 169 |
| Transpotation | 91 | 89 |
| Other . | 23 | 23 |
| Total | 728 | 736 |

| UNSATUPATED POLYESTER | | |
|---|------------------|----------|
| Harket | 1000 met 1987 | ric tons |
| Reinforced polyester | | |
| Molded, filament-wound, pultruded, etc. | 357 | 379 |
| Sheet, flat and corrugated | 86 | 82 |
| Surface coatings | 8 | 9 |
| Export | 4 | 7 |
| Other ^b | 142 | 147 |
| Total | 597 | 624 |

| KRIMFORCE) UNSATURATED POLYESTER | | |
|---|-------------------------------|-----------------|
| Market | 1000 metric tons 1987 1988 | |
| Aircruft/Aerospace Appliances/business equipment Construction | 15 41 179 | 15 42 188 |
| Consumer Corrosion-resistant products | 59 148 | 61 154 |
| Electrical Marine Transpotation | 25 159 89 | 24 171 92 |
| Other Total | 23 738 | 23 770 |

| (RESATURATE) POLYESTER | | | |
|---|------------------|------|--|
| | 1000 metric tons | | |
| Market | 1988 | 1989 | |
| Reinforced polyester | | | |
| Molded, filament-wound, pultruded, etc. | 379 | 356 | |
| Sheet, flat and corrugated | 82 | 75 | |
| Surface coatings | 9 | ~9 | |
| Export | 7 | 14 | |
| OLher b | 147 | 119 | |
| Total | 624 | 603 | |

| REINFORCED UNSATURATED | POLYESTER | |
|-------------------------------|-----------------------------|-----|
| Market | 1000 metric ton 1988 198 | |
| Aircraft/aerospace | 15 | 16 |
| Appliances/business equipment | 42 | 42 |
| Construction | 188 | 194 |
| Consumer | 61 | 63 |
| Corrosion-resistant products | 154 | 159 |
| Electrical | 24 | 24 |
| Mar ine | 171 | 161 |
| Transpotation | 94 | 101 |
| Other | 23 | 24 |
| Total | 772 | 784 |

| UNSATURATED POLYESTER | | |
|---|------------------|------|
| | 1000 metric tons | |
| Merket | 1989 | 1990 |
| Keinforced polyester | | |
| Molded, filament-wound, pultruded, etc. | 350 | 326 |
| Sheet, flat and corrugated | 75 | 76 |
| Surface coatings | 9 | - 9 |
| Export. | 11 | 9 |
| Other | 149 | 37 |
| Tota) | 600 | 559 |

| REINFURCED UNSATURATED | POLYESTER | |
|--------------------------------|------------------|------|
| | 1000 metric tons | |
| Market. | 1989 | 1990 |
| Aircraft./werospace | 16 | 15 |
| Appliances/business equipment. | 42 | 42 |
| Construction | 194 | 175 |
| Consumer | 63 | 58 |
| Corrosion-resistant products | 159 | 153 |
| Electrical | 24 | 24 |
| Marine | 161 | 137 |
| Transpotation | 100 | 98 |
| Other | 24 | 22 |
| Total | 783 | 724 |

| UNSATURATED POLYESTER | | |
|---|------------------|----------|
| Market | 1000 met 1990 | ric tons |
| Reinforced polyester | | |
| Molded, filament-wound, pultruded, etc. | 328 | 282 |
| Sheet, flat and corrugated | 76 | 76 |
| Surface coatings | 9 | 8 |
| Export | 9 | 9 |
| Otl:er b | 137 | 117 |
| Total | 559 | 492 |

| REINFORCED INSATURATED POLYESTER | | |
|----------------------------------|------------------|------|
| | 1000 metric tons | |
| Market | 1990 | 1991 |
| Aircraft/serospace | 15 | 16 |
| Appliances/Lusiness equipment | 42 | 38 |
| Construction | 175 | 153 |
| Consumer | 58 | 55 |
| Corrosian-resistant products | 153 | 150 |
| Electrical | 24 | 23 |
| Marine | 137 | 100 |
| Transpolat.ton | 98 | 84 |
| Other | 22 | 20 |
| Total | 724 | 639 |

| UNSATURATED POLYESTER | | |
|---|------------|---------|
| Market | 1000 met.r | ic tons |
| Reinforced polyester | | |
| Molded, filament-wound, pultruded, etc. | 282 | 330 |
| Sheet, flat and corrugated | 76 | 82 |
| Surface coatings | 8 | 7 |
| Export - | 9 | 15 |
| Other b | 117 | 108 |
| Total | 492 | 542 |

| REINFORCED UNSATURATED POLYESTER | | |
|----------------------------------|----------|----------|
| Налket | 1000 met | ric tons |
| Aircraft/aerospace | 16 | 14 |
| Applianos/business Equipment | 38 | 40 |
| Construction | 153 | 176 |
| Consumer° | 55 | 56 |
| Corrosion-resistant products | 150 | 136 |
| Electrical | 23 | 24 |
| Marine | 100 | 111 |
| Transpotation | 84 | 87 |
| Otlier | 20 | 24 |
| ToLal | 639 | G68 |

Source: Modern Plastic International, vol. 14 - 23, NO. 1.

a: Resin only.

[:] Autobody putty, furniture, cultured marble, etc.

c: Includes motor homes and recreation vehicles.

VITA

Miss Sasithorn Khajornwongpaisarn was born on February 20, 1966 in Khonkaen Province, Thailand. She recieved her B.Sc (2nd. Honrs) in Chemistry from Department of Chemistry, Faculty of Science of Srinakharintarawirot Prasarnmitr University in 1987. She begun her Master study in the Interdisciplinary Program of Petrochemistry and Polymer, Chulalongkorn University in 1988 and completed the program in 1992.

