## REFERENCES

- Alivisatos, A.P. (1996). Highly efficient dye-sensitized solar cells with a titania thinfilm electrode composed of a network structure of single-crystal-like TiO<sub>2</sub> nanowires made by the "oriented attachment". <u>Mechanism Science</u>, 271-280.
- Carp, O., Huisman, C.L., and Reller, A. (2004). Photoinduced reactivity of titanium dioxide. Progress in Solid State Chemistry, 32, 33-177.
- Chang, S.H., Wang, K.S., Chao, S.J., Peng, T.H., and Huang, L.C. (2009).

  Degradation of azo and anthraquinone dyes by a low-cost Fe<sup>0</sup>/air process.

  Journal of Hazardous Materials, 166, 1127–1133.
- Cozzoli, P.D., Comparelli, R., Fanizza, E., Curri, M.L., Agostiano, A., and Laub, D.J. (2004). Synthesis and characterization of silver nanoparticles and titanium oxide nanofibers: Toward multifibrous nanocomposites. <u>Chemical</u> Reviews, 126-138
- Cullity, B.D. (1978). Elements of X-ray Diffraction, <u>Addison-Wesley Publication</u>
  Company, Massachusetts.
- Deng, X., Yue, Y., and Gao, Z. (2002). Gas phase photo-oxidation of organic compounds over nanosized TiO<sub>2</sub> photocatalysts by various preparations.

  Applied Catalysis B: Environmental, 39, 135-147.
- Ding, X. and Liu, X. (1998). Correlation between anatase-to-rutile transformation and grain growth in nanocrystalline titania. <u>Journal of Materials Research</u>, 13, 2556-2559.
- Fox, M.A. and Chen, C. (1981). Mechanistic features of the semiconductor photocatalyzed olefin-to-carbonyl oxidative cleavage. <u>Journal of the American Chemical Society</u>, 103, 6757-6766.
- Gopchandran, K.G., Joseph, B., Abraham, J.T., Koshy, P., and Vaidyam, V.K. (1997). The preparation of transparent electrically conducting indium oxide films by reactive vacuum evaporation. <u>Vacuum</u>, 48, 547-550.
- Hague, D.C. and Mayo, M.J. (1994). Controlling crystallinity during processing of nanocrystalline titania. <u>Journal of the Ameracan Ceramic Society</u>, 77, 1957-1960.

- Hinda, L., Puzenat, E., Houas, A., Ksibi, M., Elaloui, E., Guillard, C., and Herrmann, J.M. (2002). Photocatalytic degradation of various types of dyes (Alizarin S, Crocein Orange G, Methyl Red, Congo Red, Methylene Blue) in water by UV-irradiated titania. <a href="mailto:Applied Catalysis B: Environmental">Applied Catalysis B: Environmental</a>, 39, 75–90.
- Hoffmann, M.R., Martin, S.T., Choi, W., and Bahnemann, D.W. (1995). Environmental applications of semiconductor photocatalysis. <u>Chemical Reviews</u>, 95, 69-96.
- Ishizaki, K., Komarneni, S., and Nanko, M. (1988). <u>Porous Materials Process</u>

  <u>Technology and Applications</u>, Kluwer Academic Publisher, London.
- Jantawasu, P. (2008). <u>Photocatalytic Decomposition of Methyl Orange Azo Dye</u>

  <u>Using Nanostructured TiO<sub>2</sub> Photocatalyst</u>. M.S. Thesis, The Petroleum and Petrochemical College, Chulalongkorn University.
- Kamat, P.V. (1995). <u>Tailoring Nanostructured Thin Films</u>, Chemtech.
- Konstantinou, K.I. and Albanis, A.T. (2004). TiO<sub>2</sub>-assisted photocatalytic degradation of azo dyes in aqueous solution: kinetic and mechanistic investigations. <u>Applied Catalysis B: Environmental</u>, 49, 1–14.
- Li, F.B. and Li, X.Z. (2002). The enhancement of photodegradation efficiency using Pt-TiO<sub>2</sub> catalyst. <u>Chemosphere</u>, 48, 1103-1111.
- Liu, Y., Chen, X., Li, J., and Burda, C. (2005). Photocatalytic degradation of azo dyes by nitrogen-doped TiO<sub>2</sub> nanocatalysts. <u>Chemosphere</u>, 61, 11-18.
- Mary, H.G. (1991). <u>Encyclopedia of Chemical Technology</u>, Vol. 3. New York: A Wiley-Interscience Publication.
- Mills, A., Lee, S.K., and Lepre, A. (2003). Photodecomposition of ozone sensitised by a film of titanium dioxide on glass. <u>Journal of Photochemistry and Photobiology A: Chemistry</u>, 155, 199-205.
- Mugglie, D.S. and Ding, L. (2001). Photocatalytic performance of sulfated TiO<sub>2</sub> and Degussa P-25 TiO<sub>2</sub> during oxidation of organics. <u>Applied Catalysis B:</u> Environmental, 32, 181-188.

- Murakami, Y., Matsumoto, T., and Takasu, Y. (1999). Salt catalysts containing basic anions and acidic cations for the sol-gel process of titanium alkoxide: Controlling the kinetics and dimensionality of the resultant titanium oxide. Journal of Physical Chemistry B, 103, 1836-1840.
- Nagaveni, K., Hegde, M.S., and Madras, G. (2004). Structure and photocatalytic activity of  $Ti_{1-x}M_xO_{2\pm\delta}$  (M = W, V, Ce, Zr, Fe, and Cu) synthesized by solution combustion method. <u>Journal of Physical Chemistry B</u>, 108, 20204-20212.
- Ollis, D.F., Pelizzetti, E., and Serpone, N. (1991). Destruction of water contaminants. Environmental Science and Technology, 25, 1523-1529.
- Ozaki, H., Iwamoto, S., and Inoue, M.J. (2007). Silver and indium oxide codoped TiO<sub>2</sub> nanocomposites with enhanced photocatalytic activity. <u>Journal of Physical Chemistry C</u>, 111, 17061-17069.
- Parks, G. A. (1965). The Isoelectric Points of Solid Oxides, Solid Hydroxides, and Aqueous Hydroxo Complex Systems. <u>Chemical Reviews</u>, 65(2), 177-198.
- Puangpetch, T., Sreethawong, T., Yoshikawa, S., and Chavadej, S. (2008). Synthesis and photocatalytic activity in methyl orange degradation of mesoporous-assembled SrTiO<sub>3</sub> nanocrystals prepared by sol–gel method with the aid of structure-directing surfactant. <u>Journal of Molecular Catalysis A: Chemical</u>, 287, 70–79.
- Robertson, P.K.J. (1996). Semiconductor photocatalysis: an environmentally acceptable alternative production technique and effluent treatment process.

  <u>Journal of Cleaner Production</u>, 4(3-4), 203-212.
- Rouquerol, F., Rouquerol, J., and Sing, K. (1999). <u>Adsorption by Powders and Porous Solid: Principle, Methodology and Applications</u>, Academic Press, San Francisco.
- Saratale, R.G., Saratale, G.D., Kalyani, D.C., Chang, J.S., and Govindwar, S.P. (2009). Enhanced decolorization and biodegradation of textile azo dye Scarlet R by using developed microbial consortium-GR. <u>Bioresource Technology</u>, 100, 2493–2500.

- Sasikala, R., Shirole A.R., Sudarsan, V., Jagannath, Sudakar, C., Naik, R., Rao, R., and Bharadwaj, S.R. (2010). Enhanced photocatalytic activity of indium and nitrogen co-doped TiO<sub>2</sub>-Pd nanocomposites for hydrogen generation. Applied Catalysis A: General, 377, 47-54.
- Sato, S.J. (1998). Modification to the surface properties of titania by addition of indium. <u>Journal of Photochemistry and Photobiology A: Chemistry</u>, 122, 361-370.
- Shchukin, D., Poznyak, S., Kulak, A., and Pichat, P. (2004). TiO<sub>2</sub>-In<sub>2</sub>O<sub>3</sub> photocatalysts: preparation, characterizations and activity for 2-chlorophenol degradation in water. <u>Journal of Photochemistry and Photobiology A: Chemistry</u>, 162, 423-430.
- Smith, J.V., Editor. (1960). X-ray Powder Data File, American Society for Testing Materials.
- Sreethawong, T., Suzuki, Y., and Yoshikawa, S. (2005). Synthesis, characterization, and photocatalytic activity for hydrogen evolution of nanocrystalline mesoporous titania prepared by surfactant-assisted templating sol–gel process. <u>Journal of Solid State Chemistry</u>, 178, 329-338.
- Sreethawong, T., and Yoshikawa, S. (2006). Enhanced photocatalytic hydrogen evolution over Pt supported on mesoporous TiO<sub>2</sub> prepared by single-step sol-gel process with surfactant template. <u>International Journal of Hydrogen Energy</u>, 31, 786-796.
- Sreethawong, T., Laehsalee, S., and Chavadej, S. (2009). Use of Pt/N-Doped Mesoporous-Assembled Nanocrystalline TiO2 for Photocatalytic H2 Production under Visible Light Irradiation. <u>Catalysis</u> Communications 10, 5, 538-543.
- Sun. J.H., Sun. S.P., Sun, J.Y., Sun, R.X., Qiao, L.P., n Guo, H.Q., and Fan, M.H., (2007). Degradation of azo dye Acid black 1 using low concentration iron of Fenton process facilitated by ultrasonic irradiation <u>Ultrasonics Sonochemistry</u>, 14, 761-766.

- Tanthakit, P., Nakrachata-Amorn, A., Scamehorn, J., Sabatini, D., Tongcumpou, C., and Chavadej, S. (2009). Microemulsion formation and detergency with oily soil: V. effects of water hardness and builder. <u>Journal of Surfactants and Detergents</u>, 12, 173-183.
- Vali, R. (2007). Band structure and dielectric properties of orthorhombic SrZrO<sub>3</sub>.

  <u>Solid State Communications</u>, 145, 497-501.
- Wang, C.C. and Ying, J. (1999). Sol-gel synthesis and hydrothermal processing of anatase and rutile titania nanocrystals. <u>Chemistry of Materials</u>, 11, 3113-3120.
- Wang, E., Yang, W., and Cao, Y. (2009). Unique surface chemical species on indium doped TiO<sub>2</sub> and their effect on the visible light photocatalytic activity. Journal of Physical Chemistry C, 113, 20912-20917.
- Yang, X., Wang, Y., Xu, L., Yu. X., and Guo, Y. (2008). Silver and indium oxide codoped TiO<sub>2</sub> nanocomposites with enhanced photocatalytic activity. Journal of Physical Chemistry C, 112, 11481-11489.
- Yang, X., Xu, L., Yu, X., and Guo, Y. (2008). One-step preparation of silver and indium oxide co-doped TiO<sub>2</sub> photocatalyst for the degradation of rhodamine B. Catalysis Communications, 9, 1224-1229.
- Yang Y., Guo Y., Hua C., Wang Y., and Wang E. (2004). Preparation of surface modifications of mesoporous titania with monosubstituted Keggin units and their catalytic performance for organochlorine pesticide and dyes under UV irradiation. <u>Applied Catalysis A: General</u>, 273, 201-210.
- Yang, Y., Li, X., Chen, J., and Wang, L. (2004). Effect of doping mode on the photocatalytic activities of Mo/TiO<sub>2</sub>. <u>Journal of Photochemistry and Photobiology A: Chemistry</u>, 163, 517-522.
- Yao, W. F., Xu, X.H., Wang, H., Zhou, T. J., Yang, N. X., Zhang, Y., Shang, X.S., and Huang, B. (2004). Photocatalytic property of perovskite bismuth titanate. <u>Applied Catalysis B: Environmental</u>, 52, 109-116.
- Yu, P., Cui, B., and Shi, Q. (2008). Preparation and characterization of BaTiO<sub>3</sub> powders and ceramics by sol-gel process using oleic acid as surfactant.

  Materials Science and Engineering A, 473, 34–41.

Zhang, M., An, T., Hu, X., Wang, C., Sheng, G., and Fu, J. (2004). Preparation and photocatalytic properties of a nanometer ZnO–SnO<sub>2</sub> coupled oxide. <u>Applied Catalysis A: General</u>, 260, 215–222.

## **CURRICULUM VITAE**

Name: Ms. Siriluck Niyomkarn

**Date of Birth:** February 6, 1987

Nationality: Thai

**University Education:** 

2005-2009 Bachelor Degree of Engineering, Faculty of Chemical

Engineering, Srinakharinwirot University, Bangkok, Thailand

Work Experience:

2008 Position: Student Internship

Company name: PTT Chemical Public Company Limited,

Thailand

**Proceedings:** 

1. Niyomkarn, S., Sreethawong, T., and Chavadej, S. (2011, April 26) Photocatalytic Degradation of Azo Dye Contaminant in Wastewater Using Mesoporous-Assembled In<sub>2</sub>O<sub>3</sub>-TiO<sub>2</sub> Mixed Oxide Photocatalysts. <u>Proceedings of The 2<sup>nd</sup> Research Symposium on Petroleum, Petrochemicals, and Advanced Materials and The 17<sup>th</sup> PPC Symposium on Petroleum, Petrochemicals, and Polymers, Bangkok, Thailand.</u>

