

REFERENCES

- Bissell, R. A., Cordova, E., Kaifer, A. E. and Stoddart, J. F. (1994) A chemically and electrochemically switchable molecular shuttle. Nature, 369(3476), 133-137.
- Chance, R. R., Patel, G. N., Turi, E. A. and Khanna, Y. P. (1977) Energetics of the Thermal Polymerization of a Diacetylene Crystal. J. Am. Chem. Soc., 123, 9947-9955. 100(4), 1307-1309.
- Corbellini, F., Knechtel, R. M. A., Grootenhuis, P. D. J., Crego-Calama, M. and Reinhoudt, D. N. (2005) Water-Soluble Molecular Capsules: Self-Assembly and Binding Properties. Chem. Eur. J., 11(1), 298-307.
- Fomina, L., Allier, H., Fomine, S., Salcedo, R. and Ogawa, T. (1995) Synthesis and Molten-state Polymerization of some Novel Conjugated Diacetylenes. Polym. J., 27(6), 591-600.
- Fong, H. and Reneker, D. H. (1999) Elastomeric Nanofibers of Styrene-Butadiene-Styrene Triblock Copolymer. J. Polym. Sci., Part B: Polym. Phys., 37, 3488-3493.
- Hamley, I. (Editors) (2004) Developments in Block Copolymer Science and Technology, John Wiley and Sons, Ltd., 1, 1-30.
- Heck, B.; Arends, P.; Ganter, M.; Kressler, J. and StÜhn, B. (1997) SAXS and TEM Studies on Poly(styrene)-block-poly(ethene-co-but-1-ene)-block-poly(styrene) in Bulk and at Various Interfaces. Macromolecules, 30, 4559-4566.
- Honeker, C. C. and Thomas, E. L. (1996) Impact of Morphological Orientation in Determining Mechanical Properties in Triblock Copolymer Systems. Chem. Matter., 8(8), 1702-1714.
- Kalra, V.;Kakad, P. A.; Mendez, S.;Ivannikov, T.;Kamperman, M. and Joo, Y. L. (2006) Self-Assembled Structures in Electrospun Poly(styrene-block-isoprene) Fibers. Macromolecules, 39, 5453-5457.
- Laobuthee, A.; Chirachanchai, S.; Ishida, H. and Tashiro, K. (2001) Asymmetric Mono-oxazine: An Inevitable Product from Mannich Reaction of Benzoxazine Dimers. J. Am. Chem. Soc., 123, 9947-9955.

- Lauher, J. W., Fowler, F. W. and Goroff, N. S. (2008) Single-Crystal-to-Single-Crystal Topochemical Polymerizations by Design. Accounts Chem. Res., 41(9), 1215-1229.
- Lehn, J. M. (1988) Supramolecular Chemistry-Scope and Perspectives Molecules, Supermolecules, and Molecular Devices (Nobel Lecture). Angew. Chem., Int. Ed. Engl., 27(1), 89-112.
- Ma, M.;Krikorian, V.; Yu, J. H.; Thomas, E. L. and Rutledge, G. C. (2006) Electrospun Polymer Nanofibers with Internal Periodic Structure Obtained by Microphase Separation of Cylindrically Confined Block Copolymers. Nano Lett., 6(12), 2969-2972.
- Matsen, M. W. and Bates, F. S. (1996) Unifying Weak- and Strong-Segregation Block Copolymer Theories. Macromolecules, 29(4), 1091-1098.
- Mogi, Y., Mori, K., Matsushita, Y. and Noda, I. (1992) Tricontinuous Morphology of Triblock Copolymers of the ABC Type. Macromolecules, 25, 5412-5415.
- Ning, X. and Ishida, H. (1994) Phenolic Materials via Ring-opening Polymerization: Effect of Molecular Structure on Mechanical and Dynamic Mechanical Properties. J. Polym. Sci., Part B: Polym. Phys., 32, 921-927.
- Phongtamrug, S., Pulpoka, B. and Chirachanchai, S. (2004) Inclusion Compounds Formed from *N,N*-bis(2-hydroxybenzyl)alkylamine Derivatives and Transition Metal Ions via Molecular Assembly. Supramol. Chem., 16(4), 269 - 278.
- Reiter, G. and Sommer, J. U. (2003) Polymer Crystallization Observations, Concepts and Interpretations, Springer, 122.
- Renard, S. L., Sylvestre, I., Barrett, S. A., Kilner, C. A. and Halcrow, M. A. (2006) Homoleptic Zinc(II) Complexes with First and Second Coordination Shells of 5-tert-Butylpyrazole. Inorg. Chem., 45, 8711-8718.
- Reneker, D. H. and Yarin, A. L. (2008) Electrospinning Jets and Polymer Nanofibers. Polymer, 49, 2387-2425.
- Rotello, V. and Thayumanavan, S. (Editors) (2008) Molecular Recognition and Polymers :Control of Polymer Structure and Self-assembly, John Wiley and Sons, Ltd., 1-2, 3-30.

- Sada, K., Sugahara, M., Kato, K. and Miyata, M. (2001) Controlled Expansion of a Molecular Cavity in a Steroid Host Compound. J. Am. Chem. Soc., 123(19), 4386-4392.
- Sessler, J. L., Jayawickramaraj, J., Sathiosatham, M., Sherman, C. L. and Brodbelt, J. S. (2003) Novel Guanosine-Cytidine Dinucleoside that Self-Assembles into a Trimeric Supramolecule. Org. Lett., 5(15), 2627-2630.
- Somani, R. H., Yang, L., Zhu, L. and Hsiao, B. S. (2005) Flow-induced shish-kebab precursor structures in entangled polymer melts. Polymer, 46, 8587-8623.
- Wegner, G. (1977) Solid-state Polymerization Mechanisms. Pure and Appl. Chem., 49, 443-454.
- Zhao, Y. and Truhlar, D. G. (2007) Size-Selective Supramolecular Chemistry in a Hydrocarbon Nanoring. J. Am. Chem. Soc., 129, 8440-8442

CURRICULUM VITAE

Name: Mr. Wonchalerm Rungswang

Date of Birth: December 5, 1982

Nationality: Thai

University Education:

2007–2011 Full time graduate of International Master-Philosophy of Doctoral Degree in Polymer Science Major, The Petroleum and Petrochemical College, Chulalongkorn University, Bangkok, Thailand

2002–2006 Bachelor's Degree of Science, Department of Materials Science, Chulalongkorn University, Bangkok, Thailand

Publications:

1. Rungswang, W. and Chirachanchai, S. Formation of Thermosets via Molecular Pockets in Thermoplastic Chains: A Simple and Direct Way to Nanospherical Thermosets. Macromolecular Material and Engineering. In Press (10.1002/mame.201000315).
2. Rungswang, W., Kotaki, M., Shimojima, T., Kimora, G., Sakurai, S. and Chirachanchai, S. Existence of microdomain orientation in thermoplastic elastomer through a case study of SEBS electrospun fibers, Polymer, In Press (10.1016/j.polymer.2010.12.019).
3. Rungswang, W., Kotaki, M., Shimojima, T., Kimora, G., Sakurai, S. and Chirachanchai, S. Directing Thermoplastic Elastomer Microdomain Parallel to Fiber Axis: A Model Case of SEBS with Benzoxazine under π - π Stacking Conformation (To be submitted).
4. Rungswang, W., Kotaki, M. and Chirachanchai, S. Dimension Effect on Nanophase Separation in Thermoset-block-copolymer Blend: Polybenzoxazine Nanosphere Formation in Confined Electrospun Fibers (In Preparation).
5. Rungswang, W., Agag, T., Ishida, H. and Chirachanchai, S. Synthesis of Polydiacetylene containing Aza-crown-ether pendant (In Preparation).

Proceedings:

1. Rungswang, W. and Chirachanchai, S. (2010, March 21-25) Benzoxazine Thermoset Nanosphere: A Simple and Direct Nanostructure Formation via Phase Separation Induction in Block Copolymer System. The 239th ACS National Meeting, San Francisco, CA, USA
2. Rungswang, W., Kotaki, M., Sakurai, S. and Chirachanchai, S. (2009, August 7) Microdomain of SEBS: A Controlled Morphology using Rotational Disk Collector Equipped Electrospinning Technique. The RGJ Seminar Series LXII: Advanced Materials, Bangkok, Thailand
3. Rungswang, W., Kotaki, M., Sakurai, S. and Chirachanchai, S. (2009, June 18-19) Morphology Development of SEBS-Based Electrospun Fibers. The International Nanofiber Symposium 2009, Tokyo, Japan

Presentations:

1. Rungswang, W. and Chirachanchai, S. (2010, March 21-25) Benzoxazine Thermoset Nanosphere: A Simple and Direct Nanostructure Formation via Phase Separation Induction in Block Copolymer System. The 239th ACS National Meeting, San Francisco, CA, USA (Oral Presentation)
2. Rungswang, W., Kotaki, M., Sakurai, S. and Chirachanchai, S. (2009, August 7) Microdomain of SEBS: A Controlled Morphology using Rotational Disk Collector Equipped Electrospinning Technique. The RGJ Seminar Series LXII: Advanced Materials, Bangkok, Thailand (Oral Presentation)
3. Rungswang, W., Kotaki, M., Sakurai, S. and Chirachanchai, S. (2009, June 18-19) Morphology Development of SEBS-Based Electrospun Fibers. The International Nanofiber Symposium 2009, Tokyo, Japan (Poster Presentation)