

REFERENCES

- Bai, Ruizhu., Yang, Mingli., Hu, Gengshen., Xu, Leqiong., Hu, Xin., Li, Zhiming., Sunli, Wang., Wei, Dai. and Maohong, Fan. (2015) A new nanoporous nitrogen-doped highly-efficient carbonaceous CO₂ sorbent synthesized with inexpensive urea and petroleum coke. *Carbon*, 81, 465-473.
- Brunovska, Z. and Ishida, H. (1999) Thermal study on the copolymers of phthalonitrile and phenylnitrile-functional benzoxazines. *Journal of Applied Polymer Science*, 73, 2937-2949.
- Chen, Chao., Kim, Jun. and Ahn, Wha-Seung. (2012) Efficient carbon dioxide capture over a nitrogen-rich carbon having a hierarchical micro-mesopore structure. *Fuel*, 95, 360-364.
- Chen, Y., Chen, B.-Z., Shi, X.-C., Xu, H., Hu, Y.-J., Yuan, Y. and Shen, N.-B. (2007) Preparation of pitch-based carbon foam using polyurethane foam template. *Carbon*, 45(10), 2132-2134.
- Cheng, Youliang., Li, Tiehu., Fang, Changqing., Zhang, Maorong., Liu, Xiaolong., Yu, Ruien. and Hu, Jingbo. (2013) Soft-templated synthesis of mesoporous carbon nanospheres and hollow carbon nanofibers. *Applied Surface Science*, 282, 862- 869.
- Dobele, G., Dizhbite, T., Gil, M.V., Volperts, A. and Centeno, T.A. (2012) Production of nanoporous carbons from wood processing wastes and their use in supercapacitors and CO₂ capture. *Biomass and Bioenergy*, 46, 145-154.
- Dueramaea, I., Jubsilpb, C., Takeichic, T. and Rimdusita, S. (2014) High thermal and mechanical properties enhancement obtained in highly filled polybenzoxazine nanocomposites with fumed silica. *Composites: Part B*, 56, 197-206.
- Ghosh, N.N., Kiskan, B. and Yagci, Y. (2007) Polybenzoxazines—New high performance thermosetting resins: Synthesis and properties. *Progress in Polymer Science*, 32, 1344-1391.
- Goscianska, Joanna., Olejnik, Anna. and Pietrzak, Robert. (2014) Adsorption of L-phenylalanine on ordered mesoporous carbons prepared by hard template

- method. *Journal of the Taiwan Institute of Chemical Engineers*, 45, 347-353.
- Guo, Shenghui., Peng, inhui., Li, Wei., Yang, Kunbin., Zhang, Libo., Zhang, Shimin. and Xia, Hongying. (2009) Effects of CO₂ activation on porous structures of coconut shell-based activated carbons. *Applied Surface Science*, 255, 8443–8449.
- He, Jiajun., Tob, John., Mei, Jianguo., Bao, Zhenan. and Wilcox, Jennifer. (2014) Facile Synthesis of Nitrogen-Doped Porous Carbon for Selective CO₂ Capture. *Energy Procedia*, 63, 2144-2151.
- Hemvichian, K. and Ishida, H. (2002) Thermal decomposition processes in aromatic amine-based polybenzoxazines investigated by TGA and GC–MS. *Polymer*, 43, 4391-4402.
- Holly, F.W. and Cope, A.C. (1944) Condensation Products of Aldehydes and Ketones with o-Aminobenzyl Alcohol and o-Hydroxybenzylamine. *Journal of the American Chemical Society*, 66, 1875-1879.
- Ishida, H. (2011) Chapter 1 - Overview and Historical Background of Polybenzoxazine Research. *Handbook of Benzoxazine Resins*. Hatsuo, I. and Tarek, A. Amsterdam, Elsevier: 3-81.
- Ishida, H. and Allen, D.J. (1996) Physical and mechanical characterization of near-zero shrinkage polybenzoxazines. *Journal of Polymer Science Part B: Polymer Physics*, 34, 1019-1030.
- Katanyoota, P., Chaisuwan, T., Wongchaisuwat, A. and Wongkasemjit, S. (2010) Novel polybenzoxazine-based carbon aerogel electrode for supercapacitors. *Materials Science and Engineering B*, 167(1), 36-42.
- Lin, Q., Dong, S., Qu, L., Fang, C. and Luo, K. (2014) Preparation and properties of carbon foam by direct pyrolysis of allyl novolac-modified bismaleimide resin. *Journal of Analytical and Applied Pyrolysis*, 106(0), 164-170.
- Lin, Q., Tang, H., Guo, D. and Zheng, M. (2010) Preparation and properties of carbon microbeads by pyrolysis of N-phenyl maleimide modified novolac resin. *Journal of Analytical and Applied Pyrolysis*, 87(2), 276-281.

- Liu, J. (1995) Synthesis, characterization, reaction mechanism and kinetics of 3,4-dihydro-2H-1,3-benzoxazine and its polymer, Case Western Reserve University.
- Liu, J., Agag, T. and Ishida, H. (2011) Chapter 18 - Main-Chain Type Benzoxazine Oligomers: A New Concept for Easy Processable High Performance Polybenzoxazines. Handbook of Benzoxazine Resins. Hatsuo, I. and Tarek, A. Amsterdam, Elsevier: 355-362.
- Liu, Zhen., Dua, Zhenyu., Song, Hao., Wang, Chuangye., Subhan, Fazle., Xing, Wei. and Yan, Zifeng. (2014) The fabrication of porous N-doped carbon from widely available urea formaldehyde resin for carbon dioxide adsorption. Journal of Colloid and Interface Science, 416, 124-132.
- Lü, Q.-F., He, Z.-W., Zhang, J.-Y. and Lin, Q. (2011) Preparation and properties of nitrogen-containing hollow carbon nanospheres by pyrolysis of polyaniline-lignosulfonate composites. Journal of Analytical and Applied Pyrolysis, 92(1), 152-157.
- Mahfud, Riyad., Agag, Tarek., Ishida, Hatsuo., Shaikh, Sohel. and Qutubuddin, Syed. (2013) Synthesis and evaluation of novel anionic polymeric surfactants based on polybenzoxazines. Journal of Colloid and Interface Science, 407, 339-347.
- Martins, Leandro., Alves Rosa, Marinalva A., Pulcinelli, Sandra H. and Santilli, Celso V. (2010) Preparation of hierarchically structured porous aluminas by a dual soft template method. Microporous and Mesoporous Materials, 132, 268-275.
- Meng, Long-Yue. and Park, Soo-Jin. (2014) Journal of Solid State Chemistry 218, 90-94.
- Rimduisit, S., B.R.C.J. and Dueramae, I. (2012) Characterizations of polybenzoxazine modified with isomeric biphenyltetracarboxylic dianhydrides. eXPRESS Polymer Letters 6, 773-782.
- Rouquerol, F., Rouquerol, J. and Sing, K.S.W. (1999) Adsorption by Powders and Porous Solids, Principles, Methodology and Applications, Academic press.
- Si, Weijiang., Zhoua, Jin., Zhang, Shumei., Lia, Shijiao., Xing, Wei. and Zhuo, Shuping. (2013) Tunable N-doped or dual N, S-doped activated

- hydrothermal carbons derived from human hair and glucose for supercapacitor applications. *Electrochimica Acta*, 107, 391-405.
- Takeichi, T., Kano, T. and Agag, T. (2005) Synthesis and thermal cure of high molecular weight polybenzoxazine precursors and the properties of the thermosets. *Polymer*, 46, 12172-12180.
- Tominaka, S., Nakamura, Y. and Osaka, T. (2010) Nanostructured catalyst with hierarchical porosity and large surface area for on-chip fuel cells. *Journal of Power Sources*, 195(4), 1054–1058.
- Thubsuang, U., Ishida, H., Wongkasemjit, S. and Chaisuwan, T. (2014) Improvement in the pore structure of polybenzoxazine-based carbon xerogels through a silica template method. *J Porous Mater*, 21, 401-411.
- Wahby, A., Silvestre-Albero, J., Sepúlveda-Escribano, A. and Rodríguez-Reinoso, F. (2012) CO₂ adsorption on carbon molecular sieves. *Microporous and Mesoporous Materials*, 164, 280-287.
- Wang, Bo., Peng Ang, Thiam. and Borgna, Armando. (2012) A rapid hard template method for the synthesis of N-doped mesoporous carbon replicated from TUD-1. *Microporous and Mesoporous Materials*, 158, 99-107.
- Wu, D., Fu, R. and Yu, Z. (2005) Organic and carbon aerogels from the NaOH-catalyzed polycondensation of resorcinol–furfural and supercritical drying in ethanol. *Journal of Applied Polymer Science*, 96(4), 1429-1435.
- Y. Ding.; E. Alpay *Trans. IChemE*, Vol 79, Part B, January (2001)
- Zhi-hong, Tang., Zhuo, Han., Guang-zhi, Yang., Bin, Zhao., Shu-ling, Shen. and Jun-he, Yang. (2013) Preparation of nanoporous carbons with hierarchical pore structure for CO₂ capture. *New Carbon Materials*, 28, 55-60.

CURRICULUM VITAE

Name: MR. NANTHAWUT CHOKAKSORNSAN

Date of Birth: July 3, 1990

Nationality: Thai

University Education:

2013-Present: Master of Science (M.S.), Polymer Science (International Program), The Petroleum and Petrochemical College (PPC), Chulalongkorn University, Bangkok, Thailand

2009-2012: Bachelor of Engineering (B.Eng), Faculty of Engineering and Industrial Technology, Silpakorn University, Nakhonpathom, Thailand

Work Experience:

2011: TPT Petrochemicals Public Co., Ltd. Map Ta Phut Industrial, Rayong, Thailand. (Internship program)

Proceedings:

1. Chokaksornsans, N.; Ksapabutr, B.; Wongkasemjit, S.; and Chaisuwan, T. (April 21, 2015) Facile Synthesis of Hierarchical N-Rich Nanoporous Carbon. Proceedings of the 6th Research Symposium on Petrochemical and Materials Technology and the 21th PPC Symposium on Petroleum, Petrochemicals and Polymers, Chamchuri 10, Chulalongkorn University, Bangkok, Thailand.

Presentations:

1. Chokaksornsans, N.; Ksapabutr, B.; Wongkasemjit, S.; and Chaisuwan, T. (April 21, 2015) Facile Synthesis of Hierarchical N-Rich Nanoporous Carbon. Poster presented at the 6th Research Symposium on Petrochemical and Materials Technology and the 21th PPC Symposium on Petroleum, Petrochemicals and Polymers, Chamchuri 10, Chulalongkorn University, Bangkok, Thailand.
2. Chokaksornsans, N.; Ksapabutr, B.; Wongkasemjit, S.; and Chaisuwan, T. (November 22-25, 2014) Novel CO₂ storage by using hierarchical N-rich Nanoporous carbon via facile templates synthesis as an adsorbent. Poster

presented at the 2014 Energy Materials Nanotechnology (EMN) Fall Meeting, at the DoubleTree by Hilton Hotel, Orlando, Florida, USA.