

## REFERENCES

- [1] Jankowska, H., Swiatkowski, A., and Choma, J. Active Carbon. England: Ellis Horwood, 1991.
- [2] Torikai, N., Meguro, T., and Nakamura, Y. Pore size distribution of activated carbon made from tires which contain different carbon blacks in size of diameter. Nippon Kagaku Kaishi 11 (1979): 1604-1608
- [3] Ogasawara, S.; Kuroda, M.; and Wakao, N. Preparation of activated carbon by thermal decomposition of used automotive tires. Ind. Eng. Chem. Res. 26 (1987): 2552-2556
- [4] Williams, P. T.; Besler, S.; and Taylor, D. T. The pyrolysis of scrap automotive tyres. Fuel 69 (1990): 1474-1482
- [5] Merchant, A. A.; and Petrich, M. A. Pyrolysis of scrap tires and conversion of chars to activated carbon. AIChE Journal 39 (1993): 1370-1376
- [6] Teng, H.; Serio, M. A.; Wojtowicz, M. A.; Bassilakis, R.; and Solomon, P. R. Reprocessing of used tires into activated carbon and other products. Ind. Eng. Chem. Res. 34 (1995): 3102-3111
- [7] Isarasaenee, R., and Vitidsant, T. Production of activated carbon from used tires by superheated steam activation. Master's Thesis, Department of Chemical Technology, Graduate School, Chulalongkorn University, 1995
- [8] Brady, T. A., Rostam-Abadi, M., and Rood, M. J. Applications for activated carbons from waste tires: natural gas storage and air pollution control. Gas. Sep. Purif. 10 (1996): 97-102

- [9] Sun, J., Brady, T. A., Rood, M. J., and Lehmann, C. M. Adsorbed natural gas storage with activated carbons made from Illinois coals and scrap tires. Energy & Fuels 11 (1997): 316-322
- [10] Cunliffe, A. M., and Williams, P. T. Properties of chars and activated carbons derived from the pyrolysis of used tyres. Environmental Technology 19 (1998): 1177-1190
- [11] Lortong, T., and Vitidsant, T. Production of activated carbon from used tires by superheated steam and carbon dioxide activation in a fixed bed reactor. Master's Thesis, Department of Chemical Technology, Graduate School, Chulalongkorn University, 1998
- [12] Cunliffe, A. M.; and Williams, P. T. Influence of process conditions on the rate of activation of chars derived from pyrolysis of used tires. Energy & Fuels 13 (1999): 166-175
- [13] Allen, J. L., Gatz, J. L., and Eklund, P. C. Applications for activated carbons from used tires: butane working capacity. Carbon 37 (1999): 1485-1489
- [14] Oya, A., Yoshida, S., Alcaniz-Monge, J., and Lanares-Solano, A. Formation of mesopores in phenolic resin-derived carbon fiber by catalytic activation using cobalt. Carbon 33 (1995): 1085-1090
- [15] Tamai, H.; Kakii, T.; Hirota, Y.; Kumamoto, T.; and Yasuda, H. Synthesis of extremely large mesoporous activated carbon and its unique adsorption for giant molecules. Chem. Mater. 8 (1996): 454-462
- [16] Cazorla-Amoros, D.; Ribes-Perez, D.; Roman-Martinez, M. C.; and Linares-Solano, A. Selective porosity development by calcium-catalyzed carbon gasification. Carbon 34 (1996): 869-878

- [17] Yoshizawa, N., Yamada, Y., Furuta, T., and Shiraishi, M. Coal-based activated carbons prepared with organometallics and their mesoporous structure. Energy & Fuels 11 (1997): 327-330
- [18] Leboda, R.; Skubiszewska-Zieba, J.; and Grzegorczyk, W. Effect of calcium catalyst loading procedure on the porous structure of active carbon from plum stones modified in the steam gasification process. Carbon 36 (1998): 417-425
- [19] Tamon, H.; Nakagawa, K.; Suzuki, T.; and Nagano, S. Improvement of mesoporosity of activated carbons from PET by novel pre-treatment from steam activation. Carbon 37 (1999): 1643-1645
- [20] Liu, Z., Ling, L., Qiao, W., Lu, C., Wu, D., and Liu, L. Effect of various metals and their loading methods on the mesopore formation in pitch-based spherical activated carbon. Carbon 37 (1999): 1333-1335
- [21] Liu, Z.; Ling, L.; Qiao, W.; and Liu, L. Effect of hydrogen on the mesopore development of pitch-based spherical activated carbon containing iron during activation by steam. Carbon 37 (1999): 2063-2066
- [22] Nagano, S.; Tamon, H.; Adzumi, T.; Nakagawa, K.; and Suzuki, T. Activated carbon from municipal waste. Carbon 38 (2000): 915-920
- [23] Hu, Z.; and Srinivasan, M. P. Mesoporous high-surface-area activated carbon. Microporous and Mesoporous Materials 43 (2001): 267-275
- [24] Hu, Z.; Srinivasan, M. P.; and Ni, Y. Novel activation process for preparing highly microporous and mesoporous activated carbons. Carbon 39 (2001): 877-886

- [25] Nakagawa, K., Tamon, H., Suzuki, T., and Nagano, S. Preparation and characterization of activated carbons from refuse derived fuel (RDF). J. Porous Materials 9 (2002): 25-33
- [26] Nakagawa, K., Mukai, S. R., Suzuki, T., and Tamon, H. Gas adsorption on activated carbons from PET mixtures with a metal salt. Carbon (2003) Article in press
- [27] Tamon, H., Saito, T., Kishimura, M., Okazaki, M., and Toei, R. Solvent regeneration of spent activated carbon in wastewater treatment. J. Chem. Eng. Japan 23 (1990): 426-432
- [28] Lin, S. H. Adsorption of disperse dye by powdered activated carbon. J. Chem. Tech. Biotechnol. 57 (1993): 387-391
- [29] Streat, M., Patrick, J. W., and Camporro-Perez, M. J. Sorption of phenol and *para*-chlorophenol from water using conventional and novel activated carbons. Wat. Res. 29 (1995): 467-472
- [30] Tamon, H., Atsushi, M., and Okazaki, M. On irreversible adsorption of electron-donating compounds in aqueous solution. J. Colloid and Interface Science 177 (1996): 384-390
- [31] Tamon, H., and Okazaki, M. Desorption characteristics of aromatic compounds in aqueous solution on sold adsorbents. J. Colloid and Interface Science 179 (1996): 181-187
- [32] Sankar, M.; Sekaran, G.; Sadulla, S.; and Ramasami, T. Removal of diazo and triphenylmethane dyes from aqueous solutions through an adsorption process. J. Chem. Technol. Biotechnol. 74 (1999): 337-344

- [33] Tamai, H.; Yoshida, T.; Sasaki, M.; and Yasuda, H. Dye adsorption on mesoporous activated carbon fiber obtained from pitch containing yttrium complex. Carbon 37 (1999): 983-989
- [34] Hsieh, C.; and Teng, H. Influence of mesopore volume and adsorbate size on adsorption capacities of activated carbons in aqueous solutions. Carbon 38 (2000): 863-869
- [35] Lin, C. C., and Liu, H. S. Adsorption in a centrifugal field: basic dye adsorption by activated carbon. Ind. Eng. Chem. Res. 39 (2000): 161-167
- [36] Pelekani, C., and Snoeyink, V. L. A kinetic and equilibrium study of competitive adsorption between atrazine and congo red dye on activated carbon: the importance of pore size distribution. Carbon 39 (2001): 25-37
- [37] Dollimore, D.; and Heal, G. R. An improved method for the calculation of pore size distribution from adsorption data. J. Appl. Chem. 14 (1964): 109-114
- [38] Lippens, B. C.; and de Boer, J. H. Pore system n catalysts V: the t-method. J. Catal. 4 (1965): 319-323
- [39] Hassler, J. W. Purification with activated carbon USA: Chemical Publishing Co., Inc., 1974
- [40] Smisek, M., and Cerny, S. Active Carbon England: Elsevier Publishing Company, 1970
- [41] Rouquerol, F., Rouquerol, J., and Sing, K. Adsorption by Powders and Porous Solids England: Academic Press, 1999
- [42] Ruthven, D. M. Principles of Adsorption and Adsorption Processes USA: John Wiley & Sons, Inc., 1984

- [43] Rodrigues, A. E., LeVan, M. D., Tondeur, D. Adsorption: Science and Technology Netherlands: Kluwer Academic Publishers, 1989
- [44] Marsh, H., and Rodriguez-Reinoso, F. Sciences of Carbon Materials Spain: Publicaciones de la Universidad de Alicante, 2000



## VITA

Mr. Pisit Ariyadejwanich was born on February 16, 1978 in Bangkok, Thailand. He studied in primary and secondary educations at Premrudeesuksa School and Wat Suthi Wararam School, respectively. In 1999, he received the Bachelor Degree of Engineering (Chemical Engineering) from Chulalongkorn University with the 2<sup>nd</sup> class honor. After that, he continued to study in Ph. D. program under The Royal Golden Jubilee Scholarship, and he graduated in 2003 with the dissertation entitled “Production and Application of Activated Carbon from Waste Tires”.