

References

- Abeyasinghe, D.H., Shanableh, A., and Rigden, B. Biofilters for water reuse in aquaculture. Waterscience and Technology 34 (September 1996): 253-260.
- Arbiv, R., and Rijn, J. Performance of a Treatment System for Inorganic Nitrogen Removal in Intensive Aquaculture Systems. Aquacultural Engineering 14 (1995): 189-203.
- Balderston M.L., and Sieburth, J.M. Nitrate removal in closed-system aquaculture by columnar denitrification. Applied and Environment Microbiology 32 (1976): 808-818.
- Boon, A.G., and Burgess, D.R. Treatment of crude sewage in two high-rate activated-sludge plants operated in series. Water Pollution Control 73 (1974): 382-392.
- Bovendeur, J., Zwaga, A.B., Labee, B.G.J. and Blom, J.H. Fixed- biofilm reactors in aquaculture water recycle system effect of organic matter elimination on nitrification kinetics. Aquacultural 24 (1990): 207-213.
- Bower, C.E., and Turner, C.E. Nitrification in closed seawater culture systems: effects of nutrient deprivation. Aquacultural 87 (1982): 85-92.
- Buswell, A.M., Shiota T., Lawrence N. and Meter I.V. Laboratory studies on the kinetics of the growth of *Nitrosomonas* with relation to the BOD test. Applied Microbiol 2 (1954): 21-25.
- Calvo E., A. Rodriguez, A. Pradios and J. Klein. A fluid dynamic model for three-phase airlift reactors. Chemical Engineering Science 54 (1999): 2359-2370.
- Campos, J.L., Garrido-Fernandez, J.M., and Mendez, R. and Lema, J.M. Nitrification at high ammonia loading rates in an activated sludge unit. Bioresource Technology 68 (1999): 141- 148.
- Campos, J.L., Mosquera-Corral., A., Sanchez, R., Mendez, R., and Lema, J.M. Nitrification in saline wastewater with high ammonia concentration in an activated sludge unit. Water Research 36 (2002): 2555-2560.
- Carla F. and A. Teixeira. Oxygen mass transfer in a high solids loading three-phase internal-loop airlift reactor. Chemical Engineering J. 84 (2001): 57-31.
- Case R.L. No more alkalinity burnout. Water Engineering Management 131 (1984): 26-27).

- Chisti, Halard, Moo-Young. Liquid circulation in airlift reactor. Chemical Engineering Science 43 (1988): 451-457.
- Cole, S.R. Some aspects of the viability and activity of bacteria in activated sludge. Ph.D. thesis, University of York, UK.
- Davis, D.A., and Arnold, C.R. The design, management and production of a recirculating raceway system for the production of marine shrimp. Aquacultural Engineering 17 (1998): 193-211.
- Delgado, S., Diaz, F., and Villarroel, R. Nitrification in a hollow-fiber membrane bioreactor. Desalination 146 (2002): 445-449.
- Department of Export Promotion; Ministry of Commerce. www.depthai.co.th. [2001 September 12].
- Dincer, A.R. and Kargi F. Kinetics of sequential nitrification and denitrification processes. Enzyme and Microbial Technology 27 (2000): 37-42.
- Dincer, A.R. and Kargi F. Salt inhibition kinetics in nitrification of synthetic saline wastewater. Enzyme and Microbial Technology 28 (2001): 661-665.
- Downing A. L. and Scragg L. J. The effect of synthetic detergents on the rate of aeration in diffused air activated sludge plants. Water Waste Treatment J. 7 (1958): 102.
- Engel M.S. and Alexander M. Growth and autotrophic metabolism of *Nitrosomonas europaea*. J. Bacteriol 76 (1958): 217-222.
- Fan, L.S., Hwang, H.J. and Matsura, A. Hydrodynamic behaviour of a draft tube gas-liquid-solid spouted bed. Chemical Engineering Science 39 (1984): 1677-1688.
- Fast, A.W., and Menasveta, P. Some Recent Innovations in Marine Shrimp Pond Recycling Systems. Proceedings to the 5th Asian Fisheries Forum, 11-14 Nov 1998 (Thailand).
- Focht D.D. and Verstraets W. Biochemical ecology of nitrification and denitrification. Advance Microbial Ecol. 1 (1977): 135-214.
- Grady, C.P.L., and Lim, H.C. Biological Wastewater Treatment, 2nd Edition, Revised and Expanded, Marcel Dekker, Inc., New York, NY (1980).
- Greiner, A.D., and Timmons, M.B. Evaluation of the nitrification rates of microbead and trickling filters in an intensive recirculating tilapia production facility. Aquacultural Engineering 18 (1998): 189-200.
- Gross, A., Boyd, C.E., and Wood, C.W. Nitrogen transformations and balance in channel catfish ponds. Aquacultural Engineering 24 (2000): 1-14.

- Hall, I.R. Some studies on nitrification in the activated sludge process. Water Pollution Control 73 (1974): 538-546.
- Hall, E.R. and Murphy, K.L. Estimation of the nitrifying biomass and kinetics in waste water. Water Research 14 (1980): 297-304.
- Henze M., Grady C.P. L., Gujer W., Marais G. V. R. and Matsuo T. A general model for single-sludge wastewater treatment systems. Water Research 21 (1987):505-515.
- Huang, X., Gui, P., and Qian, Y. Effect of sludge retention time on microbial behaviour in a submerged membrane bioreactor. Process Biochemistry 36 (2001): 1001-1006.
- Jae-Koan Seo., and Mi-Ryung Kim. Nitrification performance of nitrifiers immobilized in PVA (polyvinyl alcohol) for a marine recirculating aquarium system. Aquacultural Engineering 24 (2001): 181-194.
- Jiasen Song, Caroline L. Hyndman, Rajesh K., Jakher, Kelly Hamilton and Apostolas Kantzas. Fundamentals of hydrodynamics and mass transfer in a three-phase fluidized bed. Chemical Engineering Science 54 (1999): 4967-4973.
- Jones G.L. and Paskins A.R. Influence of high partial pressure of carbon dioxide and/or oxygen on nitrification. J. Chemical Technology Biotechnol 32 (1982): 213-223.
- Jones K., Briggs R., Carr J.G. and Potten A.H. Automatic control of aeration in a fully nitrifying activated-sludge plant. Inst. Public Health Engineering J. 63 (1969): 271-295.
- Kaiser, H., and Schmitz, O. Water quality in a closed recirculating fish culture system influenced by addition of a carbon source in relation to feed uptaked by fish. Aquaculture and Fisheries Management 19 (1988): 265-273.
- Kamstra, A., Heul, J.W., and Nihof, M. Performance and optimisation of trickling filters on eel farms. Aquacultural Engineering 17 (1998): 175-192.
- Kim, S.-K., Kong, I., Lee, B.-H., Kang, L., Lee, M.-G., and Suh, K.H. Removal of ammonium-N from a recirculation aquacultural system using an immobilized nitrifier. Aquacultural Engineering 21 (2000): 139-50.
- King E.F. and Painter H.A. The effects of acclimatization on the toxicity of chemicals to activated sludge micro-organisms. Environment Pollution 39 (1985): 297-280.
- Knosche, R. An effective biofilter type for eel culture in recirculating systems. Aquacultural Engineering 13 (1994): 71-82.
- Koide K., Horibe, K. Kawabata. H.,Ito. S. Critical gas velocity required for complete suspension of solid particles in solid-suspended bubble column with draft tube. Journal Chemical Engineering Japan 17 (1984): 368-374.

- Koller, M., and Avtalion, R.R. A laboratory scale recycling water unit for Tilapia Breeding. Aquacultural Engineering 4(1985): 235-246.
- Lakang, O.-I., and Kleppe, H. Efficiency of nitrification in trickling filters using different filter media. Aquacultural Engineering 21(2000): 181-199.
- Lawrence, A.W. and Brown, C.G. Design and control of nitrifying activated sludge systems. J. Water Pollution 48 (1976): 1779-1803.
- Lee J.S. and Johnson W.K. Carbon slurry activated sludge for nitrification-denitrification. J. Water Pollution Control Fed. 51 (1979): 111-126.
- Lele Smita S., J.B. Joshi. Modelling of air-lift fluidized bed: optimization of mass transfer with respect to design and operational parameters. The Chemical Engineering J. 49 (1992): 89-105.
- Livingston A.G. and Zhang S.F. Hydrodynamic behaviour of three-phase (Gas-Liquid-Solid) airlift reactor. Chemical Engineering Science 48 (1993): 1641-1654.
- MacMillan, R.J., Cawthorn, R.J., Whyte, S.K., and Lyon, P.R. Design and maintenance of closed artificial seawater system for long-term holding of Bivalve Shellfish. Aquacultural Engineering 13 (1994): 241-250.
- Malone, R.F. and A.A. de los Reyes. Recirculating system technology for shrimp maturation. Aquacultural Engineering 12 (1997):197-208.
- Menasveta, P., Fast, A.W., Piyatiratitivorakul, S., and Rungsupa, S. An improved, closed seawater recirculation maturation system for giant tiger prawn (*Penaeus monodon* Fabricius). Aquacultural Engineering 10 (1991): 173-181.
- Menasveta, P., Panritdam, T., Sihanonth, P., Powtongsook, S., Chuntapa, B., and Lee, P.G. Design and function of closed, recirculating seawater system with denitrification for the culture of black tiger shrimp broodstock. Aquacultural Engineering 25 (2001): 34-49.
- Metcalf and Eddy. Wastewater Engineering Treatment, Disposal, and Reuse. 3 ed . The McGraw-Hill Companies. New York (1991): 701
- Millamena, O.M., Casalmir, C.M., and Subosa, P.F. Performance of Recirculating Systems for Prawn Hatchery and Broodstock Maturation Tanks. Aquacultural Engineering 10 (1991): 161-171.
- Nagel, C.A., and Haworth, J.G. Operational Factors Affecting Nitrification in the Activated Sludge Process. Paper presented at the 42nd Annual Conference of the Water Pollution Control Federation Dallas, Texas, October, 1969. Cite in Culp,

- R.L., and Culp, G.L. Advanced wastewater treatment. New York : Van Nostrand Reinhold, 1971.
- Nelson D.H. Isolation and Characterization of *Nitrosomonas* and *Nitrobacter*. Zentralblatt Bakteriologie Parasitenkunde 83 (1980): 280.
- Newitt, D. M., Richardson, J. F. and Gliddon, B.J. Hydraulic conveying of solids in vertical pipes. Transactions of the Institution of Chemical Engineers 39 (1961): 93-100.
- Nicolella C., M. van Loosdrecht, R. van der Lans and J. Heijnen. Hydrodynamic characteristics and gas-liquid mass transfer in a biofilm airlift suspension reactor. Biotechnology Bioengineering 60 (1998): 627-635.
- Nijhof, M., and Bovendeur, J. Fixed Film Nitrification Characteristics in Sea-Water Recirculation Fish Culture Systems. Aquaculture 87 (1990): 133-143.
- Nijhof, M. Bacterial stratification and hydraulic loading effects in a plug-flow model for nitrifying trickling filters applied in recirculating fish culture systems. Aquaculture 134 (1995): 49-64.
- Nikov, I and Delmas H. Solid-Liquid mass transfer in three-phase fixed and fluidized beds. Chemical Engineering Science 42 (1987): 1089-1093.
- Nikov, I and Delmas H. Mechanism of liquid-solid mass transfer and shear stress in three-phase fluidized beds. Chemical Engineering Science 47 (1992): 673-681.
- Otte, G., and Rosenthal, H. Management of a closed brackish water system for high-density fish culture by biological and chemical water treatment. Aquaculture 18 (1979): 169-181.
- Painter, H.A. Microbial transformations of inorganic nitrogen. Water Technology. 8 (1977): 3-29.
- Painter, H.A. and Loveless, J.E. Effect of temperature and pH value on the growth-rate and constants of nitrifying bacteria in the activated-sludge process. Water Research 17 (1983):237-248.
- Peeters T.L., van Gool, A.D. and Laudelout H. Kinetics study of oxygen-limited respiration in nitrifying bacteria. Bacteriological Proceedings. 141 (1969): 121-125.
- Reyes, A.A., and Lawson, T.B. Combination of a bead filter and rotating biological contactor in a recirculating fish culture system. Aquaculture Engineering 15 (1996): 27-39.

- Randall E.W., Wilkinson A. and Ekama G.A. An instrument for direct determination of oxygen utilization rate. Water Science and Technology 17 (1991): 11-18.
- Rijn, J.V., and Rivera, G. Aerobic and Anaerobic Biofiltration in an Aquaculture Unit- Nitrite Accumulation as a Result of Nitrification and Denitrification Aquacultural Engineering 9 (1990): 217-234.
- Rogers, G.L. Ammonia removal in selected aquaculture water reuse biofilters. Aquacultural Engineering 4 (1985): 135-154.
- Sakairi, M.A.C., Yasuda, K., and Matsumura, M. Nitrogen removal in seawater using nitrifying and denitrifying bacteria immobilized in porous cellulose carrier. Water Science and Technology 34 (1996): 267-274.
- Sastry, N.B., DeLosReyes, A.A., Rusch, K.A., Malone, R.F. Nitrification performance of a bubble-washed bead filter for combined solids removal and biological filtration in a recirculating aquaculture system. Aquacultural Engineering 19 (1999): 105-117.
- Schuster, C., and Stelz, H. Reduction in the make-up water in semi-closed recirculating aquaculture systems. Aquacultural Engineering 17 (1998): 167-174.
- Shammas N.Kh. Influence of inoculum and initial pH on dairy effluent biodegradation and mineralization. J. Water Pollution Control Fed. 1 (1986): 52.
- Shanableh, A., and Hijazi, A. Treatment of stimulated aquaculture water using biofilters subjected to aeration/non-aeration cycles. Water Science and Technology 38 (1998): 223-231.
- Shrestha, N.K., Hadano, S., and Kamachi, T. Dinitrogen production from ammonia by *Nitrosomonas europaea*. Applied Catalysis 237 (2002): 33-39.
- Silapakul S. Nitrogen compounds removal in closed recirculating seawater system for shrimp pond by external loop airlift bioreactor. Master thesis, Chulalongkorn University, Thailand. (2002).
- Singh, S., Ebeling, J., and Wheaton, F. Water quality trials in four recirculating aquacultural system configurations. Aquacultural Engineering 20 (1999): 75-84.
- Skadsen J. and Larry S. The effectiveness of high pH for control of nitrification and the impact of ozone on nitrification control. In Proc. AWWA Water Quality Technology Conference. Boston. (1996)
- Skinner F.A. and Walker N. Growth of *Nitrosomonas europaea* in batch and continuous culture. Arch.Mikrobiol. 38 (1961): 339-349.

- Skjolstrup, J., Nielsen, P.H., Frier, J.-O and McLean, E. Performance characteristics of fluidised bed biofilters in a novel laboratory-scale recirculation system for rainbow trout: nitrification rates, oxygen consumption and sludge collection. Aquacultural Engineering 18 (1998): 265-276.
- Sliekers, A., Derwort, N., and Campos, J.L., Strous, M., Kuenen, J.G., Jetten, M.S.M. Completely autotrophic nitrogen removal over nitrite in one single reactor. Water Research 36 (2002): 2475-2482.
- Stankewich M.J. Biological nitrification with the high purity oxygen process. Proceedings of the 27th Purdue Industrial Wastes Conference, Ann Arbor Science Publishers Inc, Ann Arbor, MI.(1972): 1-23.
- Stensel, H.D., McDowell, D.S. and Ritter, E.D. An automated biological nitrification toxicity test. J. Water Pollution Control 48 (1976): 2343-2350.
- Stenstrom M.K. and Poduska R.A. The effect of dissolved oxygen concentration on nitrification. Water Research 14 (1980): 643.
- Stover, E.L., Weston, R.F. and Kincannon, D.F. Effects of COD: NH_4^+ -N ratio on a one stage nitrification activated sludge system. Water and Sewage Works 123 (1976): 120-123.
- Strotmann, J., and Windecker, G. Kinetic of ammonium removal with suspended and immobilized nitrifying bacteria in different reactor systems. Chemosphere 35 (1997): 2939-2952.
- Strick, J.D.H., and Parson, T.R. A Particle handbook of seawater analysis. 2nd ed. Fisheries Research Board of Canada Bulletin NO.167, Ottawa, 1972.
- Sung-Koo Kim., Insoo Kong., and Byung-Hun Lee. Removal of ammonium-N from a recirculation aquacultural system using an immobilized nitrifier. Aquacultural Engineering 21 (2000): 139-150.
- Szuster, B.W., and Flaherty, M. Inland low-salinity shrimp farming in the central plains region of Thailand. Department of Geography, University of Victoria, Victoria, Canada (2001).
- Tobajas M., E. Garcia. Calva, M.H. Siegel and S.E. Aritz. Hydrodynamics and mass transfer prediction in a three-phase airlift reactor for marine sediment biotreatment. Chemical Engineering Science 54 (1999): 5347-5354.
- Tomlinson T.G., Boon A.G. and Trotman C.N.A. Inhibition of nitrification in the activated sludge process of sewage disposal. J. Applied Bacteriol 29 (1966): 266-291.

- Tschui, M., Boller, M., and Gujer, W., Eugster, J., Mader, C., and Stengel, C. Tertiary nitrification in aerated pilot biofilters. Water Science and Technology (1994): 53-60.
- Tseng, K.-F., Su, H.-M., and Su, M.S. Culture of *Penaeus monodon* in a recirculating system. Aquacultural Engineering 17 (1998): 138-147.
- Turk, P.L. Bacterial Bed. U.S. Patent. No.5, 556, 536. (sep 17, 1996).
- U.S. Environmental Protection Agency. Ambient water quality criteria for ammonia (saltwater) April (1994).
- U.S. Environmental Protection Agency. Process Design Manual for Nitrogen Control. Office of Technology Transfer, October, 1975. Cited in Culp R. L., and Culp G. L. Advanced wastewater treatment. New York : Van Nostrand Reinhold, 1975.
- van Benthum , W.A.J., Derissen, B.P., and van Loosdrecht, M.C.M., and Heijnen, J.J. Nitrogen removal using nitrifying biofilm growth and denitrifying suspended growth in a biofilm airlift suspension reactor coupled with a chemostat. Water Research 32 (1998): 2009-2018.
- van Benthum, W.A.J., van der Hoogen, J.H.A., van der Lans R.G.J.M, van Loosdrecht, M.C.M., and Heijnen, J.J. The biofilm airlift suspension extension reactor. Part I: Design and two-phase hydrodynamics. Chemical Engineering Science 54 (1999): 1909-1924.
- van Benthum, W.A.J., van der Lans R.G.J.M., van Loosdrecht, M.C.M., and Heijnen, J.J. Process design for nitrogen removal using nitrifying biofilm and denitrifying suspended growth in a biofilm airlift suspension reactor. Water Science and Technology 36 (1997): 119-128.
- van Benthum, W.A.J., van der Lans R.G.J.M., van Loosdrecht, M.C.M., and Heijnen, J.J. The biofilm airlift suspension extension reactor. Part II: Three-phase hydrodynamics. Chemical Engineering Science 55 (2000): 699-711.
- Wallace, W. and Nicholas, D. J. D. The biochemistry of nitrifying microorganisms. Biobehavioral Reviews 44 (1969):359-391.
- Watson, S.W., Valos F.W. , Waterbury J.B., Starr M.P., and Verlag S. The Family Nitrobacteraceae. In: Starr M.P., Stolp H., Truper H.G., Balows A., and Schlegel H.G. (Eds.). The Prokaryotes. A. Handbook on Habitats, Isolation and Identification of Bacteria. Springer-Verlag, Berlin.(1981) : 1005-1022.
- WEF. Water Environment Federation. [http:// www.wef.org/](http://www.wef.org/). [2002 April 12].

- Wen-Jang Lu and Shyn-Jye Hwang. Liquid velocity and gas holdup on three-phase internal loop airlift reactors with low-density particles. Chemical Engineering science. 50 (1995): 1301-1310.
- Wickins, J.F. Ammonia Production and Oxidation During the Culture of Marine Prawns and Lobsters in Laboratory Recirculation Systems. Aquacultural Engineering 4 (1985): 155-174.
- Wood L.B., Hurley B.J.E. and Matthews P.J. Some observations on the biochemistry and inhibition of nitrification. Water Research 15 (1981): 543-551.
- Wortman, B., and Wheaton, F. Temperature Effects on Biodrum Nitrification. Aquacultural Engineering 10 (1991): 183-205.
- Wild, H.E., Sawyer, C.N., and McMahon, T.C. Factors affecting nitrification kinetics. J. WPCF 43 (9: 1999): 1970-1854.
- Wuhrmann k. Effect of oxygen tension on biochemical reactions in sewage purification plants. Proceedings of 3rd Manhattan Conference. Advances in Biological Waste Treatment. Pergamon Press, Oxford. (1963): 27-38.
- Yang , W.T., Hanlon, R.T., Lee, P.G., and Turk, P.E. Design and Function of Closed Seawater Systems for Culturing Loliginid Squids. Aquacultural Engineering 8 (1989): 47-65.
- Yang, L., Chou, L.-S., Shieh, W.K. Biofilter treatment of aquaculture water for reuse applications. Water Research 35 (13: 2001): 3097-3108
- Zhu, S., and Chen, S. An experimental study on nitrification biofilm performances using a series reactor system. Aquacultural Engineering 20 (1999): 245-259.
- Zhu, S., and Chen, S. Effects of organic carbon on nitrification rate in fixed film biofilters. Aquacultural Engineering 25 (2001): 1-11.

Biography

Miss Nucharee Rasrikangkrai was born on 12 April, 1979 in Bangkok. She graduated high school from Samsen Wittayalai School in March, 1997. After that, she studied in the major of Biotechnology in Faculty of Agro-industry at Kasetsart University. She continued her further study for Master's degree in Chemical Engineering at Chulalongkorn University. She participated in the Biochemical Engineering research group and achieved her Master's degree in September, 2003.



ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย