

## REFERENCES

1. Choo, Q.-L., Kuo, G., Weiner, A.J., et al. Isolation of cDNA clone derived from blood born non-A, non-B hepatitis genome. *Science* 1989; 244: 359-362.
2. Saito, I., Miyamura, T., Ohbayashi, A., et al. Hepatitis C Virus infection is associated with development of hepatocellular carcinoma. *Proc Natl Acad Sci USA* 1990; 87: 6547-6549.
3. Hepatitis C [online]. Available from <http://www.cdc.gov> [1999, May 16].
4. Cohen, J. The scientific challenge of hepatitis C virus [online]. 1999. Available from: <http://www.sciencemag.org> [1999, June 6].
5. Simmonds, P., Holmes, E.C., Cha, T-A., et al. Classification of hepatitis C virus into six major types and series of subtypes by phylogenetic analysis of the NS-5 region. *J Gen Virol* 1993; 74: 2391-2399.
6. McOmish, F., Yap, P., L., Dow, B. C., et al. Geographical distribution of hepatitis C virus genotypes in blood donor: an international collaborative survey. *J Clin Microbiol* 1994; 32: 884-892.
7. Zein, N.N., Rakela, J., Krawitt, E.L., et al. Hepatitis C virus genotypes in the United States: epidemiology, pathogenicity, and response to interferon therapy. *Ann Intern Med* 1996; 125: 634-639.
8. Takada, N., Takase, A., Takada, A., et al. Differences in the hepatitis C genotypes in different countries. *J Hepatol* 1993; 17: 277-283.
9. Kanistanton, D., Neelamek, M., Dharakul, T., et al. Genotypic distribution of hepatitis C virus in different region of Thailand. *J Clin Microbiol* 1997; 35 (7): 1772-1776.
10. Tsubota, A., Chayama, K., Ikeda, K., et al. Factor predictive of response to interferon-A therapy in the hepatitis c virus infection. *Hepatology* 1994; 19 (5): 1088-1094.
11. Davis, G.L., Lau J.Y.N. Factors predictive of a beneficial response to therapy of hepatitis C. *Hepatology* 1997; 26 (Suppl 1): 122s-127s.
12. Zein, N.N. Clinical significance of hepatitis C virus genotype. *Clin Microbiol Rev* 2000; 13 (2): 223-235.

13. Yuasa, T., Ishikawa, G., Manage, S.-I., et al. The particle size of hepatitis C virus estimated by filtration through microporous regenerated cellulose fibre. *J Gen Viral* 1991; 72: 2021-2024.
14. Bradley, D., McCautland, K., Krawezynski, K., et al. Hepatitis C virus: buoyant density of the factor VIII-derived isolate in sucrose. *J Med Viral* 1991; 34: 206-208.
15. Yamaguchi, K., Tanaka, E., Higashi, K., et al. Adaptation of hepatitis C virus for persistent infection inpatients with acute hepatitis. *Gastroenterology* 1994; 160: 1344-1348.
16. Hijikata, M., Kato, N., Ootusuyama, Y., et al. Gene mapping of the putative structural region of the hepatitis C genome by in vitro processing analysis. *Proc Natl Acad Sci USA* 1991; 88: 5547-5551.
17. Bukh, J., R.H., Miller, and R.H., Purcell. Genetic heterogeneity of hepatitis C virus: quasispecies and genotype. *Semin Liver Dis* 1995; 15: 41-63.
18. Lauer, G.M., and Walker, B., D. Hepatitis C virus infection. *N Engl J Med* 2001; 345 (1): 41-52.
19. Pileri., P., Uematsu, Y., Campagnoli, S., et al. Binding of hepatitis C virus to CD81. *Science* 1998; 282: 938-941.
20. Hijikata, M., Mizushima, H., Akagi, T., et al. Two distinct proteinase activities required for the processing of a putative nonstructural precursor protein of hepatitis C virus. *J Viral* 1993; 67: 4665-4675.
21. Choo, Q.-L., Richman, H.,K., Han, J.H., et al. Genetic organization and diversity of the hepatitis C virus. *Proc Acad Sci USA* 1991; 88: 2451-2455.
22. Enomoto, N., Sakuma, I., Asahina, Y., et al. Mutations in the nonstructural protein 5A gene and response to interferon in patients with chronic hepatitis C virus 1b infection. *N Eng J Med* 1996; 334 (2): 77-81.
23. Chan, S.W., McOmish, F., Holmes, E.C., et al. Analysis of a new hepatitis C virus type and its phylogenetic relationship to existing variants. *J Gen Virol* 1992; 72: 1131-1141.
24. Bukh, J., R.H., Purcell, and R.H., Miller. At least 12 genotypes of hepatitis C virus predicted by sequence analysis of the putative E1 gene of isolates collected

- worldwide. *Proc Acad Sci USA* 1993; 90: 8234-8538.
25. Bukh, J., R.H., Purcell, and R.H., Miller. Sequencing analysis of 5' non coding region of hepatitis C virus. *Proc Natl Acad Sci USA* 1992; 89: 4942-4946.
  26. Tsukiyama-Kohara, K., Kohara, I., Nomoto, A., et al. Internal ribosomal entry site within hepatitis C virus. *J Virol* 1992; 66: 1476-1483.
  27. Zignego, A.L., Carti, M.D., Monti, M., et al. Hepatitis C virus infection of mononuclear cells from peripheral and liver infiltrates in chronically infected patients. *J Med Virol* 1995; 47: 58-94.
  28. Okamoto, H., Kojima, M., Okada, S-I., et al. Genetic drift of hepatitis C virus during and 8.2-year infection in chimpanzee: variability and stability. *Virology* 1992; 1990: 894-899.
  29. Weiner, A.J., Geysen, H.M., Christopherson, C., et al. Evidence for immune selection of hepatitis C virus (HCV) putative envelop glycoprotein variants: potential role in chronic HCV infection. *Proc Natl Acad Sci USA* 1992; 89: 3468-3472.
  30. Okamoto, H., Kurai, K., Okada, S., et al. Full-length sequence of a hepatitis C virus genome having poor homology to reported isolates: comparative study of four distinct genotypes. *Virology* 1992; 188: 331-341.
  31. Chanbertain, R.W., Adams, N., Saeed, A.A., et al. Complete nucleotide sequence of a type 4 hepatitis C virus variants, the predominant genotype in the Middle East. *J Gen Virol* 1997; 78: 1341-1347.
  32. Simmonds, P., McOmish, F., Yap, P.L., et al. Sequence variability in the 5' non coding region of hepatitis C virus: identification of a new virus type and restriction on sequence diversity. *J Gen Viral* 1993; 74: 661-668.
  33. Mellor, J., Wallsh, E.A., Jarvis, P.L.M., et al. Survey of type 6 variants of hepatitis C virus in Southeast Asia by using a core-based genotyping assay. *J Clin Microbiol* 1996; 34: 417-423.
  34. Kanistanton, D., Neelamek, M., Dharakul, T., and Songvilai, S. Genotypic distribution of hepatitis C virus in different regions of Thailand. *J Clin Microbiol* 1997; 35 (7): 1772-1776.
  35. Divas, G.L. Hepatitis C genotype and quansispecies. *Am J Medicine* 1999; 107 (6B): 21S-26S.

36. Zien, N.N. Increase risk of hepatocellular carcinoma in patients infected with hepatitis C virus genotype 1b. *Am J Gastroenterology* 1996; 91 (12): 2560-2562.
37. Bruno, S., Silini, E., Crosignani, A. Hepatitis C virus genotype and risk of hepatocellular carcinoma in cirrhosis: a prospective study. *Hepatology* 1997; 25 (3): 754-758.
38. Odeberg, J., Yun, Z., Sonnerboug,A., et al. Variation of hepatitis C virus hypervariation region 1 in immunocompromized patients. *J Infect Dis* 1997; 175: 938-943.
39. Yap, K.L., Ada, G.L., McKenzie, I.F.C. Transfer of the specific cytotoxic T lymphocyte protects mice inoculated with influenza virus. *Nature* 1978; 273: 238-239.
40. Koziel, M.J., Dudley, D., Wong, J.T. Intrahepatitis cytotoxic T lymphocyte specific for hepatitis C virus in person with chronic hepatitis. *J Immunol* 1992; 149: 3339-3344.
41. Cooper, S., Erikson, A.L., Adams, E.J., et al. Analysis of a successful immune response against hepatitis C virus. *Immunity* 1999; 10: 439-449.
42. Koziel, M.J. Immunology of viralhepatitis. *Am J Med* 1996; 100: 98-109.
43. Farci, P., Alter, H.J., Govindarajan, S., et al. Lack of protection immunity against reinfection either hepatitis C virus. *Science* 1992; 258: 135-140.
44. Wyatt, C.A., Andrus, L., Brotman, B., et al. Immunity in chimpanzees chronically infected with hepatitis C virus: role of minor quansispecies in reinfection. *J Virol* 1998; 1725-1730.
45. Hiroishi, K., Kita, H., Kojima, M., et al. Cytotoxic T lymphocyte response and viral load in hepatitis C virus infection. *Hepatology* 1997; 705-712.
46. Alter, H.J. Epidemiology of hepatitis C virus in the west. *Seminar in Liver Disease* 1995; 15: 5-14.
47. Mnsell, C.J., Locamini, S.A. Epidemiology of hepatitis C virus in the East. *Seminar in Liver Disease* 1995; 15: 15-32.
48. Chainuvati, T., Poonvorawan, Y., and Luengrojanakul, P. The prevalence of hepatitis C virus antibody in high risk group of Thai Children and adults. *Gastroenterology* 1991; 26: 176-178.

49. Songsivilai, S., Jinathongthai, S., Wongsena, W., et al. High prevalence of hepatitis C infection among blood donor in northern Thailand. *Am J Trop Med Hyg* 1996; in press.
50. Rumi, M.G., Colombo, M., Gringeri, A., et al. High prevalence of antibody to hepatitis C virus in multitransfused hemophiliacs with normal transaminase levels. *Ann Intern Med* 1990; 112: 379-380.
51. Pereira, B.J.G., Milford, E.L., Kirkman, R.L., et al. Transmission of hepatitis C virus by organ transplantation. *N Engl J Med* 1991; 325: 454-460.
52. Hernandez, M.E., Brugurea, M., Puyuelo, T., Barrera, J.M., et al. Risk of needle-stick injuries in the transmission hepatitis C virus in hospital personnel. *J Hospatol* 1992; 16: 56-58.
53. Bresters, D., Mauser-Brugurea, E.P., Reesink, H.W., et al. Sexual transmission of hepatitis C virus. *Lancet* 1993; 342: 210-211.
54. Akahane, Y., Kojimi, M., Sugai, Y. Hepatitis C virus in spouses of patients with type C Chronic liver disease. *Ann Intern Med* 1994; 120: 749-752.
55. Thaler, M.M., Park, C.K., Landers, D.V., et al. Vertical transmission of hepatitis C virus. *Lancet* 1992; 165: 720-723.
56. สวีติกษ์ ทรงวิไล. ตับอักเสบจากเชื้อไวรัส. กรุงเทพมหานคร: ห้างหุ้นส่วนบางกอกกลั่น  
จำกัด, 2543.
57. Sato, B., Savchez-Quijano, A., Rodrigo, L. et al. Human immunodeficiency virus infection modifies the nature history of chronic parenterally acquired hepatitis C with and usually rapid progression to cirrhosis. *J Hepatol* 1997; 26: 1-5.
58. National Institutes of Health Consensus Development Conference Panel statement: management of hepatitis C. *Hepatology* 1997; 26 (Suppl 1): 2S-10S.
59. Conry-Cantilena, C., Vanraden, M., Gibble, J., et al. Routes of infection, viremia, and liver disease in blood donor found to have hepatitis C virus infection. *N Eng J Med* 1996; 334: 1691-1696.
60. Yano, M., Kumada, H., Kage, M., et al. The long-term pathological evolution of chronic hepatitis C. *Hepatology* 1996; 23: 1334-1340.
61. Tsukuma, H., Hiyama, T., Tanaka, S., et al. Risk factors for hepatocellular carcinoma among patients with chronic liver disease. *N Eng J Med* 1993; 328:1791-1801.

62. Lavanchy, D., Mayerat, C., Morel, B., et al. Evaluation of Third-Generation assay for detection of anti-hepatitis C (HCV) antibodies and comparison with presence of HCV RNA in blood donors reactive to C 100-3 antigen. *J Clin Micro* 1994; 32: 2272-2275.
63. Beld, M., Habibuw, M.R., Rebers, S.P.H., et al. Evaluation of automated RNA-extraction technology and a quantitative HCV assay for sensitivity and detection of HCV RNA in pool-screening systems. *Transfusion* 2000; 40: 575-579.
64. Busch, M., Wilber, J., Johnson, P., et al. Impact of specimen handling and storage on detection of hepatitis C virus RNA. *Transfusion* 1992; 32: 420-425.
65. Gretch, D.R. Diagnostic tests of hepatitis C. *Hepatology* 1997; 26(3): 43S-47S.
66. Poynard, T., Marcellin, P., Less, S.S., et al. Randomised trial of interferon alpha 2b plus ribavirin for 48 weeks or for 24 weeks for treatment of chronic infection with hepatitis C virus. *Lancet* 1998; 352:1426-1432.
67. Iwarson, S., Narkrans, G., Wejstal. Hepatitis C: Natural history of a unique infection; (Review article). *Clin Infect Dis*; 20: 1361-1370.
68. Van Der Poel, C.I., Cuypers, H.T., Reesik, H.M. Hepatitis C virus six years on. *Lancet*; 344: 1475-1479.
69. Castelain, S., Khorsi, H., Zawadzki, P., et al. Direct blotting electrophoresis for sequencing and genotyping hepatitis C. *J Viral Method* 1997; 65 (2): 237-243.
70. Sugiyama, K., Kato, N., Nakazawa, T., et al. Novel genotypes of hepatitis C virus in Thailand. *J Gen Virol* 1995; 76 (Pt9): 2323-2327.
71. Seme, K., Polijak, M., Dovc, P., et al. Comparative evaluation of four genotyping methods for hepatitis C virus. *Folia Biol (Praha)* 1997; 43 (6): 219-224.
72. Stuyver, L., Wyseur, A., Amhem, W.V., et al. Second-generation line probe assay for hepatitis C virus genotyping. *J Clin Microbiol* 1996; 34 (9): 2259-2266.
73. ชีเน รำมรงค์ธรรม และประสิทธิ์ ผลิตผลการพิมพ์. การวิเคราะห์ลำดับเบสบนสายดีเอ็นเอ. ใน วสันต์ จันทรารัตน์ และวีระพงศ์ ลุลิตานนท์ (บรรณาธิการ), ชีวสารสนเทศศาสตร์, หน้า 57-69. กรุงเทพมหานคร: ฝ่ายนิเทศสัมพันธ์ สำนักพัฒนาวิทยาศาสตร์และเทคโนโลยีแห่งชาติ, 2544.
74. ศิริวุธ กลินบุทาง. Phylogenetics และ ความหลากหลายทางพันธุกรรมของสิ่งมีชีวิต. ใน วสันต์ จันทรารัตน์ และวีระพงศ์ ลุลิตานนท์ (บรรณาธิการ), ชีวสารสนเทศศาสตร์, หน้า

- 149-171. กรุงเทพมหานคร: ฝ่ายนิเทศสัมพันธ์ สำนักพัฒนาวิทยาศาสตร์และเทคโนโลยีแห่งชาติ, 2544.
75. Hilli, D.M., Moritz, C. and able, B.K. Molecular systematics. 2 nd ed. Massachusetts: Sinauer Associates, Inc., 1996.
76. National Center for Biotechnology Information. Systematics and Molecular phylogenetics[Online]. Available from FTP: [www.ncbi.nlm.nih.gov](http://www.ncbi.nlm.nih.gov)
77. Thomson, J.D., Higgins, D.G., and Gibson, T.J. Clustal W: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice. Nucleic Acids Reserch 1994; 22 (22): 4673-4680.
78. Grondahl, B., Puppe, W., Hoppe, A., et al. Rapid identification of nine microorganism causing acute respiratory tract infection by single-tube multiplex reverse transcription-PCR: Feasibility study. J Clin Microbiol 1999; 37 (1): 1-7.
79. <http://hcv.lanl.gov/content/hcv-db/index>.
80. Ross, R.S., Viazov, O.S., Holtzer, C.D., et al. Genotyping of hepatitis C virus isolates using CLIP sequencing. J Clin Microbiol 2000; 38 (10): 3581-3584.

ศูนย์วิทยบริการ  
จุฬาลงกรณ์มหาวิทยาลัย



# APPENDIX

ศูนย์วิทยทรัพยากร  
จุฬาลงกรณ์มหาวิทยาลัย

## APPENDIX

### CHEMICAL AGENTS AND INSTRUMENTS

#### A. Chemical agents.

Absolute Ethanol (E. merck, Darmstadt., W. Germany)  
 Acetic acid (E. merck, Darmstadt., W. Germany)  
 Agarose (FMC Bioproducts, USA)  
 Bromphenol blue (Sigma, USA)  
 Diethyl Pyrocarbonate (Sigma, Mo., USA)  
 DNTP (Promega, WI., USA)  
 Ethylene diamine tetraacetic acid (Sigma, Mo., USA)  
 Ethidium bromide (Sigma, Mo., USA)  
 Sodium acetate (E. merck, Darmstadt., W. Germany)

#### B. Enzymes and molecular markers.

Taq DNA Polymerase (Promega, WI.,USA)  
 Rnasin Ribonuclease Inhibitor (Promega, WI.,USA)  
 M-MLV Reverse Transcriptase (Promega, WI.,USA)  
 100 bp molecular marker (Promega, WI.,USA)

#### C. Instruments.

Automatic pipette, P10/P20/P200/P1000 (Gilson, France)  
 DNA Thermal cycler 2400 (Perkin Elmer, Cetus USA)  
 Microcentrifuge (Eppendorf, USA)  
 Refrigerated Microcentrifuge (Eppendorf, USA)  
 Mixer Vortex-Genic (Scientific Industries., USA)  
 Larminar Air Flow (Faster, Italy)

Horizontal gel electrophoresis (C.B.S. Scientific., USA)

**D. Laboratory supplies.**

Glassware (Pyrex, USA)

Microcentrifuge tubes 1.5 ml (Costar, England)

Filter pipette tips for P10, P20, P200, P1000 (Treff Lab, Switzerland)

**E. REAGENTS**

**1. 0.01% DEPC-treated water.**

Added 100 ul of DEPC into 1 litre of distilled water and left overnight,

Then autoclaved for 15 minutes at 15 lb/sq inch.

**2. Reagents for Reverse Transcriptase.**

-5X RT buffer: 200 mM Tris-HCl pH 8.4, 500 mM KCl, 25 mM MgCl<sub>2</sub>

-25 mM MgCl<sub>2</sub>(Promega, WI.,USA)

-1.25 mM of each dNTP (dATP, dGTP, dCTP, dTTP) (Promega, WI.,USA)

-50 pmol/ul Primer 2 in DEPC-treated water (BSU)

-40 units of Rnasin (Promega, WI.,USA)

-100 units of M-MLV RT (Promega, WI.,USA)

**3. Reagents for First PCR amplification.**

-10X buffer: 500 mM KCl, 200mM Tris-HCl pH 8.4, 25 mM MgCl<sub>2</sub>

(Pharmacia Amersham)

-50 pmol/ul Primer 1 in DEPC-treated water (BSU)

-2.5 units of Taq DNA polymerase (Pharmacia Amersham)

**4. Reagents for nested PCR.**

-10X buffer. 500 mM KCl, 200mM Tris-HCl pH 8.4, 25 mM MgCl<sub>2</sub>

(Pharmacia Amersham)

- 25 mM MgCl<sub>2</sub> (Promega, WI.,USA)
- 1.25 mM of each dNTP (dATP, dGTP, dCTP, dTTP) (Promega, WI.,USA)
- 50 pmol/ul Primer 3 in DEPC-treated water (BSU)
- 50 pmol/ul Primer 4 in DEPC-treated water (BSU)
- 2.5 units of Taq DNA polymerase (Pharmacia Amersham)

5. Reagents for agarose gel electrophoresis.

- 2% agarose gel in 1X TAE buffer
- TAE buffer: 89 mM Tris-HCl pH 7.4, 89 mM acetic acid, 2.5 mM EDTA)
- loading dye solution
- 0.2% (v/v) ethidium bromide solution
- molecular size marker (100 bp, Promega)

F. Reagent of DNA Sequencing

ABI PRISM™ Dye Terminator Cycle Sequencing Ready Reaction kit with  
AmpliTaq® DNA Polymerase FS, (Perkin-Elmer, USA)

## BIOGRAPHY

Name	Miss Dararatsamee Poopukdee	Sex	Female
Birth date	December 24, 1978	Age	25
Nationality	Thai		
Place of birth	Singburi, Thailand		
Home address	85/53 Sinthani condominium, Phahonyotin, Klongnung,Klongluang, Phatumthani 12120 Thailand		
Education	2001: Bachelor degree of Science (Medical Science) Chulalongkorn University		

ศูนย์วิทยทรัพยากร  
จุฬาลงกรณ์มหาวิทยาลัย