



REFERENCES

- Archer, S., J.O. Hoppe, T.R. Lewis, and M.N. Hoskell, "The Preparation of Some Iodinated Phenyl- and Pyridylalkanoic Acids," Journal of the American Pharmaceutical Association, 40(3), 143-150, 1951.
- Bartels, R., and L. Bock, "Purification of 7,8-Dihydropteroate- Synthase from E. coli by Affinity- and Hydrophobic Interaction Chromatography," Chemistry and Biology of Pteridines (Blair, J.A., ed.), pp. 579-583, Walter de Gruyter, Berlin, 1983.
- Bauer, H., "Organic Compounds in Chemotherapy. I. Derivatives of Sulfanilamide," Journal of the American Chemical Society, 61, 613-616, 1939.
- Bearden, Jr.J.C., "Quantitation of Submicrogram Quantities of Protein by an Improved Protein-Dye Binding Assay," Biochimica et Biophysica Acta, 533, 525-529, 1978.
- Bell, P.H., and R.O. Roblin, "Studies in Chemotherapy. VII. A Theory of the Relation of Structure to Activity of Sulfanilamide Type Compounds," Journal of the American Chemical Society, 64, 2905-2917, 1942.
- Benesch, R., and R.E. Benesch, "Determination of -SH Groups in Proteins," Methods of Biochemical Analysis (Glick, D., ed.), Vol. X, pp. 43-70, Interscience Publishers, New York, 1962.
- Bock, L., G.H. Miller, K.J. Schaper, and J.K. Seydel, "Sulfonamide Structure-Activity Relationship in a Cell-Free System. 2. Proof for the Formation of a Sulfonamide-Containing Folate Analog,

- Journal of Medicinal Chemistry, 17(1), 23-28, 1974.
- Boyd, J.R. (ed.) Drug, Facts and Comparisons, pp. 1358-1359.
J.B. Lippincott Company, Philadelphia, 1983.
- Boyer, P.D., "Spectrophotometric Study of the Reaction of Protein Sulfhydryl Groups with Organic Mercurials," Journal of the American Chemical Society, 76, 4331-4337, 1954.
- Breuckner, A.H., "Sulfanilamide Activity as Influenced by Variation in pH of Culture Media," Yale Journal of Biology and Medicine, 15, 813, 1943.
- Brown, G.M., "The Biosynthesis of Folic Acid. II. Inhibition by Sulfonamides," The Journal of Biological Chemistry, 237(2), 536-540, 1962.
- _____. "The Biosynthesis of Pteridines," Advance in Enzymology (Meister, A., ed.) Vol. 35, pp. 35-77, John Wiley and Sons Inc., New York, 1971.
- _____. R.A. Weisman, and D.A. Molnar, "The Biosynthesis of Folic Acid I. Substrate and Cofactor Requirements for Enzymatic Synthesis by Cell-Free Extracts of Escherichia coli," The Journal of Biological Chemistry, 236(9), 2534-2543, 1961.
- Cautrecasas, P., "Protein Purification by Affinity Chromatography," The Journal of Biological Chemistry, 245, 3059-3065, 1970.
- Cowles, P.B., "The Possible Role of Ionization in the Bacteriostatic Action of the Sulfonamides," Yale Journal of the Biology and Medicine, 14, 599-604, 1942.

- Davis, B.J., "Disc Electrophoresis II : Method and Application to Human Serum Proteins," Annals of the New York Academy of Sciences, 121, 404-427, 1964.
- Deme, D., O.D. Trautmann, and F. Chatagner," The Thiol Groups of Rat Liver Cystathionase," Journal of Biochemistry, 20, 269-275, 1971.
- Domagk, G., "Chemotherapy of Bacterial Infections," Deutsche Medicinische Wochenschrift, 61, 250-253, 1935a.
- _____. "A New Class of Disinfectants," Deutsche Medicinische Wochenschrift, 61, 829-832, 1935b.
- Dudley, J.R., J.T. Thurston, F.C. Schaefer, D.H. Hansen, C.J. Hull, and P. Adams, "Cyanuric Chloride Derivatives III Alkoxy-s-Triazines," Journal of the American Chemical Society, 73, 2986-2990, 1951.
- Ferrone, R., "The Enzymatic Synthesis of Dihydropteroate and Dihydrofolate by Plasmodium berghei," Journal of Protozoology, 20(3), 459-464, 1973.
- _____. and S.R. Webb, "Kinetic Studies of Escherichia coli Dihydropteroate Synthetase," Chemistry and Biology of Pteridines (Pfleiderer, W., ed.), pp. 61-69, Walter de Gruyter, Berlin, 1975.
- Folin, O., and V. Ciocalteu, "Tyrosine and Tryptophane Determinations in Proteins," The Journal of Biological Chemistry, 73, 627-650, 1927.
- Foye, W.O., J.M. Kauffman, and W. Suttimool, "Synthesis of ω -(4-Aminophenylsulfonamido) alkyl Disulfides and Thiosulfates and Their Activity Against Dihydropteroate Synthetase from Sulfanilamide-

Resistant Neisseria gonorrhoeae," The Journal of Pharmaceutical Sciences, 71(7), 799-802, 1982.

Friedkin, M., E.J. Crawford, and D. Misra, "Reduction of Folate Derivatives with Dithionate in Mercaptoethanol," Federation Proceedings, 21, 176, 1962.

Fujita, T., and C. Hansch, "Analysis of the Structure-Activity Relationship of the Sulfonamide Drugs Using Substituent Constants," Journal of Medicinal Chemistry, 10(6), 991-1000, 1967.

Gelmo, P., "Sulphonamides of p-Aminobenzenesulphonic Acid," Journal fuer Praktische Chemie, 77, 369-382, 1908.

Giannini, M., and P.L. Gallice, "Sulfonamide Derivatives of Methionine," Farmco. Edizicne. Scientifica, 11, 744-749, 1956.

Gilbert III, H.F., and M.H. O'Leary, "Modification of Arginine and Lysine in Proteins with 2,4-Pentanedione," Biochemistry 14(23), 5194-5198, 1975.

Glazer, A.N., R.J. Delange, and D.S. Sigman, Laboratory Techniques in Biochemistry and Molecular Biology : Chemical Modification of Proteins, pp. 13-120, North-Holland Publishing Company, Amsterdam, 1975.

Gold, A.M., and D. Fahrney, "Sulfonyl Fluorides as Inhibitors of Esterases. II. Formation and Reactions of Phenylmethanesulfonyl α -Chymotrypsin," Biochemistry, 3(6), 783-791, 1964.

Gomi, T., and M. Fujioka, "Inactivation of Rat Liver S-Adenosylhomocysteinase by Iodoacetamide," Biochemistry, 21, 4171-4176, 1982.

- Hansch, C., and E. Coats, " α -Chymotrypsin : A Case Study of Substituent Constants and Regression Analysis in Enzymatic Structure-Relationships," Journal of Pharmaceutical Sciences, 59(6), 731-743, 1970.
- Heidelberger, M., and W.A. Jacobs, "Synthesis in the Cinchona Series. III. Azo Dyes Derived from Hydrocuproine and Hydrocupreidine," Journal of the American Chemical Society, 41, 2131-2147, 1919.
- Ho, R.I., L. Corman, and W.O. Foye, "Synthesis and Biological Evaluation of 2-Amino-4-Hydroxy-6-Hydroxymethylpteridine Pyrophosphate," Journal of Pharmaceutical Sciences, 63, 2077-2082, 1974a.
- _____. _____, S.A. Morse, and M.S. Astenstein, "Alteration in Dihydropteroate Synthase in Cell-Free Extract of Sulfanilamide-Resistant Neisseria meningitidis and Neisseria gonorrhoeae," Antimicrobial Agents and Chemotherapy, 5(4), 388-392, 1974.
- _____. _____, _____, and H. Schneider, "Structure-Activity of Sulfones and Sulfonamides on Dihydropteroate Synthetase from Neisseria meningitidis," Antimicrobial Agents and Chemotherapy, 6, 758-763, 1975.
- Iwai, K., and M. Kobashi, "The Biosynthesis of Folic Acid and Pteridine Cofactor(s) and Its Regulation," Chemistry and Biology of Pteridines (Pfleiderer, W., ed.), pp. 341-359, Walter de Gruyter, Berlin, 1975.
- _____. _____, and O. Okinaka, "Radioassay for Dihydropteroate-Synthesizing Enzyme Activity," Method in Enzymology (Mecormick, D.B., and L.D. Wright, eds.), Vol. 66, pp. 560-564, Academic Press, New York, 1980.

- Jaenicke, L., and P.C. Chan, "Biosynthesis of Folic Acid," Angewandete Chemie, 72, 752-753, 1960.
- Kolloff, H.G., "Water Soluble Derivatives of p-Aminobenzenesulfonamide. I.," Journal of the American Chemical Society, 60, 950-951, 1938.
- Kongkiattikajorn, J., "Role of Hydrophobic Side Chain of p-Aminobenzenesulfonamidoalkanoic Acids on the Inhibition of Dihydropteroate Synthase from Escherichia coli," Master Thesis, Department of Biochemistry, Graduate School, Chulalongkorn University, 1984.
- Lang, T., C.J. Suckling, and H.C.S. Wood, "Affinity Chromatography using Agarose-Triazine Derivatives," Journal of Chemical Society Perkin Transaction I, 2189-2194, 1977.
- Leo, A., C. Hansch, and D. Elkins, "Partition Coefficients and Theirs Uses," Chemical Reviews, 71(6), 525-616, 1971.
- Lowry, O.H., N.J. Rosenbrough, A.L. Farr, and R.L. Randell, "Protein Measurment with Folin Phenol Reagent," Journal of Biological Chemistry, 193, 265-275, 1951.
- Luria, S.W., J.N. Adam, and R.C. Teng, "Transduction of Lactose Utilizing Ability among Strains of Escherichia coli and Shigella dysenteriae and Properties of the Transduction Phage Particles," Virology, 12, 348-390, 1960.
- McCullough, J.L., and T.H. Maren, "Inhibition of Dihydropteroate Synthase from Escherichia coli by Sulfones and Sulfonamides," Antimicrobial Agents and Chemotherapy, 3, 665-669, 1973.

- _____. "Dihydropteroate Synthetase from Plasmodium berghei : Isolation, Properties and Inhibition by Dapsone and Sulfadiazine," Molecular Pharmacology, 10, 140-145, 1974.
- McIllwain, H., "Bacterial Inhibition by Metabolite Analogues of Pantothenic Acid," Biochemistry Journal, 36, 417-427, 1942.
- Miller, G.M., P.H., Doukos, and J.K. Seydel, "Sulfonamide Structure-Activity Relationship in a Cell-Free System. Correlation of Inhibition of Folate Synthesis with Antibacterial Activity and Physicochemical Parameters," Journal of Medicinal Chemistry, 15(7), 700-706, 1972.
- Mitsuda, H., and Y. Suzuki, "Biochemical Studies on Pteridines in Plants, III, Biogenesis of Folic Acid in Green Leaves; Inhibitors Acting on the Biosynthesis Pathway for the Formation of Dihydropteroic Acid from Guanylic Acid," The Journal of Vitaminology, 14, 106-120, 1968.
- Muir, R.D., V.J. Shamleffer, and L.R. Jones, "Studies Pertaining to the Antibacterial Activity of Sulfathiazole and Its Methyl Derivative," Journal of Bacteriology, 44, 95-110, 1942.
- Nagai, M., "Studies on Sepiaterin Reductase : Further Characterization of the Reduction Product," Archives of Biochemistry and Biophysics, 126, 426-435, 1968.
- Nazaki, Y., and C. Tanford, "The Solubility of Amino Acids and Two Glycine Peptides in Aqueous Ethanol and Dioxane Solutions," The Journal of Biological Chemistry, 246(7), 2211-2217, 1971.

- Okinaka, O., and K. Iwai, "A Radioassay for Dihydropteroate-Synthesizing Enzyme Activity," Analytical Biochemistry, 31, 174-182, 1969.
- _____. "The Biosynthesis of Folic Acid Compounds in Plants IV. Purification and Properties of the Dihydropteroate-Synthesizing Enzyme from Pea Seedlings," The Journal of Vitaminology, 16, 201-209, 1970.
- Ortiz, P.J., "Dihydrofolate and Dihydropteroate Synthesis by Partially Purified Enzymes from Wild-Type and Sulfonamide-Resistant Pneumococcus," Biochemistry 9(2), 335-361, 1970.
- _____. and R.D. Hotchkiss, "The Enzymatic Synthesis of Dihydrofolate and Dihydropteroate in Cell-Free Preparation from Wild-Type and Sulfonamide-Resistant Pneumococcus," Biochemistry, 5(1), 67-73, 1966.
- Osborn, M.J., and F.M. Huennekens, "Enzymatic Reduction of Dihydrofolic Acid," Journal of Biological Chemistry, 233(4), 969-974, 1958.
- Osol, A.(ed.), Remington's Pharmaceutical Sciences, pp. 1113-1121, Mack Publishing Company, Easton, 16 th ed., 1980.
- Priemon, R.A. (ed.), "Standard Test Method for Sulfur in Petroleum Products (General Bomb Method)," Petroleum Products and Lubricants (I) : D56-D1660, Vol. 1, Sect. 5, pp. 101-104, American Society for Testing and Materials, Philadelphia, 1983.
- Richey, D.P., and G.M. Brown, "The Biosynthesis of Folic Acid. IX. Purification and Properties of the Enzymes Required for the Formation of Dihydropteroic Acid," The Journal of Biological Chemistry, 244(6), 1582-1592, 1969.

- Riordan, J.F., "Functional Arginyl Residues in Carboxypeptidase A. Modification with Butanedione," Biochemistry, 12(20), 3915-3923, 1973.
- Roblin, R.O., and P.H. Bell, "The Relation of Structure to Activity of Sulfonamide Type Compounds," Annals New York Academy of Science, 44, 449, 1943.
- Roland, S., R. Ferone, R.J. Harvey, V.L. Styles, and R.W. Morrison, "The Characteristics and Significance of Sulfonamides as Substrates for Escherichia coli Dihydropteroate Synthase," The Journal of Biological Chemistry, 254(20), 10337-10345, 1979.
- Sai-Ubol, N., "Effect of Sulfonamides on Dihydropteroate Synthase from Escherichia coli," Master Thesis, Department of Biochemistry, Graduate School, Chulalongkorn University, 1983.
- Seydel, J.K., "Sulfonamides, Structure-Activity Relationship, and Mode of Action," Journal of Pharmaceutical Sciences, 57(9), 1455-1478, 1968.
- Shiota, T., C.M. Baugh, R. Jackson, and R. Dillard, "The Enzymatic Synthesis of Hydroxymethyldihydropteridine Pyrophosphate and Dihydrofolate," Biochemistry, 8(12), 5022-5028, 1969.
- _____, and M.N. Disraely, "The Enzyme Synthesis of Dihydrofolate from 2-Amino-4-Hydroxy-6-Hydroxymethyldihydropteridine and p-Aminobenzoylglutamate by Extracts of Lactobacillus plantarum," Biochimica et Biophysica Acta, 52, 467-473, 1961.
- _____. _____, and M.P. McCann, "The Enzymatic Synthesis of Folic-Like Compound from Hydroxymethyldihydropteridine Pyrophosphate," The Journal of Biological Chemistry, 239(7), 2259-2266, 1964.

- Suckling, C.J., J.R. Sweeney, and H.C.S. Wood, "Dihydropteroate Synthase: Purification by Affinity Chromatography and Mechanism of Action," Journal of Chemical Society Perkin Transaction I, 439-442, 1977.
- Swedberg, G., S. Castensson, and O. Skold, "Characterization of Mutationally Altered Dihydropteroate Synthase and Its Ability to Form a Sulfonamide-Containing Dihydrofolate Analog," Journal of Bacteriology, 137(1), 129-136, 1979.
- Takahashi, K., "The Reaction of Phenylglyoxal with Arginine Residues in Proteins," The Journal of Biological Chemistry, 243(23), 6171-6179, 1968.
- Thijssen, H.H.W., "A Simplified Radioassay Method for Dihydropteroate Synthase Activity in Escherichia coli and Its Application for an Inhibition Study of p-Aminobenzoic Acid Derivatives," Analytical Biochemistry, 53(2), 579-585, 1973.
- _____. "Relation Between Structure of Sulphonamides and Inhibition of H₂-Pterate Synthesis in Escherichia coli," Journal of Pharmacy and Pharmacology, 26, 228-234, 1974.
- _____. "p-Aminobenzoic Acid Derivatives as Inhibitors of the Cell-Free H₂-Pterate Synthesizing System of Escherichia coli," Journal of Medicinal Chemistry, 20(2), 233-236, 1977.
- _____. "Cell-Free Dihydropteroate Synthetase Activity : Its Use to Investigate the Relationship Between Structure and Activity of p-Aminobenzoic Derivatives," Method in Enzymology (Mecormick, D.B., and L.D. Wright, eds.), Vol. 66, pp. 570-576, Academic Press, New York, 1980.

- Walter, R.D., and E. König, "Biosynthesis of Folic Acid Compounds in Plasmodia. Purification and Properties of the 7,8-Dihydropteroate-Synthesizing Enzyme from Plasmodium chabaudi," Hoppe-Seyler's Zeitschrift Fur Physiologische Chemie, 355, 431-437, 1974.
- Weber, K., and M. Osborn, "The Reliability of Molecular Weight Determinations by Dodecyl Sulfate-Polyacrylamide Gel Electrophoresis," The Journal of Biological Chemistry, 244(16), 4406-4412, 1969.
- Weisman, R.A., and G.M. Brown, "The Biosynthesis of Folic Acid. V. Characteristics of the Enzyme System that Catalyses the Synthesis of Dihydroptericoic Acid," The Journal of Biological Chemistry, 239(1), 326-331, 1964.
- Woods, D.D., "The Relation of p-Aminobenzoic Acid to the Mechanism of the Action of Sulfanilamide," British Journal of Experimental Pathology, 21, 74-90, 1940.
- Work, T.S., and E. Work (eds.), An Introduction to Affinity Chromatography, pp. 423-424, North-Holland Publishing Company, Amsterdam, 1979.

ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย

BIOGRAPHY

Miss Nutcharat Tiewpiyakul was born on November 17, 1957 and graduated with the degree of Bachelor of Science in Medical Technology from Mahidol University in 1979.



ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย