



เอกสารอ้างอิง

1. Somtheimer, R.D., N. Rothfield, and J.N. Gilliam, "Lupus erythematosus," Dermatology in General Medicine (Filzpatrick, T.B., A.Z. Eisen, K.Wolff, I.M. Freedberg, and K.F. Austen, eds.), Vol 2, pp. 1816-1834, McGraw-Hill Book Co., United States of America, 3rd ed., 1987.
2. Gilliam, J.N., S.B. Cohen, R.D. Sontheimer, and S.J. Moschella, "Lupus erythematosus," Dermatology (Moschella S.L. and H.J. Hurley, eds.), Vol.2, pp.1087-1106, W.B. Saunders Co., Philadelphia, 2nd ed., 1985.
3. Tuffanelli, D.L., "Lupus erythematosus, " J Am Acad Dermatol, 4, 127-142, 1981.
4. Dubois, E.L., D.J. Wallace, D.L. Tuffanelli, J.H. Epstein, "Discoid lupus erythematosus," Dubois' Lupus Erythematosus (Wallace D.J. and E.L. Dubois), PP. 283-317, Lea and Febiger, Philadelphia, 3rd ed., 1987.
5. Tuffanelli, D.L., "Lupus erythematosus, " Arch Dermatol, 106, 553-566, 1972.
6. Millard, L.G., N.R. Rowell, and S.M. Rajah, "Histocompatibility antigens in discoid and systemic lupus erythematosus," Br J Dermatol, 96, 139-144, 1977.

7. Hashimoto, K., D.F. Thompson, "Discoid lupus erythematosus electron microscopic studies of paramyxovirus-like structures," Arch Dermatol, 101, 565-577, 1970.
8. Epstein, J.H., D.L. Tuffanelli, E.L. Dubois, "Light sensitivity and Lupus erythematosus," Arch Dermatol, 91, 483-485, 1965.
9. Lever, W.F., and G. Schamburg-Lever, Histopathology of the skin, PP. 445-457, J.B.Lippincott Company, Philadelphia, 6th ed., 1983.
10. Mehregan, A.H., " Lupus erythematosus and related conditions," Pinkus' Guide to Dermatohistopathology, PP.189-197, Appleton-Century-Crofts/Norwalk, connecticut, United States of America, 4th ed., 1986.
11. McKee, P.H., "Lupus erythematosus," Pathology of the skin, pp. 11.2-11.7, J.B.Lippincott Co., Philadelphia, 1989.
12. Tuffanelli, D.L., D. Key, K. Fukuyana, "Dermal-Epidermal Junction in Lupus erythematosus," Arch Dermatol, 99, 652-662, 1969.
13. Burnham, T.K., T.T. Neblett, and G. Fine , " The application of the Fluorescent antibody Technic to the investigation of lupus erythematosus and various dermatoses ,"  
J Invest Dermatol, 41 , 451-458, 1963.

14. Dahl, M.V., "Usefulness of direct immunofluorescence in patients with Lupus erythematosus," Arch Dermatol, 19, 1010-1017, 1983.
15. Harrist, T.J., M.C. Mihm, "The specificity and clinical usefulness of the lupus band test," Arthritis Rheum, 23, 479-490, 1980.
16. Millard, L.G., N.R. Rowell, "Abnormal Laboratory test results and their relationship to prognosis in discoid Lupus erythematosus," Arch Dermatol, 115, 1055-1058, 1979.
17. Rowell, N.R., "Laboratory abnormalities in the diagnosis and management of Lupus erythematosus," Br J Dermatol, 84, 210-216, 1971.
18. Mendel, M.J., R.I. Carr, W.L. Weston, et al., "Anti-native DNA antibodies in discoid Lupus erythematosus," Arch Dermatol, 106, 668-670, 1972.
19. Tanenbaum, L., D.L. Tuffanelli, "Antimalarial agents," Arch Dermatol, 116, 587-591, 1980.
20. Epstein, H.C., J.Z. Litt, "Discoid lupus erythematosus in a newborn infant," N Engl J Med, 265, 1106-1107, 1961.
21. Jackson, R., "Discoid Lupus in a newborn infant of a mother with lupus erythematosus," Pediatrics, 33, 425-430, 1964.

22. McCuistion, C.H., E.P. Schoch Jr, " Possible discoid Lupus erythematosus in a newborn infant," Arch Dermatol Syph, 70, 782-785, 1954.
23. Brustein, D., J.M. Rodrigues, W. Minkin, N.B. Robhan, " familial Lupus erythematosus," JAMA, 238, 2294-2296, 1977.
24. Vonderheid, E.C., P.G. Koblenzer, P.M. Ming, C.F. Burgoon, "Neonatal lupus erythematosus," Arch Dermatol, 112, 698-705, 1976.
25. Tuffanelli, D.L., "Lupus erythematosus Panniculitis (Profundus)," Arch Derm, 103, 231-242, 1971.
26. David, L.R., and H.J. Hurley, "Lichen Planus," Dermatology, (Moschella, S.L., and H.J. Hurley, eds.), Vol 1, pp. 529-535, W.B. Saunders Co. , Philadelphia, 2nd ed., 1985.
27. Kenneth, A.A, "Lichen planus," Dermatology in General Medicine (Fitzpatrick, T.B., A.Z. Fisen, K. Welff, I.M. Freedberg, and K.F. Austen, eds.), Vol.1,pp. 967-973, McGraw-Hill Book co.,United States of America, 3rd ed., 1987.
28. Shiohara, T., N. Moriya, and M. Nagashima, " The lichenoid tissue reaction.A new concept of pathogenesis," Int J Dermatol, 27, 365-374, 1988.
29. Pinkus, H., " Lichenoid tissue reactions," Arch Dermatol, 107, 840-846, 1973.

30. Black, M.M., "The pathogenesis of lichen planus ,"  
Br J Dermatol, 86, 302-305, 1972.
31. Lowe, N.J., A.G. Cudworth, and J.C. Woodrow, " HLA antigens in Lichen planus," Br J Dermatol, 95, 169-171, 1976.
32. Sodaify, M., D.I. Vallium, " Familial Lichen planus: A case report," Br J Dermatol, 98 ,579-581, 1978.
33. McMillan, E.M., D. Martin, R. Wasik, M.A. Everett, " Demonstration in situ of "T" cells and "T" cell subsets in Lichen Planus using Monoclonal Antibody," J of Cutan Patho, 8, 228-234, 1981.
34. Walker, D.M., " Identification of subpopulations of Lymphocytes and macrophages in the infiltrate of lichen planus lesion of skin and oral mucosa," Br J Dermatol, 94, 529-534, 1976.
35. Lever, W.F., and G. Schanburg-Lever , Histopathollogy of the skin, pp. 151-156, J.B. Lippincott Company, Philadelphia, 6th ed., 1983.
36. McKee, P.H., " Lichen planus," Pathology of the skin, pp. 9.2-9.8, J.B. Lippincott Co., Philadelphia, 1989.
37. Mehregan, A.H., "Lichenoid and poikilodermatous tissue reactions," Pinkus' Guide to Dermatohistopathology, PP.125-137, Appleton-Century-Crofts/Norwalk, connecticut, United States of America, 4th ed., 1986.

38. Baart de la Faille-Kuyper, E.H., and H. Baart de la Faille, "An immunofluorescence study of Lichen Planus," Br J Dermatol, 90, 365-371, 1974.
39. Abell, E., D.G.C. Presbury, R. Marks, and D. Ramnarain, "The diagnostic significance of immuno-globulin and fibrin deposition in Lichen Planus," Br J Dermatol, 93, 17-24, 1975.
40. Michel, B, E.K. Sy, K. David, J.R. Haserick, "Immuno-fluorescent studies in Lichen Planus," J Invest Dermatol, 54, 428, 1970.
41. Bergfeld, W.F., R. Valenzuela, and E.H. Beutner, "Lichen planus," Immunopathology of the skin (Beutner, E.H., T.P. Chorzelski, V. Kumar), pp. 647-658, John Wiley & Sons Inc., 3rd ed. , 1987.
42. El-Labban, N.G., and I.R.H. Kramer, "Civatte bodies and the actively dividing epithelial cells in oral lichen planus," Br J Dermatol, 90, 12-23, 1974.
43. Ueki, H., "Hyaline Bodies in Subepidermal Papillae," Arch Derm, 100, 610-617, 1969.
44. Weedon, D., "Civatte Bodies and apoptosis," Br J Dermatol, 91, 357, 1974.
45. Sehgal, V.N., G.J.S. Abraham, and G.B. Malik, "Griseofulvin therapy in lichen planus. A double blind controlled trial," Br J Dermatol, 87, 383-388, 1972.

46. Goodman, J.R., R.A. Sylvester, N. Tabal, and D.L. Tuffanelli, "Virus-like structures in lymphocytes of patients with systemic and discoid lupus erythematosus," Ann Intern Med, 79, 396-402, 1973.
47. Schiodt, M., "Oral discoid lupus erythematosus.III. A histopathologic study of sixty-six patients," Oral Surg, 57, 281-293, 1984.
48. Hedberg, N., et al., "A semi-quantitative assessment of the histopathology of oral lichen planus," J Oral Pathol, 15, 268-272, 1986.
49. Nieboer, C., "The reliability of immunofluorescence and histopathology in the diagnosis of discoid lupus erythematosus and lichen planus," Br J Dermatol, 116, 189-198, 1987.
50. Davies, M.G., R. Marks, "Evolution of the lesion of discoid lupus erythematosus : a comparison with lichen planus," Br J Dermatol, 97, 313-322, 1977.
51. Camisa, C., J.C. Neff, R.G. Olsen, "Use of indirect immunofluorescence in the lupus erythematosus/lichen planus overlap syndrome: an additional diagnostic clue," J Am Acad Dermatol, 11, 1050-1059, 1984.
52. Ebner, H., and W. Gebhart, "Epidermal changes in lichen planus," J Cutan Pathol, 3, 167-174, 1976.

53. Johnson, F.R., and L. Fry, "Ultrastructural observations on lichen planus," Arch Dermatol, 95, 596-607, 1967.
54. Oslen, R.G., D.P. du Plessis, E.J. Schultz, et al, "Indirect immunofluorescence microscopy in lichen planus," Br J dermatol, 110, 9-15, 1984.
55. Binkley, W., J. Starsnic, R. Valenzuela, et al., "A Histochemical approach to the differentiation of lichen planus," Am J clin Pathol, 79, 486-488, 1983.
56. Danno, K., T. Horio, "Sulphydryl and disulphide stainings of subepidermal hyaline bodies," Br J Dermatol, 104, 437-442, 1981.
57. Shousha, S., J. Svirbely, "Immunohistochemical study of lichen planus," J clin Pathol, 30, 569-574, 1977.
58. Copeman, P.W.M., A.L. Schroeter, and R.R. Kierland, "An unusual variant of lupus erythematosus or lichen planus," Br J Dermatol, 83, 269-272, 1970.
59. Davies, M.G., A. Gorkiewicz, A. Knight, and R. Marks, "Is there a relationship between lupus erythematosus or lichen planus ?," Br J Dermatol, 96, 145-154, 1977.

60. Ahmed, A.R., P. Schreiber, W. Abramovits, M. Ostreicher, and N.J. Lowe, "Coexistence of lichen planus and systemic lupus erythematosus," J Am Acad Dermatol, 7, 478-483, 1982.
61. Romero, R.W., et al, "Unusual variant of lupus erythematosus or lichen planus .Clinical, Histopathologic and Immunofluorescence Studies," Arch Dermatol, 113, 741-748, 1977.
62. Jamison, T.H., N.M. Cooper, W.V. Epstein, "Lichen planus and discoid lupus erythematosus," Arch Dermatol, 114, 1039-1042, 1978.
63. Piamphongsant, T., S. Sawarrapreecha, P. Gritiyacangson, Y. Sawchome, P. Kullavanijaya, "Mixed lichen planus-lupus erythematosus disease," J Cutan Pathol, 5, 209-215, 1978.



นาย บุญยรัตน์ พุกกะเวส เกิดเมื่อวันที่ 26 มิถุนายน พ.ศ. 2506  
ที่จังหวัดกรุงเทพมหานคร จบแพทยศาสตร์บัณฑิต ปี พ.ศ. 2529 จาก  
คณะแพทยศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย