

REFERENCES

CHAPTER I

- Balthasar, S., Michaelis, K., Dinauer, N., Briesen, H.V., Kreuter, J., and Langer, K. (2005). Preparation and characterization of antibody modified gelatin nanoparticles as drug carrier system for uptake in lymphocytes. Biomaterials, 26, 2723-2732.
- Bhattarai, N., Edmonson, D., Veiseh, O., Matsen, F.A., and Zhang, M. (2005). Electrospun chitosan-based nanofibers and their cellular compatibility. Biomaterials, 26, 6176-6184.
- Blair, H.S., Guthrie, J., Law, T., and Turkington, P. (1987). Journal of Applied Polymer Science, 33, 641-656.
- Demirel, N. and Bulut, Y. (2003). Synthesis of chiral diaza 18-crown-6 ethers from chiral amines and molecular recognition of potassium and sodium salts of amino acids. Tetrahedron: Asymmetry, 14, 2633-2637.
- Dumitriu, S., Popa, M.I., Cringu, A., and Stratone, A. (1989). Bioactive polymers 61. Synthesis and characterization of some retard antibiotics. Colloid and Polymer Science, 267, 595-599.
- Hirano, S., Seino, H., Akiyama, Y., Nonoka, I. (1988). Biocompatibility of chitosan by oral and intravenous administrations. Polymer Material Science of Engineering, 59, 897-901.
- Hirano, S., Nakahira, T., Nakagawa, M., and Kim, S.K. (1999). The preparation and applications of functional fibres from crab shell chitin. Journal of Biotechnology, 70, 373-377.
- Horton, D. and Lineback D.R. (1965). *N*-Deacetylation (book chapter). Methods in Carbohydrate Chemistry, 5, 403-406.
- Huang, P.H., Lin, J.T., and Yeh, M.C.P. (2006). Self-assembly molecular architectures with novel cyclic dimmers. Journal of Organometallic Chemistry, 691, 975-982.

- Huang, Z.M., Zhang, Y.-Z., Kotaki, M., and Ramakrishna, S. (2003). A review on polymer nanofibers by electrospinning and their applications in nanocomposites. Composites Science and Technology, 63, 2223-2253.
- Huszthy, P., Köntös, Z., Vermes, B., and Pintér, A. (2001). Synthesis of novel fluorescent acridono and thioacridono-18-crown-6 ligands. Tetrahedron, 57, 4967-4975.
- Knaapila, M, Ruokolainen, J., Torkkeli, M., Serimaa, R., Horsburgh, L., Monkman, A.P., Bras, W., Brinke, G.t., and Ikkala, O. (2001). Self-organized supramolecules of poly(2,5-pyridinediyl). Synthetic Metals, 121, 1257-1258.
- Majerski, K.M. and Ramljak, T.S. (2002). Synthesis and alkali metal binding properties of novel *N*-adamantylaza-crown ethers. Tetrahedron, 58, 4893-4898.
- Mark, H.F., Bikales, N.M., Overberger, C. G., and Menges, G. (1985). Chitin. Encyclopedia of Polymer Science and Engineering (vol.3, pp.430-440). New York: John Wiley&Sons.
- Miriam de Souza Lima, M. and Borsali, R. (2004). Rodlike cellulose microcrystals: Structure, properties, and applications. Macromolecular Rapid Communication, 25, 771-787.
- Muzzarelli, R.A.A. (1988). Carboxymethylated chitins and chitosans. Carbohydrate Polymers, 8(1), 1-21.
- Nair, K.G., and Dufresne, A. (2003). Crab shell chitin whisker reinforced natural rubber nanocomposites. 1. Processing and swelling behavior. Biomacromolecules, 4, 657-665.
- Nishimura, S.I., Kohgo, O., and Kurita, K. (1991). Chemospecific manipulation of rigid polysaccharide: syntheses of novel chitosan derivatives with excellent solubility in common organic solvents by regioselective chemical modifications. Macromolecules, 24(17), 4745-4748.
- Park, J.H., Kwon, S., Lee, M., Chung, H., Kim, J.H., Kim, Y.S., Park, R.W., Kim, I.S., Seo, S.B., Kwon, I.C., and Jeong, S.Y. (2006). Self-assembled nanoparticles based on glycol chitosan bearing hydrophobic moieties as

- carriers for doxorubicin: In vivo biodistribution and anti-tumor activity. Biomaterials, 27, 119-126.
- Sannan, T., Kurita, K., and Iwakura, Y. (1976). Makromolekular Chemistry, 177, 3589-3600.
- Sugano, M., Fujikawa, T., Hiratsuji, Y., and Hasagaea, Y. (1978). Nitrition Reports International, 18, 531537.
- Sun, C., Zheng, X., and Jin, L. (2003). Supramolecular formation via hydrogen bonding in the Zn(II), Mn(II), and Cu(II) complexes with 3-hydroxypicolinic acid. Journal of Molecular Structure, 646, 201-210.
- Tanaka, M., Nakamura, M., Ikeda, T., Ikeda, K., Ando, H., Shibutani, Y., Yajima, S., and Kimura, K. (2001). Synthesis and metal-ion binding properties of monoazathiacrown ethers. Journal of Organic Chemistry, 66, 7008-7012.
- Trujillo, R. (1968). Carbohydrate Research, 7, 483.
- Wan, L., Wang, Y., and Qian, S. (2002). Study on the adsorption properties of novel crown ether crosslinked chitosan for metal ions. Journal of Applied Polymer Science, 84, 29-34.
- Xu, J., McCarthy, S.P., Gross, R.A., and Kaplan, D.L. (1996). Chitosan film acylation and effects on biodegradability. Macromolecules, 29(710), 3436-3440.
- Yang, Z., Wang, Y., and Tang, Y. (2000). Synthesis and adsorption properties for metal ions of mesocyclic diamine-grafted chitosan- crown ether. Journal of Applied Polymer Science, 75, 1255-1260.
- Zeng, X. and Ruckenstein, E. (1996). Control of pore size in macroporous chitosan and chitin membranes. Industrial & Engineering Chemistry Research, 35(11), 4169-4175.

CHAPTER II

- Avgoustakis, K., Beletsi, A., Panagi, Z., Klepetsanis, P., Karydas, A.G., and Ithakissios, D.S. (2002). PLGA-mPEG nanoparticles of cisplatin: in vitro nanoparticle degradation, in vitro drug release and in vivo drug residence in blood properties. Journal of Controlled Release, 79, 123-135.
- Aydin, Z. and Akbuğa, J. (1996). Chitosan beads for the delivery of salmon calcitonin: preparation and release characteristics. International Journal of Pharmaceutics, 131, 101-103.
- Balthasar, S., Michaelis, K., Dinauer, N., Briesen, H.V., Kreuter, J., and Langer, K. (2005). Preparation and characterization of antibody modified gelatin nanoparticles as drug carrier system for uptake in lymphocytes. Biomaterials, 26, 2723-2732.
- Bégin, A. and Calsteren, M.R.V. (1999). Antimicrobial films produced from chitosan. International Journal of Biological Macromolecules, 26, 63-67.
- Bhattarai, N., Edmonson, D., Veiseh, O., Matsen, F.A., and Zhang, M. (2005). Electrospun chitosan-based nanofibers and their cellular compatibility. Biomaterials, 26, 6176-6184.
- Chiou, S.H. and Wu, W.T. (2004). Immobilization of *Candida rugosa* lipase on chitosan with activation of the hydroxyl groups. Biomaterials, 25, 197-204.
- Demirel, N. and Bulut, Y. (2003). Synthesis of chiral diaza 18-crown-6 ethers from chiral amines and molecular recognition of potassium and sodium salts of amino acids. Tetrahedron: Asymmetry, 14, 2633-2637.
- Dong, X.M., Kimura, T., Revol, J.F., and Gray, D.G. (1996). Effects of ionic strength on the isotropic-chiral nematic phase transition of suspensions of cellulose crystallites. Langmuir, 12, 2076-2082.
- Dumitriu, S., Popa, M.I., Cringiu, A., and Stratone, A. (1989). Bioactive polymers 61. Synthesis and characterization of some retard antibiotics. Colloid and Polymer Science, 267, 595-599.
- Gradiri, M.R., Granja, J.R., Milligan, R.A., McRee, D.E., and Khazanovich, N. (1993). Nature, 366, 324.

- Grenha, A., Seijo, B., and Remuñán-López, C. (2005). Microencapsulated chitosan nanoparticles for lung protein delivery. European Journal of Pharmaceutical Sciences, 25, 427-437.
- Heux, L., Chauve, G., and Bonini, C. (2000). Nonflocculating and chiral-nematic self-ordering of cellulose microcrystals suspensions in nonpolar solvents. Langmuir, 16, 8210-8212.
- Hirano, S., Seino, H., Akiyama, Y., Nonoka, I. (1988). Biocompatibility of chitosan by oral and intravenous administrations. Polymer Material Science of Engineering, 59, 897-901.
- Horton, D. and Lineback D.R. (1965). N-Deacetylation (book chapter). Methods in Carbohydrate Chemistry, 5, 403-406.
- Huang, Z.M., Zhang, Y.-Z., Kotaki, M., and Ramakrishna, S. (2003). A review on polymer nanofibers by electrospinning and their applications in nanocomposites. Composites Science and Technology, 63, 2223-2253.
- Huang, P.H., Lin, J.T., and Yeh, M.C.P. (2006). Self-assembly molecular architectures with novel cyclic dimmers. Journal of Organometallic Chemistry, 691, 975-982.
- Hun, D.N.S. (1992). Emerging Technologies for Materials and Chemicals from Biomass: New developments in cellulose derivatives and copolymers. In R.M. Rowell, T.P. Schultz, and R. Narayan (Eds.), American Chemical Society (pp. 476). ACS Symposium Series.
- Kendra, D.F. and Hadwiger, L.A. (1984). Characterization of the smallest chitosan oligomer that is maximally antifungal to *Fusarium soloni* and elicits pisatin formation in *Pisum sativum*. Experimental Mycology, 8, 276.
- Kurita, K., Koyama, Y., and Chikaoka, S. (1988b). Studies on chitin X VI. Influence of controlled side chain introduction to chitosan on the adsorption of copper (II) ion. Polymer Journal, 20(12), 1083-189.
- Kurita, K., Ameniya, J., and Ohya, Y. (1999). Comb-shaped chitosan derivatives having oligo(ethylene glycol) side chains. Polymer Bulletin, 42, 387-393.
- Madhally, S. V. and Matthew, H.W.T. (1999). Porous chitosan scaffolds for tissue engineering. Biomaterials, 20, 1133-1142.

- Mark, H.F., Bikales, N.M., Overberger, C. G., and Menges, G. (1985). Chitin. Encyclopedia of Polymer Science and Engineering (vol.3, pp.430-440). New York: John Wiley&Sons.
- Majerski, K.M. and Ramljak, T.S. (2002). Synthesis and alkali metal binding properties of novel *N*-adamantylaza-crown ethers. Tetrahedron, 58, 4893-4898.
- Min, B.M., Lee, S.W., Lim, J.N., You, Y., Lee, T.S., Kang, P.H., and Park, W.H. (2004). Chitin and chitosan nanofibers: electrospinning of chitin and deacetylation of chitin nanofibers. Biomaterials, 25, 1289-1297.
- Morin, A. and Dufresne, A. (2002). Nanocomposites of chitin whiskers from Riftia tubes and Poly(caprolactone). Macromolecules, 35, 2190-2199.
- Nair, K.G. and Dufresne, A. (2003). Crab shell chitin whisker reinforced natural rubber nanocomposites. 2. Mechanical behavior. Biomacromolecules, 4, 666-674.
- Nishi, N., Maekita, Y., Nishimura, S.I., Hasegawa, O., and Tokura, S. (1987). Highly phosphorylated derivatives of chitin, partially deacetylated chitin and chitosan as new functional polymers: metal binding property of the insolubilized materials. International Journal of Biological Macromolecules, 9, 109-114.
- Nishimura, S., Kohgo, O., and Kurita, K. (1991). Chemospecific manipulations of a rigid polysaccharide: Syntheses of novel chitosan derivatives with excellent solubility in common organic solvents by regioselective chemical modifications. Macromolecules, 24, 4745-4748.
- Ohgo, K., Zhao, C., Kobayashi, M., and Asakura, T. (2003). Preparation of non-woven nanofibers of *Bombyx mori* silk, *Samia Cynthia ricini* silk and recombinant hybrid silk with electrospinning method. Polymer, 44, 841-846.
- Ouchi, T., Nishizawa, H., and Ohya, Y. (1998). Aggregation phenomenon of PEG-grafted-chitosan in aqueous solution. Polymer, 39(21), 5171-5175.
- Paillet, M., and Dufresne, A. (2001). Chitin whisker reinforced thermoplastic nanocomposites. Macromolecules, 34, 6527-6530.

- Park, J.H., Kwon, S., Lee, M., Chung, H., Kim, J.H., Kim, Y.S., Park, R.W., Kim, I.S., Seo, S.B., Kwon, I.C., and Jeong, S.Y. (2006). Self-assembled nanoparticles based on glycol chitosan bearing hydrophobic moieties as carriers for doxorubicin: In vivo biodistribution and anti-tumor activity. Biomaterials, 27, 119-126.
- Pellegrino, J.J., Geer, S., Maegley, K., Rivera, R., Steward, D., and Ko, M. (1990). Chitin\Chitosan Membranes: Amino acid and Polypeptide Separations. Proceedings of Biochemical Eng VI, W.E. Goldstein, D. Dibiasio, and H. Pedersen, Ann. N.Y. Acad. Sci., Vol 589.
- Peng, C., Wang, Y., and Tang, Y. (1998). Synthesis of crosslinked chitosan-crown ethers and evaluation of these products as adsorbents for metal ions. Journal of Applied Polymer Science, 70, 501-506.
- Sakaguchi, T., Horikoshi, T., and Nakajima, A. (1981). Agricultural and Biological Chemistry, 45, 2191.
- Sannan, T., Kurita, K., and Iwakura, Y. (1976). Makromolekular Chemistry, 177, 3589-3600.
- Sashiwa, H. and Shigemasa, Y. (1999). Chemical modification of chitin and chitosan 2: preparation and water soluble of N-acylated or N-alkylated partially deacetylated chitins. Carbohydrate Polymers., 39, 127-138.
- Shan-Yang, L. and Ren-Ing, P. (1992). Chemical and Pharmaceutical Bulletin, 40(4), 1058-1060.
- Shimizu, Y., Kono, K., Kim, I.S., and Takagishi, T. (1995). Effects of added metal ions on the interaction of chitin and partially deacetylated chitin with an azo dye carrying hydroxyl group. Journal of Applied Polymer Science, 55, 255-261.
- Sugano, M., Fujikawa, T., Hiratsuji, Y., and Hasagaea, Y. (1978). Nitriton Reports International, 18, 531537.
- Sun, C., Zheng, X., and Jin, L. (2003). Supramolecular formation via hydrogen bonding in the Zn(II), Mn(II), and Cu(II) complexes with 3-hydroxypicolinic acid. Journal of molecular structure, 646, 201-210.
- Suzuki, S., Watanabe, T., Mikami, T., and Suzuki, M. (1986). Chitin in Nature and Technology, Plenum Press, New York and London.

- Tan, S., Wang, Y., Peng, C., and Tang, Y. (1999). Synthesis and adsorption properties for metal ions of crosslinked chitosan acetate crown ethers. Journal of Applied Polymer Science, 71, 2069-2074.
- Tanida, F., Tojima, T., Han, S.M., Nishi, N., Tokura, S., Sakairi, N., Seino, H., and Hamada, K. (1998). Novel synthesis of a water-soluble cyclodextrin-polymer having a chitosan skeleton. Polymer, 39(12), 5261-5263.
- Tojima, T., Katsuru, H., Han, S.M., Tanida, F., Nishi, N., Tokura, S., and Sakairi, N. (1998). Preparation of an α -cyclodextrin-linked chitosan derivatives via reductive amination strategy. Journal of Polymer Science: Part A: Polymer Chemistry, 36, 1965-1968.
- Wan, L., Wang, Y., and Qian, S. (2002). Study on the adsorption properties of novel crown ether crosslinked chitosan for metal ions. Journal of Applied Polymer Science, 84, 29-34.
- Yang, Z., Wang, Y., and Tang, Y. (2000). Synthesis and adsorption properties for metal ions of mesocyclic diamine-grafted chitosan- crown ether. Journal of Applied Polymer Science, 75, 1255-1260.
- Yang, Z. and Yuan, Y. (2001). Studies on the synthesis and properties of hydroxyl azacrown ether-grafted chitosan. Journal of Applied Polymer Science, 82, 1838-1843.
- Yoksan, R., Matsusaki, M., Akashi, M., and Chirachanchai, R. (2004). Controlled hydrophobic/hydrophilic chitosan: colloidal phenomena and nanosphere formation. Colloidal Polymer Science, 282, 337-342.

“Incorporation of comptothecin into *N*-phthaloyl chitosan-g-mPEG self-assembly micellar system”, European Journal of Pharmaceutics and Biopharmaceutics, in press.

4. Phongying, S., and Chirachanchai, S.*, “Chitosan functionalized with oxyethylene and azaethylene chains: A novel ion extraction material via chitosan colloidal state in aqueous solution”, Journal of Applied Polymer Science, to be submitted.
5. Phongying, S., Aiba, S., and Chirachanchai, S.*, “PEGylation of chitin whisker: A simple and effective pathway to establish steric stabilization”, Langmuir, to be submitted.
6. Phongying, S., Lertwattanaseri, T., and Chirachanchai, S.*, “Chitosan nanoscaffold”, Thai Patent Application, patent pending.

Proceeding:

1. Phongying, S. and Chirachanchai, S. (2003, July 17-18) Chitosan-PEG: An approach for a self supramolecular derivative. Proceeding of the National Chitin-Chitosan Conference, Bangkok, Thailand.
2. Phongying, S. and Chirachanchai, S. (2003, July 23-25) Chitosan-PEG: An approach for a self supramolecular derivative. Proceeding of advances in Petrochemicals and Polymers in the New Millennium, Bangkok, Thailand.
3. Phongying, S. and Chirachanchai, S. (2004, April 23-25) Supramolecular structured chitosan for metal ion recognition. Proceeding of RGJ-Ph.D. Congress, Pattaya, Thailand.
4. Phongying, S., Matsusaki, M., Akashi, M., and Chirachanchai, S. (2004, July 4-9) Chitosan conjugated amino acid: A novel derivative for drug delivery system. Proceeding of 40th IUPAC International Symposium on Macromolecules; World Polymer Congress (MACRO 2004), Paris, France.
5. Phongying, S., Kawasaki, N., Aiba, S. and Chirachanchai, S. (2005, September 11-15) Chitin nano-particles: An approach from chitin whiskers functionalization. Proceeding of EBS 2005 – 19th European Conference on Biomaterials, Sorrento, Italy.
6. Phongying, S., Aiba, S., and Chirachanchai, S. (2006, September 6-9) One pot preparation of chitosan nanoscaffold and its effective functionalization with sugar

for soft and cotton-like material. Proceeding of 10th International Conference on Chitin and Chitosan (10th I.C.C.C.) and 7th International Conference of the European Chitin Society (EUCHIS'06), Montpellier, France.

Presentations:

1. Phongying, S. and Chirachanchai, S. (2003, February 21-23) Chitosan with self segment of mPEG as an adsorption biomaterial. The 1st International 21 Century COE Symposium on Integrated EcoChemistry (COEIEC I Osaka), Osaka, Japan.
2. Phongying, S. and Chirachanchai, S. (2003, July 17-18) Chitosan-PEG: An approach for a self supramolecular derivative. The National Chitin-Chitosan Conference, Bangkok, Thailand.
3. Phongying, S. and Chirachanchai, S. (2003, July 23-25) Chitosan-PEG: An approach for a self supramolecular derivative. Advances in Petrochemicals and Polymers in the New Millennium, Bangkok, Thailand.
4. Phongying, S. and Chirachanchai, S. (2004, April 23-25) Supramolecular structured chitosan for metal ion recognition. RGJ-Ph.D. Congress, Pattaya, Thailand.
5. Phongying, S., Matsusaki, M., Akashi, M., and Chirachanchai, S. (2004, July 4-9) Chitosan conjugated amino acid: A novel derivative for drug delivery system. 40th IUPAC International Symposium on Macromolecules; World Polymer Congress (MACRO 2004), Paris, France
6. Phongying, S., Kawasaki, N., Aiba, S., and Chirachanchai, S. (2005, September 11-15) Chitin nano-particles: An approach from chitin whiskers functionalization. EBS 2005 – 19th European Conference on Biomaterials, Sorrento, Italy.
7. Phongying, S. and Chirachanchai, S. (2005, December 13-15) Chitosan whiskers production: An approach for nanoparticles. Biomass Asia Workshop 27, Bangkok, Thailand.
8. Phongying, S., Srihirun, Y., and Chirachanchai, S. (2006, February 22-24) From chitin flakes to chitosan nano-scaffold. The 23rd Annual Conference of The Microscopy Society of Thailand, Bangkok, Thailand.
9. Phongying, S., Aiba, S., and Chirachanchai, S. (2006, September 6-9) One pot preparation of chitosan nanoscaffold and its effective functionalization with sugar for soft and cotton-like material. 10th International Conference on Chitin and

Chitosan (10th I.C.C.C.) and 7th International Conference of the European Chitin Society (EUCHIS'06), Montpellier, France.

- 10 Phongying, S., Aiba, S., and Chirachanchai, S. (2006, September 9-13) A cotton-like chitosan. Thailand Research Expo 2006, Bangkok, Thailand.
- 11 Phongying, S., Aiba, S., and Chirachanchai, S. (2006, September 21-24) A potential novel material for absorbable wound dressing. Inno-bioplast, Bangkok, Thailand.