

REFERENCES

- [1] Krejci, N.C.; Cuono, C.B.; Langdon, C.R.; and McGuire J. In Vitro Reconstitution of Skin: Fibroblasts Facilitate Keratinocyte Growth and Differentiation on Acellular Reticular Dermis. Journal of Investigative Dermatology 97 (1991): 843-848.
- [2] Boyce, S.T.; and Warden, G.D. Principles and practices for treatment of cutaneous wounds with cultured skin substitutes. The American Journal of Surgery 183 (2002): 445-456.
- [3] Hodde, J. Review: Naturally Occurring Scaffolds for Soft Tissue Repair and Regeneration. Tissue Engineering 8(2) (2002): 295-308.
- [4] Tabata Y. Tissue Regeneration Based on Growth Factor Release: Review. Tissue Engineering 9(S1) (2003): S5-S15.
- [5] Walter, R.J.; Matsuda, T.; and Reyes, H.M. Characterization of Acellular Dermal Matrices (ADMs) prepared by two different methods. Burns 24 (1998): 104-113.
- [6] Chaplin, J.M.; Costantino, P.D.; Bederson, J.B.; Griffey, S.E.; and Wolpoe, M.E. Use of an Acellular Dermal Allograft for Dural Replacement: An Experimental Study. Neurosurgery 45 (1999): 320-327.
- [7] Medalie, D.A.; Eming, S.A.; Tompkins, R.G.; Yarmush, M.L.; Krueger, G.G.; and Morgan, J.R. Evaluation of Human Skin Reconstituted from Composite Grafts of Cultured Keratinocytes and Human Acellular Dermis Transplanted to Athymic Mice. Journal of Dermatology 107 (1996): 121-127.

- [8] Chen, R.N.; Ho, H.O.; Tsai, Y.T.; and Sheu, M.T. Process development of an acellular dermal matrix (ADM) for biomedical applications. Biomaterials 25 (2004): 2679-2686.
- [9] Chakrabarty, K.H.; Dawson, R.A.; Harris, P.; Layton, C.; Babu, M.; Gould, L.; Phillips, J.; Leigh, I.; Green, C.; Freedlander, E.; and Neil, S.M. Development of autologous human dermal-epidermal composites based on sterilized human allodermis for clinical use. British Journal of Dermatology 141 (1999): 811-823.
- [10] Ghosh, M.M.; Boyce, S.; Layton, C.; Freedlander, E.; and Neil, M.S. A Comparison of Methodologies for the Preparation of Human Epidermal-Dermal Composites. Annual of Plastic Surgery 39 (1997): 390-404.
- [11] Gawkrödger, D.J. Dermatology: An Illustrated Colour Text, 2nd ed., New York; Churchill Livingstone, 1997.
- [12] <http://sprojects.mmi.mcgill.ca/dermatology/epidermis.htm>
- [13] <http://sprojects.mmi.mcgill.ca/dermatology/dermis.htm>
- [14] Gulsun, E.; Sheridan, R.L. Fibroblasts improve performance of cultured composite skin substitutes on athymic mice. Burns 30 (2004): 322-328.
- [15] Cuono, C.B.; Langdon, R.; Birchall, N.; Barttelbort, S.; and McGuire, J. Composite Autologous-Allogeneic Skin Replacement: Development and Clinical Application. Plastic and Reconstruction Surgery 80 (1987): 626-635.
- [16] Junqueira, L.C.; Carneiro, J.; and Long, J.A. Basic Histology, 5th ed., USA; Prince-Hall 1986.
- [17] <http://wwwfac.mcdaniel.edu/Chemistry/CH3321JPGs/Proteins/Collagen.jpg>

- [18] <http://www.burn-recovery.org/injuries.htm>
- [19] <http://www.burn-recovery.org/images/skin-burn.gif>
- [20] <http://www.ufrgs.br/favet/imunovet/immuno/ch13/outline.htm>
- [21] <http://www.microscopyu.com/articles/fluorescence/filtercubes/dual/fitctr itc/images/fitctr itcspectrumfigure1.jpg>
- [22] Shakespeare, P.G. The role of skin substitutes in the treatment of burn injuries. Clinics in Dermatology 23 (2005): 413-418.
- [23] Bunaprasert, T. Concept of Artificial Skin (Tissue Engineering of Skin), in Wound Healing. Bangkok: Chulalongkorn University, 2004.
- [24] Rennekampff, H.O.; Kiessig, V.; and Hansbrough, J.F. Current Concepts in the Development of Cultured Skin Replacements. Journal of Surgical Research 62 (1996): 288-295.
- [25] Badylak, S.F. Xenogeneic extracellular matrix as a scaffold for tissue reconstruction. Transplant Immunology 12 (2004): 367-377.
- [26] Prunieras, M.; Regnier, M.; and Woodley, D.T. Methods for Cultivation of Keratinocytes with An air-liquid interface. Journal of Investigative Dermatology 81 (1983): 28s-33s.
- [27] Qian, T.; Hongreng, Z.; Zhongtao, Z.; Lei, W.; Guansen, N.; Ping, S.; and Zihao, L. Culture of rat keratinocytes with acellular pig dermis. British Journal of Plastic Surgery 56 (2003): 260-265.
- [28] Jones, I.; Currie, L.; and Martin, R. A guide to biological skin substitutes: review. British Journal of Plastic Surgery 55 (2002): 185-193.
- [29] Ruszczak, Z. Effect of Collagen Matrices on Dermal Wound Healing. Advanced Drug Delivery 55 (2003): 1595-1611.

- [30] Werner, S.; Smola, H.; Liao, X.; Longaker, M.T.; Krieg, T.; and Hofschneider, P.H. The function of KGF in morphogenesis of epithelium and reepithelialization of wounds. Science 266 (1994): 819-822.



VITAE

Mr. Sirapak Vongkulsiri was born in Bangkok, Thailand on March 27, 1982. He finished high school in 1999 from Triam Udon Suksa School. In 2002, he graduated from Faculty of Science, Chulalongkorn University with a Bachelor of Science in Genetics. After the graduation, he studied further in Faculty of Medicine in Master of Science (Medical Science), Chulalongkorn University.

Profile

- Prasongsuk, S.; Vongkulsiri, S.; Kositsup, B.; and Punnapayak, H. Anti-fungal activities of extracts from isolates of *Aureobasidium pullulans*. The IV Asia-Pacific Mycological Congress & The IX International Marine and Freshwater Mycology Symposium, 14-19 November, 2004, Chiang Mai, Thailand.