

REFERENCES

- Adams, J.M., and S. Cory. 1998. The Bcl-2 protein family: arbiters of cell survival. Science 281:1322-6.
- Akagi, Y., Ito, K., and S. Sawada. 1993. Radiation-induced apoptosis and necrosis in Molt-4 cells: a study of dose-effect relationships and their modification. Int J Radiat Biol 64:47-56.
- Amundson, S.A., Bittner, M., Chen, Y., Trent, J., Meltzer, P., and A.J. Fornace. 1999. Fluorescent cDNA microarray hybridization reveals complexity and heterogeneity of cellular genotoxic stress responses. Oncogene 18:3666-72.
- Anderson, R. 1992. Effects of low-dose radiation on the immune response. Chelsea, Michigan : Lewis Pub. Inc.
- Azzam, E.I., de Toledo, S.M., and J.B. Little. 2001. Direct evidence for the participation of gap junction-mediated intercellular communication in the transmission of damage signals from alpha -particle irradiated to nonirradiated cells. Proc Natl Acad Sci U S A 98:473-8.
- Bartelink, H., Begg, A.C., Martin, J.C., van Dijk, M., Moonen, L., van 't Veer, L.J., Van de Vaart, P., and M. Verheij. 2000. Translational research offers individually tailored treatments for cancer patients. Cancer J Sci Am 6:2-10.
- Bergonie, J., and L. Tribondeau. 1906. De quelques résultats de la radiothérapie et essai de fixation d'une technique rationnelle. Comptes-Rendus des Séances de l'Académie des Sciences 143:983-985.
- Berk, L., and P. Hodes. 1991. Roentgen therapy for infections: an historical review. Yale J Biol Med 64:155-165.
- Bonner, W.M. 2003. Low-dose radiation: thresholds, bystander effects, and adaptive

- responses. Proc Natl Acad Sci U S A 100:4973-5.
- Borges, H.L., Linden, R., and J.Y. Wang. 2008. DNA damage-induced cell death: lessons from the central nervous system. Cell Res 18:17-26.
- Branemark, P-I., Zarb, G., and T. Albrektsson. 1990. Osseointegration in clinical dentistry. Chicago : Quintessence.
- Burlacu, A. 2003. Regulation of apoptosis by Bcl-2 family proteins. J Cell Mol Med 7:249-57.
- Camplejohn, R.S., Hodgson, S., Carter, N., Kato, B.S., and T.D. Spector. 2006. Heritability of DNA-damage-induced apoptosis and its relationship with age in lymphocytes from female twins. Br J Cancer 95:520-4.
- Chae, I.H., Park, K.W., Kim, H.S., and B.H. Oh. 2004. Nitric oxide-induced apoptosis is mediated by Bax/Bcl-2 gene expression, transition of cytochrome c, and activation of caspase-3 in rat vascular smooth muscle cells. Clin Chim Acta 341:83-91.
- Chai, W.S., Zhu, X.M., Li, S.H., Fan, J.X., and B.Y. Chen. 2008. Role of Bcl-2 family members in caspase-3/9-dependent apoptosis during *Pseudomonas aeruginosa* infection in U937 cells. Apoptosis 13:833-43.
- Chao, D.T., and S.J. Korsmeyer. 1998. BCL-2 family: regulators of cell death. Annu Rev Immunol 16:395-419.
- Chendil, D., Oakes, R., Alcock, R.A., Patel, N., Mayhew, C., Mohiuddin, M., Gallicchio, V.S., and M.M. Ahmed. 2000. Low dose fractionated radiation enhances the radiosensitization effect of paclitaxel in colorectal tumor cells with mutant p53. Cancer 89:1893-900.
- Childs, E.W., Tharakan, B., Hunter, F.A., Isong, M., and N.D. Liggins. 2008.

- Mitochondrial complex III is involved in proapoptotic BAK-induced microvascular endothelial cell hyperpermeability. Shock 29:636-41.
- Clarke, A.R., Purdie, C.A., Harrison, D.J., Morris, R.G., Bird, C.C., Hooper, M.L., and A.H. Wyllie. 1993. Thymocyte apoptosis induced by p53-dependent and independent pathways. Nature 362:849-52.
- Csuka, O., Remenar, E., Koronczay, K., Doleschall, Z., and G. Nemeth. 1997. Predictive value of p53, Bcl2 and bax in the radiotherapy of head and neck cancer. Pathol Oncol Res 3:204-10.
- Dare, A., Hachisu, R., Yamaguchi, A., Yokose, S., Yoshiki, S., and T. Okano. 1997. Effects of ionizing radiation on proliferation and differentiation of osteoblast-like cells. J Dent Res 76:658-64.
- Datta, R., Kojima, H., Yoshida, K., and D. Kufe. 1997. Caspase-3-mediated cleavage of protein kinase C theta in induction of apoptosis. J Biol Chem 272:20317-20.
- Dent, P., Reardon, D.B., Park, J.S., Bowers, G., Logsdon, C., Valerie, K., and R. Schmidt-Ullrich. 1999. Radiation-induced release of transforming growth factor alpha activates the epidermal growth factor receptor and mitogen-activated protein kinase pathway in carcinoma cells, leading to increased proliferation and protection from radiation-induced cell death. Mol Biol Cell 10:2493-506.
- Dive, C., Gregory, C.D., Phipps, D.J., Evans, D.L., Milner, A.E., and A.H. Wyllie. 1992. Analysis and discrimination of necrosis and apoptosis (programmed cell death) by multiparameter flow cytometry. Biochim Biophys Acta 1133:275-85.
- Dugle, D.L., Gillespie, C.J., and J.D. Chapman. 1976. DNA strand breaks, repair, and

- survival in x-irradiated mammalian cells. Proc Natl Acad Sci U S A 73:809-12.
- Earnshaw, W.C., Martins, L.M., and S.H. Kaufmann. 1999. Mammalian caspases: structure, activation, substrates, and functions during apoptosis. Annu Rev Biochem 68:383-424.
- el-Deiry, W.S., Tokino, T., Velculescu, V.E., Levy, D.B., Parsons, R., Trent, J.M., Lin, D., Mercer, W.E., Kinzler, K.W., and B. Vogelstein. 1993. WAF1, a potential mediator of p53 tumor suppression. Cell 75:817-25.
- Eliseev, R.A., Zuscik, M.J., Schwarz, E.M., O'Keefe, R.J., Drissi, H., and R.N. Rosier. 2005. Increased radiation-induced apoptosis of Saos2 cells via inhibition of NFkappaB: a role for c-Jun N-terminal kinase. J Cell Biochem 96:1262-73.
- Elyaman, W., Terro, F., Suen, K.C., Yardin, C., Chang, R.C., and J. Hugon. 2002. BAD and Bcl-2 regulation are early events linking neuronal endoplasmic reticulum stress to mitochondria-mediated apoptosis. Brain Res Mol Brain Res 109:233-8.
- Enari, M., Sakahira, H., Yokoyama, H., Okawa, K., Iwamatsu, A., and S. Nagata. 1998. A caspase-activated DNase that degrades DNA during apoptosis, and its inhibitor ICAD. Nature 391:43-50.
- Feinendegen, L.E., Muhlensiepen, H., Lindberg, C., Marx, J., Porschen, W., and J. Booz. 1984. Acute and temporary inhibition of thymidine kinase in mouse bone marrow cells after low-dose exposure. Int J Radiat Biol Relat Stud Phys Chem Med 45:205-15.
- Feinendegen, L.E., Muhlensiepen, H., Bond, V.P., and C.A. Sondhaus. 1987.

- Intracellular stimulation of biochemical control mechanisms by low-dose, low-LET irradiation. Health Phys 52:663-9.
- Feinendegen, L.E., Bond, V.P., Booz, J., and H. Muhlensiepen. 1988. Biochemical and cellular mechanisms of low-dose effects. Int J Radiat Biol Relat Stud Phys Chem Med 53:23-37.
- Feinendegen, L.E., Loken, M.K., Booz, J., Muhlensiepen, H., Sondhaus, C.A., and V.P. Bond. 1995. Cellular mechanisms of protection and repair induced by radiation exposure and their consequences for cell system responses. Stem Cells 13 Suppl 1:7-20.
- Feinendegen, L.E., Bond, V.P., Sondhaus, C.A., and H. Muehlensiepen. 1996. Radiation effects induced by low doses in complex tissue and their relation to cellular adaptive responses. Mutat Res 358:199-205.
- Feinendegen, L.E. 2005. Evidence for beneficial low level radiation effects and radiation hormesis. Br J Radiol 925:3-7.
- Gal, T.J., Munoz-Antonia, T., Muro-Cacho, C.A., and D.W. Klotch. 2000. Radiation effects on osteoblasts in vitro: a potential role in osteoradionecrosis. Arch Otolaryngol Head Neck Surg 126:1124-8.
- Goldkorn, T., Balaban, N., Shannon, M., and K. Matsukuma. 1997. EGF receptor phosphorylation is affected by ionizing radiation. Biochim Biophys Acta 1358:289-99.
- Green, D.R., and J.C. Reed. 1998. Mitochondria and apoptosis. Science 281:1309-12.
- Gross, A., Yin, X.M., Wang, K., Wei, M.C., Jockel, J., Milliman, C., Erdjument Bromage, H., Tempst, P., and S.J. Korsmeyer. 1999. Caspase cleaved BID targets mitochondria and is required for cytochrome c release, while BCL-XL

- prevents this release but not tumor necrosis factor-R1/Fas death. J Biol Chem 274:1156-63.
- Hall, E. 2000. Radiobiology for the Radiologist. 5th ed. Philadelphia, Baltimore, New York : Williams & Wilkins.
- Herzog, K.H., Schulz, A., Buerkle, C., Gromoll, C., and J.S. Braun. 2007. Radiation induced apoptosis in retinal progenitor cells is p53-dependent with caspase-independent DNA fragmentation. Eur J Neurosci 25:1349-56.
- Hoeijmakers, J.H. 2001a. Genome maintenance mechanisms for preventing cancer. Nature 411:366-74.
- Hoeijmakers, J.H. 2001b. DNA repair mechanisms. Maturitas 38:17-22; discussion 22-3.
- Hosokawa, Y., Sakakura, Y., Tanaka, L., Okumura, K., Yajima, T., and M. Kaneko. 2005. Radiation-induced apoptosis is independent of caspase-8 but dependent on cytochrome c and the caspase-9 cascade in human leukemia HL60 cells. J Radiat Res (Tokyo) 46:293-303.
- Ikushima, T., Aritomi, H., and J. Morisita. 1996. Radioadaptive response: efficient repair of radiation-induced DNA damage in adapted cells. Mutat Res 358:193-8.
- Ikushima, T. 1999. Radioadaptive response: responses to the five questions. Hum Exp Toxicol 18:433-5.
- Jacobsson, M., Albrektsson, T., and I. Turesson. 1985a. Dynamics of irradiation injury to bone tissue. A vital microscopic investigation. Acta Radiol Oncol 24:343-50.
- Jacobsson, M., Jonsson, A., Albrektsson, T., and I. Turesson. 1985b. Alterations in

- bone regenerative capacity after low level gamma irradiation. A quantitative study. Scand J Plast Reconstr Surg 19:231-6.
- Kang, J.O., Hong, S.E., Kim, S.K., Kim, C.J., Lee, T.H., Chang, H.K., Shin, M.S., and H. Kim. 2006. Adaptive responses induced by low dose radiation in dentate gyrus of rats. J Korean Med Sci 21:1103-7.
- Karpinich, N.O., Tafani, M., Rothman, R.J., Russo, M.A., and J.L. Farber. 2002. The course of etoposide-induced apoptosis from damage to DNA and p53 activation to mitochondrial release of cytochrome c. J Biol Chem 277:16547-52.
- Kaseta, M.K., Khaldi, L., Gomatos, I.P., Tzagarakis, G.P., Alevizos, L., Leandros, E., Papagelopoulos, P.J., and P.N. Soucacos. 2008. Prognostic value of bax, bcl-2, and p53 staining in primary osteosarcoma. J Surg Oncol 97:259-66.
- Kastan, M. 1997. On the TRAIL from p53 to apoptosis? Nat Genet 17:130-1.
- Kastan, M.B., Onyekwere, O., Sidransky, D., Vogelstein, B., and R.W. Craig. 1991. Participation of p53 protein in the cellular response to DNA damage. Cancer Res 51:6304-11.
- Kastan, M.B., Zhan, Q., el-Deiry, W.S., Carrier, F., Jacks, T., Walsh, W.V., Plunkett, B.S., Vogelstein, B., and A.J. Jr. Fornace. 1992. A mammalian cell cycle checkpoint pathway utilizing p53 and GADD45 is defective in ataxia-telangiectasia. Cell 71:587-97.
- Kastan, M.B., Canman, C.E., and C.J. Leonard. 1995. P53, cell cycle control and apoptosis: implications for cancer. Cancer Metastasis Rev 14:3-15.
- Katiyar, S.K., Roy, A.M., and M.S. Baliga. 2005. Silymarin induces apoptosis primarily through a p53-dependent pathway involving Bcl-2/Bax, cytochrome c release, and caspase activation. Mol Cancer Ther 4:207-16.

- Kawakami, M., Inagawa, R., Hosokawa, T., Saito, T., and M. Kurasaki. 2008. Mechanism of apoptosis induced by copper in PC12 cells. Food Chem Toxicol 46:2157-64.
- Kerr, J.F., Wyllie, A.H., and A.R. Currie. 1972. Apoptosis: a basic biological phenomenon with wide-ranging implications in tissue kinetics. Br J Cancer 26:239-57.
- Kim, C.S., Kim, J.K., Nam, S.Y., Yang, K.H., Jeong, M., Kim, H.S., Kim, C.S., Jin, Y.W., and J. Kim. 2007. Low-dose radiation stimulates the proliferation of normal human lung fibroblasts via a transient activation of Raf and Akt. Mol Cells 24:424-30.
- Kojima, S., Ishida, H., Takahashi, M., and K. Yamaoka. 2002. Elevation of glutathione induced by low-dose gamma rays and its involvement in increased natural killer activity. Radiat Res 157:275-80.
- Korsmeyer, S.J. 1999. BCL-2 gene family and the regulation of programmed cell death. Cancer Res 59:1693s-1700s.
- Korystov, Y.N., Eliseeva, N.A., Kublik, L.N., and A.A. Narimanov. 1996. The effect of low-dose irradiation on proliferation of mammalian cells in vitro. Radiat Res 146:329-32.
- Lee, J.U., Hosotani, R., Wada, M., Doi, R., Kosiba, T., Fujimoto, K., Miyamoto, Y., Tsuji, S., Nakajima, S., Nishimura, Y., and M. Imamura. 1999. Role of Bcl-2 family proteins (Bax, Bcl-2 and Bcl-X) on cellular susceptibility to radiation in pancreatic cancer cells. Eur J Cancer 35:1374-80.
- Lee, J.W., Soung, Y.H., Kim, S.Y., Nam, S.W., Kim, C.J., Cho, Y.G., Lee, J.H., Kim,

- H.S., Park, W.S., Kim, S.H., Lee, J.Y., Yoo, N.J., and S.H. Lee. 2004. Inactivating mutations of proapoptotic Bad gene in human colon cancers. Carcinogenesis 25:1371-6.
- Lindsay, K.J., Coates, P.J., Lorimore, S.A., and E.G. Wright. 2007. The genetic basis of tissue responses to ionizing radiation. Br J Radiol 80 Spec No 1:S2-6.
- Luckey, T. 1980. Hormesis with ionizing radiation. Boca Raton : CRC Press.
- Luckey, T. 2006. Radiation hormesis: the good, the bad, and the ugly. Dose-Response 4:169-190.
- Macklis, R.M., and B. Beresford. 1991. Radiation hormesis. J Nucl Med 32:350-9.
- Mancini, M., Nicholson, D.W., Roy, S., Thornberry, N.A., Peterson, E.P., Casciola Rosen, L.A., and A. Rosen. 1998. The caspase-3 precursor has a cytosolic and mitochondrial distribution: implications for apoptotic signaling. J Cell Biol 140:1485-95.
- Margulies, B.S., Horton, J.A., Wang, Y., Damron, T.A., and M.J. Allen. 2006. Effects of Radiation Therapy on Chondrocytes In Vitro. Calcif Tissue Int 78:302-13.
- Mayneord, W.V., and R.H. Clarke. 1975. Carcinogenesis and radiation risk: a biomathematical reconnaissance. Br J Radiol Suppl 12:1-112.
- Menz, R. 1996. An assay for biological dosimetry based on induction of apoptosis in human T-lymphocytes. Ph.D., University of London.
- Merritt, A.J., Potten, C.S., Kemp, C.J., Hickman, J.A., Balmain, A., Lane, D.P., and P.A. Hall. 1994. The role of p53 in spontaneous and radiation-induced apoptosis in the gastrointestinal tract of normal and p53-deficient mice. Cancer Res 54:614-7.
- Miyashita, T., Krajewski, S., Krajewska, M., Wang, H.G., Lin, H.K., Liebermann,

- D.A., Hoffman, B., and J.C. Reed. 1994. Tumor suppressor p53 is a regulator of bcl-2 and bax gene expression in vitro and in vivo. Oncogene 9:1799-805.
- Miyashita, T., and J.C. Reed. 1995. Tumor suppressor p53 is a direct transcriptional activator of the human bax gene. Cell 80:293-9.
- Mothersill, C., and C. Seymour. 2001. Radiation-induced bystander effects: past history and future directions. Radiat Res 155:759-67.
- Muller, M., Strand, S., Hug, H., Heinemann, E.M., Walczak, H., Hofmann, W.J., Stremmel, W., Krammer, P.H., and P.R. Galle. 1997. Drug-induced apoptosis in hepatoma cells is mediated by the CD95 (APO-1/Fas) receptor/ligand system and involves activation of wild-type p53. J Clin Invest 99:403-13.
- Napier, I.D. 1999. Reference doses for dental radiography. Br Dent J 186:392-6.
- Narayanan, P.K., LaRue, K.E., Goodwin, E.H., and B.E. Lehnert. 1999. Alpha particles induce the production of interleukin-8 by human cells. Radiat Res 152:57-63.
- Norimura, T., Nomoto, S., Katsuki, M., Gondo, Y., and S. Kondo. 1996. p53 dependent apoptosis suppresses radiation-induced teratogenesis. Nat Med 2:577-80.
- Okazaki, R., Ootsuyama, A., and T. Norimura. 2007. TP53 and TP53-related genes associated with protection from apoptosis in the radioadaptive response. Radiat Res 167:51-7.
- Olive, P.L., and R.E. Durand. 1997. Apoptosis: an indicator of radiosensitivity in vitro? Int J Radiat Biol 71:695-707.
- Olive, P.L. 1998. The role of DNA single- and double-strand breaks in cell killing by ionizing radiation. Radiat Res 150:S42-51.
- Olivieri, G., Bodycote, J., and S. Wolff. 1984. Adaptive response of human

- lymphocytes to low concentrations of radioactive thymidine. Science 223:594-7.
- Oltvai, Z.N., Milliman, C.L., and S.J. Korsmeyer. 1993. Bcl-2 heterodimerizes in vivo with a conserved homolog, Bax, that accelerates programmed cell death. Cell 74:609-19.
- Park, M., Lee, S., Choi, S., Park, T., and D. You. 1998. Irradiation effect on the apoptosis induction in the human cancer cell lines and the gingival fibroblast. Korean J Oral Maxillofac Radiol 28:59-70.
- Pizzarello, D., and R. Witcofski. 1967. Basic Radiation Biology Philadelphia: Lea & Febiger.
- Preston, D.L., and D.A. Pierce. 1988. The effect of changes in dosimetry on cancer mortality risk estimates in the atomic bomb survivors. Radiat Res 114:437-66.
- Radford, I.R. 1985. The level of induced DNA double-strand breakage correlates with cell killing after X-irradiation. Int J Radiat Biol Relat Stud Phys Chem Med 48:45-54.
- Radford, I.R. 1986. Evidence for a general relationship between the induced level of DNA double-strand breakage and cell-killing after X-irradiation of mammalian cells. Int J Radiat Biol Relat Stud Phys Chem Med 49:611-20.
- Rakhorst, H.A., Tra, W.M., Posthumus-Van Sluijs, S.T., Hovius, S.E., Levendag, P.C., Kanaar, R., and S.O. Hofer. 2006. Quantitative analysis of radiation-induced DNA break repair in a cultured oral mucosal model. Tissue Eng 12:3395-403.
- Reed, J.C. 2000. Mechanisms of apoptosis. Am J Pathol 157:1415-30.
- Riley, P.A. 1994. Free radicals in biology: oxidative stress and the effects of ionizing radiation. Int J Radiat Biol 65:27-33.

- Rogakou, E.P., Pilch, D.R., Orr, A.H., Ivanova, V.S., and W.M. Bonner. 1998. DNA double-stranded breaks induce histone H2AX phosphorylation on serine 139. J Biol Chem 273:5858-68.
- Rogakou, E.P., Boon, C., Redon, C., and W.M. Bonner. 1999. Megabase chromatin domains involved in DNA double-strand breaks in vivo. J Cell Biol 146:905-16.
- Rothkamm, K., and M. Lobrich. 2003. Evidence for a lack of DNA double-strand break repair in human cells exposed to very low x-ray doses. Proc Natl Acad Sci U S A 100:5057-62.
- Salakou, S., Kardamakis, D., Tsamandas, A.C., Zolota, V., Apostolakis, E., Tzelepi, V., Papathanasopoulos, P., Bonikos, D.S., Papapetropoulos, T., Petsas, T., and D. Dougenis. 2007. Increased Bax/Bcl-2 ratio up-regulates caspase-3 and increases apoptosis in the thymus of patients with myasthenia gravis. In Vivo 21:123-32.
- Savitsky, K., Bar-Shira, A., Gilad, S., Rotman, G., Ziv, Y., Vanagaite, L., Tagle, D.A., Smith, S., Uziel, T., Sfez, S., Ashkenazi, M., Pecker, I., Frydman, M., Harnik, R., Patanjali, S.R., Simmons, A., Clines, G.A., Sartiel, A., Gatti, R.A., Chessa, L., Sanal, O., Lavin, M.F., Jaspers, N.G., Taylor, A.M., Arlett, C.F., Miki, T., Weissman, S.M., Lovett, M., Collins, F.S., and Y. Shiloh. 1995. A single ataxia telangiectasia gene with a product similar to PI-3 kinase. Science 268:1749-53.
- Seymour, C.B., Mothersill, C., and T. Alper. 1986. High yields of lethal mutations in somatic mammalian cells that survive ionizing radiation. Int J Radiat Biol Relat Stud Phys Chem Med 50:167-79.
- Shadley, J.D., Afzal, V., and S. Wolff. 1987. Characterization of the adaptive

- response to ionizing radiation induced by low doses of X rays to human lymphocytes. Radiat Res 111:511-7.
- Shadley, J.D., and S. Wolff. 1987. Very low doses of X-rays can cause human lymphocytes to become less susceptible to ionizing radiation. Mutagenesis 2:95-6.
- Shadley, J.D., and J.K. Wiencke. 1989. Induction of the adaptive response by X-rays is dependent on radiation intensity. Int J Radiat Biol 56:107-18.
- Shadley, J.D. 1994. Chromosomal adaptive response in human lymphocytes. Radiat Res 138:S9-12.
- Shaw, P., Bovey, R., Tardy, S., Sahli, R., Sordat, B., and J. Costa. 1992. Induction of apoptosis by wild-type p53 in a human colon tumor-derived cell line. Proc Natl Acad Sci U S A 89:4495-9.
- Smith, D.J., Ng, H., Kluck, R.M., and P. Nagley. 2008. The mitochondrial gateway to cell death. IUBMB Life 60:383-9.
- Stoetzer, O., Nussler, V., Darsow, M., Gullis, E., Pelka-Fleischer, R., Scheel, U., and W. Wilmanns. 1996. Association of bcl-2, bax, bcl-xL and interleukin-1-betaconverting enzyme expression with initial response to chemotherapy in acute myeloid leukemia. Leukemia 10 suppl 3:S18-S22.
- Strasser, A., Harris, A.W., Jacks, T., and S. Cory. 1994. DNA damage can induce apoptosis in proliferating lymphoid cells via p53-independent mechanisms inhibitable by Bcl-2. Cell 79:329-39.
- Susin, S.A., Lorenzo, H.K., Zamzami, N., Marzo, I., Brenner, C., Larochette, N., Prevost, M.C., Alzari, P.M., and G. Kroemer. 1999. Mitochondrial release of caspase-2 and -9 during the apoptotic process. J Exp Med 189:381-94.
- Szymczyk, K.H., Shapiro, I.M., and C.S. Adams. 2004. Ionizing radiation sensitizes

- bone cells to apoptosis. Bone 34:148-56.
- Tapio, S., and V. Jacob. 2007. Radioadaptive response revisited. Radiat Environ Biophys 46:1-12.
- Tepper, C.G., and M.F. Seldin. 1999. Modulation of caspase-8 and FLICE-inhibitory protein expression as a potential mechanism of Epstein-Barr virus tumorigenesis in Burkitt's lymphoma. Blood 94:1727-37.
- Terato, H., Tanaka, R., Nakaarai, Y., Hirayama, R., Furusawa, Y., and H. Ide. 2007. Analysis of complex DNA lesions generated by heavy ion beams. Nucleic Acids Symp Ser (Oxf) 51:221-2.
- Tonna, E.A., and M. Pavelec. 1970. Changes in the proliferative activity of young and old mouse skeletal tissues following Co60 whole-body irradiation. J Gerontol 25:9-16.
- Vivek, S., and W. Byron. 2000. Orofacial Implants. White, S. and M. Pharoah editors. In: Oral radiology : principles and interpretation, 622-635. St. Louise: Mosby.
- Wang, G.J., and L. Cai. 2000. Induction of cell-proliferation hormesis and cell survival adaptive response in mouse hematopoietic cells by whole-body low-dose radiation. Toxicol Sci 53:369-76.
- Watanabe, M., Suzuki, K., and S. Kodama. 2002. Specific gene expression by extremely low-dose ionizing radiation which related to enhance proliferation of normal human diploid cells. International Congress Series 1236:237-239.
- Weller, M. 1998. Predicting response to cancer chemotherapy: the role of p53. Cell Tissue Res 292:435-45.
- White S, Pharoah M, editors (2004). Oral Radiology: Principles and Interpretation St.Louis: Mosby.
- Williams, J.R., Zhang, Y., Zhou, H., Russell, J., Gridley, D.S., Koch, C.J., and J.B.

- Little. 2008. Genotype-dependent radiosensitivity: clonogenic survival, apoptosis and cell-cycle redistribution. Int J Radiat Biol 84:151-64.
- Wiren, K.M., Toombs, A.R., Semirale, A.A., and X. Zhang. 2006. Osteoblast and osteocyte apoptosis associated with androgen action in bone: requirement of increased Bax/Bcl-2 ratio. Bone 38:637-51.
- Yacoub, A., Miller, A., Caron, R.W., Qiao, L., Curiel, D.A., Fisher, P.B., Hagan, M.P., Grant, S., and P. Dent. 2006. Radiotherapy-induced signal transduction. Endocr Relat Cancer 13 Suppl 1:S99-114.
- Yamakawa, N., Takahashi, A., Mori, E., Imai, Y., Furusawa, Y., Ohnishi, K., Kirita, T., and T. Ohnishi. 2008. High LET radiation enhances apoptosis in mutated p53 cancer cells through Caspase-9 activation. Cancer Sci 99:1455-60.
- Yang, E., Zha, J., Jockel, J., Boise, L.H., Thompson, C.B., S.J. Korsmeyer. 1995. Bad, a heterodimeric partner for Bcl-XL and Bcl-2, displaces Bax and promotes cell death. Cell 80:285-91.
- Yin, X-M., Oltavi, Z., and S. Korsmeyer. 1994. BH1 and BH2 domains of BCL-2 are required for inhibition of apoptosis and heterodimerisation with BAX. Nature 369:321-323.
- Zhivotovsky, B., Joseph, B., and S. Orrenius. 1999. Tumor radiosensitivity and apoptosis. Exp Cell Res 248:10-7.

VITA

Sakarat Pramojanee, a daughter of Mr. Nakorn and Mrs. Punthip, was born in Republic of Phillipines in April 1973. She was married to Mr. Pitch. She began her elementary and high school education from Regina Cheli School, and Chiangmai University Demonstration School, respectively. She received Doctor of Dental Surgery Degree from Chiangmai University in 1997 and then in 1999 she had her further study in post-graduate program for 1 year and got the Graduate Diploma of Clinical Sciences (Maxillofacial Radiology) from Chulalongkorn University. She works as an instructor at the Department of Oral Radiology, Faculty of Dentistry, Chiangmai University, since April 1997.