

รายการอ้างอิง

1. Ratner, B.D. and Hoffman, A.S. (1976) Hydrogels for Medical and Related Applications. In Andrade, J.D.(ed.), pp1 ACS Symposium Series 31. Washington,DC : American Chemical Society.
2. Cifferi, R. (1938) Saggio di classificazione delle razze di manioca (Manihot esculenta Crantz). Relazioni Monografiche Agrarie Coloniali. 44 : 1 – 58.
3. Jackson, E.A. Brazil (1976) : National Alcohol Program . Process Biochem. 11[6] : 29 – 30.
4. Pomeranz, Y. (1985) Carbohydrate : Starch. Functional Properties of Food Components. pp. 25-90. New York : Academic Press.
5. Odian, G. (1991) Principles of Polymerization. 2nd. ed. pp. 212 – 213. New York : McGraw Hill,
6. Dave, A., Vaishnav, U., Desai, R., Shah, A., Ankleshwaria, B. and Mehta, M. (1995) On the Assessment of Hydrogels for Fluid Absorbency. J.App.Polym.Sci., 58: 853 – 859.
7. Tibor, K. (1983) Polymer Degradation. pp. 152 – 156. New York : Van Nostrand Reinhold Company, Inc.
8. Schnabel, W. (1981) Polymer Degradation, Principles and Practical Applications. pp. 154-177. New York, Hanser.
9. Sanyo Chemical Industries (1981), Jpn. Kokai Tokkyo Koho 8,132,514 .
10. Weaver, M.O., Montgomery, R.R., Miller, L.D., Sohns, V.E., Fanta, G.F., and Doane, W.M. (1977) A Practical Process for the Preparation of Super Slurper, a Starch-Based Polymer with a Large Capacity to Absorb Water. Die Starke. 29: 410-419.
11. Faullimel, J.G., Kiatkamjornwong, S. and Rungsriwong, N. (1989) Graft Copolymer of Acrylonitrile onto Cassava Starch : III. Effect of Gatinization Temperature on Water Absorption. J.Sci.res.Chula.univ. 14 : 12 – 17.
12. Faullimel, J.G., Kiatkamjornwong, S. and Rungsriwong, N. (1989) Graft Copolymer of Acrylonitrile onto Cassava Starch : I. Synthesis of Saponified Starch-g-Polyacrylonitrile by Manganic Pyrophosphate Initiation. J.Sci.res.Chula.univ. 13:42-49.

13. Kiatkamjornwong, S. and Wiwatwarrapan, C. (1994) Development of Cassava Starch Based High-water Absorbency Polymers for Agricultural Application. In O. Shiragami (ed.), Reports of research Assisted by the Asahi Glass Foundation. pp.623-633. Tokyo: Marunouchi Chiyoda-ku.
14. Sangsirimongkolying, R. (1996) Expanded-Scale Production of Highly Water Absorbing Polymer from Cassava Starch. Master degree of Science, Chemical Technology, Chulalongkorn University.
15. Lui, Z.S. and Rempel, G.L. (1997) Preparation of Superabsorbent Polymers by Crosslinking Acrylic acid and Acrylamide Copolymers. J.App.Polym.Sci. 64: 1345 – 1353.
16. Chen, J., Park, H. and Park, K. (1999) Synthesis of Superporous Hydrogels : Hydrogels with Fast Swelling and Superabsorbent Properties. J.Biomed.Master.Res. 44: 53 – 62.
17. Kiatkamjornwong, S., Chomsaksakul, W. and Sonsuk, M. (2000) Radiation Modification of Water Absorption of Cassava Starch by Acrylic acid/acrylamide. Radiation Physics and Chemistry. 59:413-427.
18. Athawale, V.D. and Lele, V. (2000) Factors Influencing Absorbent Properties of Saponified Starch-g-(acrylic acid-co-acrylamide). J.Appl.Polym.Sci. 77 : 2480 – 2485.
19. Raju, M.P., and Raju, K.M. (2001) Design and Synthesis of Superabsorbent Polymers. J.App.Polym.Sci. 80 : 2635 – 2639.
20. Goor, G., Kunkel, W., and Weiberg, O. (1989) Hydrogen peroxide . In Elvers, B., Hawkins, S., Ravenscroft, M., and Schulz, G. (eds.), Ullmann's Encyclopedia of Industrial Chemical. Vol. A13. 5th.ed. pp. 443-447. Weinheim : VCH Publisher.
21. Kirchner, J.R. (1984). Hydrogen Peroxide. In Mark, H.F., Othmer, D.F., Overberger, C.G., and Seaborg, G.T. (eds.) , Kirk-Othmer Encyclopedia of chemical Technology. Vol.13. 3rd.ed. pp.12-38. New York : John Wiley & Son, Inc.
22. Jaffe, G.M. (1984). Ascorbic Acid. In Mark, H.F., Othmer, D.F., Overberger, C.G., and Seaborg, G.T. (eds.), Kirk-Othmer Encyclopedia of chemical Technology. Vol.24. 3rd.ed. pp. 13. New York : John Wiley & Son, Inc.

23. Burns, J.J. (1963). Ascorbic Acid. Kirk-Othmer Encyclopedia of Chemical Technology. Vol.2. pp.747-757. New york : John Wiley.
24. Gemeinhart, R.A., Park ,H. and Park ,K., (2000) Pore Structure of Superporous hydrogels. Polymer for Advanced Technologies. 11: 617-625.



ประวัติผู้เขียนวิทยานิพนธ์

นางสาวเสาวนีย์ เลาะห์พงษ์พันธ์ เกิดวันที่ 30 ตุลาคม พ.ศ. 2521 ที่จังหวัดสมุทรสาคร สำเร็จการศึกษาปริญญาตรีวิทยาศาสตร์บัณฑิต สาขาวิชาเคมีวิศวกรรม ภาควิชาเคมีเทคนิค คณะวิทยาศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย ปีการศึกษา 2542 และศึกษาต่อในระดับปริญญามหาบัณฑิต เมื่อปีการศึกษา 2543