

รายการอ้างอิง

- Arceo N, Sauk JJ, Moehring J. Human periodontal cells initiate mineral-like nodules in vitro. *J Periodontol* 1991;62:500-3.
- Aukil I, Peterson E, Suggs C. Periodontal wound healing in the absence of periodontal ligament cells. *J Periodontol* 1987;58:71-7.
- Bashor MM. Balanced salt solutions and growth media. In Jakoby WB, Paston IH, editors. *Cell culture. Methods in enzymology*. London: Academic Press; 1979. p. 120-2.
- Becker W, Becker BE, Berg L, Prichard J, Caffesses R, Rosenberg E. New attachment after treatment with root isolation procedures: Report for treated class II and class III furcations and vertical osseous defects. *Int J Periodontics Restorative Dent* 1988;3: 8-23.
- Becker W, Becker BE, Prichard JF. Treatment of mandibular 3-wall intrabony defects by flap debridement and expanded polytetrafluoroethylene barrier membranes. Long term evaluation of 32 treated patients. *J Periodontol* 1993;64:1138-44.
- Becker W, Becker BE, Prichard JF, Caffesses R, Rosenberg E, Gian-Grosso J. Root isolation for new attachment procedures. A surgical and suturing method: Three case reports. *J Periodontol* 1987;58:819-26.
- Blank SB, Gher ME, Sandifer JB, Fucini SE, Richardson AC, Blumenthal NM. Comparative study of collagen and expanded polytetrafluoroethylene membranes in treatment of human class II furcation defects. *J Periodontol* 1994;65:598-604.
- Blumenthal NM. A clinical comparison of collagen membranes and e- PTFE membranes in the treatment of human mandibular buccal classII furcation defects. *J Periodontol* 1993;64:925-33.
- Blumenthal NM. The use of collagen membranes to guided regeneration of new connective tissue attachment in dogs. *J Periodontol* 1988;59:830-6.
- Blumenthal N, Steinberg J. The use of collagen membrane barriers in conjunction with combined demineralized bone collagen gel implants in human infrabony defects. *J Periodontol* 1990;61:319-27.

- Braye FM, Stefani A, Venet E, Pieptu D, Tissot E, Damour O. Grafting of large pieces of human reconstructed skin in porcine model. *Br J Plast Surg* 2001;54:532-33.
- Caffesses RG, Nasjleti CE, Morrison EC. Guided tissue regeneration: Comparison of bioabsorbable membrane and non-absorbable membranes. Histologic and histometric study in dogs. *J Periodontol* 1994;65:583-91.
- Card SJ, Caffesses RG, Smith B, Nasjleti CE. New attachment following the use of a resorbable membrane in treating periodontitis in beagle dogs. *Int J Periodontics Restorative Dent* 1989;9:59-69.
- Caton JG, Greenstein G. Biodegradable barrier and guided tissue regeneration. *Periodontology 2000* 1993a;1:36-45.
- Caton JG, Greenstein G. Factor related to periodontal regeneration. *Periodontology 2000* 1993b;1:9-15.
- Caton JG, Nyman S, Zanders HA. Histometric evaluation of periodontal surgery. Connective tissue attachment levels after four regenerative procedures. *J Clin Periodontol* 1980;7:224-31.
- Caton JG, Quinones CR. Etiology of periodontal diseases. *Curr Opin Dent* 1991;1:17-28.
- Caton JG, Zanders HA. The attachment between tooth and gingival tissue after periodic root planing and soft tissue curettage. *J Periodontol* 1979;50:462-6.
- Chung KM, Salkin LM, Stein MD, Freedman AL. Clinical evaluation of a biodegradable collagen membrane in guided tissue regeneration. *J Periodontol* 1990;61:732-6.
- Chung LY, Schmidt RJ, Hamlyn PF, Sagar BF, Andrew AM, Turner TD. Biocompatibility of potential wound management products; hydrogen peroxide generation by fungal chitin/chitosans and their effects on the proliferation of murine L929 fibroblast in culture. *J Biomed Mater Res* 1998;39:300-7.
- Cortellini P, Pini Prato G. Guided tissue regeneration with rubber dam: A five-case report. *Int J Periodontics Restorative Dent* 1994;14:8-15.
- Cortellini P, Pini Prato G, Tonetti M. Periodontal regeneration of human infrabony defects. I. Clinical measurements. *J Periodontol* 1993;64:254-60.
- Cortellini P, Pini Prato G, Tonetti M. Periodontal regeneration of human intrabony defects with bioresorbable membranes. A controlled clinical trial. *J Periodontol* 1996;67:217-23.

- Dodane V, Khan MA, Merwin JR. Effect of chitosan on epithelial permeability and structure. *Int J Pharm* 1999;182:21-32.
- Egelberg B. Regeneration and repair of periodontal tissue. *J Periodontol* 1987;22:233-42.
- Eickholz P, Kim T-S, Holle F. Guided tissue regeneration with non-resorbable and biodegradable barrier: 6 months results. *J Clin Periodontol* 1997;24:92-101.
- Ellegaard B, Karring T, Loe H. New periodontal attachment procedure based on retardation of epithelial migration. *J Clin Periodontol* 1974;1:75-88.
- Felt O, Buri P, Gurny R. Chitosan: A unique polysaccharide for drug delivery. *Drug Dev Ind Pharm* 1998;24:979-83.
- Fleisher N, De Waal H, Bloom A. Regeneration of lost attachment apparatus in the dog using Vicry absorbable mesh (Polyglactin 910). *Int J Periodontics Restorative Dent* 1988;8:45-54.
- Gager AH, Schultz AJ. Treatment of periodontal defects with an absorbable membrane (Polyglactin 910) with and without osseous grafting: Case report. *J Periodontol* 1991;62:226-83.
- Galgut PN. Oxidized cellulose mesh used as a biodegradable barrier membrane in the technique of guided tissue regeneration. A case report. *J Periodontol* 1990;61:766-8.
- Garrett S, Loos B, Chamberlain D, Egelberg J. Treatment of intraosseous periodontal with combined adjunctive therapy of citric acid conditioning, bone grafting and placement of collagenous membranes. *J Periodontol* 1988;59:383-9.
- Glenn AE, Veronica G, Timothy JN, Jacinta FW, Kathy AB. In vivo evaluation of a collagenous membrane as an absorbable adhesion barrier. *J Biomed Mater Res* 1997;34:291-7.
- Gottlow J. Guided tissue regeneration using bioresorbable and non-resorbable devices: Initial healing and long-term results. *J Periodontol* 1993;64:1157-65.
- Gottlow J, Karring T, Nyman S. Maintenance of new attachment gained through guided tissue regeneration. *J Clin Periodontol* 1992a;19:315-7.
- Gottlow J, Lundgren D, Nyman S. New attachment formation in monkey using GUIDOR[®], a bioabsorbable GTR-device (abstract). *J Dent Res* 1992b;71:297.

- Gottlow J, Karring T, Nyman S. Guided tissue regeneration following the treatment of "recession type defects" in the monkey. *J Periodontol* 1990;61:680-5.
- Gottlow J, Nyman S. Barrier membranes in the treatment of periodontal defects. *Curr Opin Periodontol* 1996;3:140-8.
- Gottlow J, Nyman S, Karring T, Lindhe J. New attachment formation as the result of controlled tissue regeneration. *J Clin Periodontol* 1984;11:494-503.
- Gottlow J, Nyman S, Lindhe J, Karring T, Wennström J. New attachment formation formation in the human periodontium by guided tissue regeneration. Case Report. *J Clin Periodontol* 1986;13:604-16.
- Humamno T, Teramatu A, Iizuka E, Abe K. Effect of polyelectrolyte complex (PEC) on human periodontal ligament fibroblast (HPLF) function II. Enhancement of HPLF differentiation and aggregation on PED by L-ascorbic and dexamethasone. *J Biomed Mater Res* 1997;34:70-7.
- Ikinchi G, Senel S, Akincibay H, Kas S, Ercis S, Wilson CG, Hincal AA. Effect of chitosan on a periodontal pathogen *Porphyromonas gingivalis*. *Int J Pharm* 2002;235:121-7.
- Karring T, Nyman S, Gottlow J, Laurell L. Development of the biologic concept of guided tissue regeneration – animals and human studies. *Periodontology* 2000 1993;1:26-35.
- Kayano T, Minouro N, Nagura M, Kubayashi K. Attachment and growth of culture fibroblasts cell on PVA/chitosan-blended hydrogels. *J Biomed Mater Res* 1998;39:486-90.
- Kianne DF, Lindhe J. Pathogenesis of periodontitis. In: Lindhe J, Karring T, Lang NP, editors. *Clinical periodontal and implant dentistry*. 3rd ed. Copenhagen: Munksgaard; 1997. p. 19-60.
- Klokkevold PR, Fukayama H, Sung EC, Bertolami CN. The effect of chitosan (poly-N-acetyl-glucosamine) on lingual hemostasis in heparinized rabbits. *J Oral Maxillofac Surg* 1999;57:49-52.
- Laurell L, Falk H, Fornell J. Clinical use of a resorbable matrix barrier in guided tissue regeneration therapy. Case series. *J Periodontol* 1994;65:967-75.
- Lee YM, Park YJ, Young KW, Lee SJ, Han SB, Klokkevold PR, et al. The bone regenerative effect of platelet-derived growth factor-BB delivered with a chitosan tricalcium phosphate sponge carrier. *J Periodontol* 2000a;71:418-24.

- Lee YM, Park YJ, Young KW, Lee SJ, Han SB, Klokkevold PR, et al. Tissue engineered bone formation using chitosan tricalcium phosphate sponge. *J Periodontol* 2000b; 71:410-7.
- Lekovic V, Kenny EB. Guided tissue regeneration using calcium phosphate implants together with 4 different membranes. A study on furcations in dogs. *J Periodontol* 1993;64:1154-6.
- Lowenguth RA, Bleiden TM. Periodontal regeneration: Root surface demineralized. *Periodontology* 2000 1993;1:54-67.
- Magnusson I, Batich C, Collins BR. New attachment formation following controlled tissue regeneration using biodegradable membranes. *J Periodontol* 1988;59:1-6.
- Melcher AH. On the repair potential of periodontal tissue. *J Periodontol* 1976; 47: 256-60.
- Mendieta C, Williams RC. Periodontal regeneration with bioresorbable membranes. *Curr Opin Periodontol* 1994;1:157-67.
- Metzler DG, Seamons BC, Mellonig JT, Gher ME, Gray JL. Clinical evaluation of guided tissue in the treatment of maxillary class II molar furcation invasion. *J Periodontol* 1991;62:353-60.
- Needleman IG, Smales FC, Martin GP. An investigation of bioadhesion for periodontal and oral mucosa drug delivery. *J Clin Periodontol* 1997;24:394-400.
- Needleman IG, Smales FC, Martin GP. Characterisation of bioadhesives for periodontal and oral mucosa drug delivery. *J Clin Periodontol* 1998;25:74-82.
- Nyman S, Gottlow J, Karring T, Lindhe J. The regenerative potential of the periodontal ligament. An experimental study in the monkey. *J Clin Periodontol* 1982a;9:257-65.
- Nyman S, Gottlow J, Karring T, Wennestörm J. New attachment formation by guided tissue regeneration. *J Periodontal Res* 1987;22:252-4.
- Nyman S, Karring T, Linhe J, Planten S. Healing following implantation of affected root into gingival connective tissue. *J Clin Periodontol* 1980;7:394-401.
- Nyman S, Lindhe J, Karring T, Rylander H. New attachment following surgical treatment of human periodontal disease. *J Clin Periodontol* 1982b;9:290-6.
- Nunthanid J, Puttipatkhachorn S, Yamamoto K, Peck GE. Physical properties and molecular behavior of chitosan films. *Drug Dev Ind Pharm* 2001;2:143-157.

- Ofori KK, Fell JT. Biphasic drug release: The permeability of films containing pectin, chitosan and HPMC. *Int J Pharm* 2001;226:139-45.
- O'Neal R, Wang HI, MacNeal RL, Somerman MJ. Cell and materials involved in guided tissue regeneration. *Curr Opin Periodontol* 1994;3:141-56.
- Paolantonio M, D'Archivio D, Di Placido G, Tumini V, Di Peppe G, Del Giglio Matarazzao A, et al. Expanded polytetrafluoroethylene and dental rubber dam barrier membranes in the treatment of periodontal intrabony defects. A comparative clinical trial. *J Clin Periodontol* 1998;25:920-8.
- Parodi R, Carusi G, Santarelli G, Nanni F, Pingitore R, Brunel G. Guided tissue regeneration employing a collagen membrane in a human periodontal bone defect: A histologic evaluation. *Int J Periodontics Restorative Dent* 1997;17:283-91.
- Patel D, Smith AW, Grist N, Barnet P, Smart JD. An in vitro mucosal model predictive of bioadhesive agents in the oral cavity. *Int J Pharm* 2000a;61:175-83.
- Patel D, Smith JR, Smith AW, Grist N, Barnet P, Smart JD. An atomic force microscopy investigation of bioadhesive polymer adsorption onto human buccal cells. *Int J Pharm* 2000b;200:271-77.
- Pfeifer J, Van Swol RL, Elinger R. Epithelial exclusion and tissue regeneration using a collagen membrane in chronic periodontal wound healing. *Int J Periodontics Restorative Dent* 1989;9:263-74.
- Pitaru S, Tal H, Solidinger M, Azar-Avidan O, Noff M. Collagen membrane prevents the apical migration of epithelium during periodontal wound healing. *J Periodontal Res* 1987;22:331-3.
- Pitaru S, Tal H, Soldinger M, Grosskopf A, Noff M. Partial regeneration of periodontal tissue using collagen barriers. Initial observations in the canine. *J Periodontol* 1988; 59:380-6.
- Polson AM. The root surface and regeneration: Present therapeutic limitation and future biologic potentials. *J Clin Periodontol* 1986;9:441-54.
- Pontoriero R, Lindhe J, Nyman S, Karring T, Rosenberg E, Sanavi F. Guided tissue regeneration in degree II furcation involved mandibular molars: A clinical study. *J Clin Periodontol* 1982;15:247-54.

- Pontoriero R, Lindhe J, Nyman S, Karring T, Rosenberg E, Sanavi F. Guided tissue regeneration in degree II furcation-involved mandibular molars: A clinical study. *J Clin Periodontol* 1988;15:247-54.
- Pontoriero R, Nyman S, Lindhe J, Rosenberg E, Sanavi F. Guided tissue regeneration in the treatment of furcation defects in mans. *J Clin Periodontol* 1987;14:618-20.
- Quiñones CR, Caffesses RG. Current status of guided periodontal tissue regeneration. *Periodontology* 2000 1995;9:55-68.
- Quiñones CR, Caton JG, Polson AM. Evaluation of synthetic biodegradable barriers to facilitate guided tissue regeneration in interproximal sites. *J Periodontol* 1991;62:86-9.
- Quiñones CR, Caton JG, Polson AM. Evaluation of synthetic biodegradable barriers to facilitate guided tissue regeneration. *J Periodontal Res* 1990;69:275-9.
- Quiñones CR, Huerzeler MB, Schupbach P. Treatment of intrabony defects in monkeys with a synthetic bioabsorbable barrier (abstract). *J Dent Res* 1994;73:380.
- Rao SB, Sharman CP. Use of chitosan as a biomaterial. Studies on safety and hemostatic potential. *J Biomed Mater Res* 1997;34:21-8.
- Reynolds MA, Bowers GM. Periodontal regeneration following surgical treatment. *Curr Opin Periodontol* 1996;3:126-139.
- Robert DM, Robert MF. Periodontal guided tissue regeneration with new resorbable polylactic acid membrane. *J Periodontol* 1993;64:414-6.
- Salama H, Rigotti F, Gianserra R, Seibert J. The utilization of rubber dam as a barrier membranes for the simultaneous treatment of multiple periodontal defects by the biologic principle of guided tissue regeneration: Case reports. *Int J Periodontics Restorative Dent* 1994;14:16-33.
- Sander L, Karring T. New attachment and bone formation in periodontal defects following treatment of submerged roots with guided tissue regeneration. *J Clin Periodontol* 1995;22:295-9.
- Sanz M, Zabalegui I, Villa A, Sicilia A. Guided tissue regeneration in human Class II furcations and interproximal infrabony defects after using a bioabsorbable membrane barrier. *Int J Periodontics Restorative Dent* 1997;17:563-73.
- Scantlebury TV. 1982-1992: A decade of technology development for guided tissue regeneration. *J Periodontol* 1993;64:1129-37.

- Schulz AJ, Gaher AH. Guided tissue regeneration using an absorbable membrane (Polylactin 910) and osseous grafting. *Int J Periodontics Restorative Dent* 1990;10:9-17.
- Sculean A, Chiantella GC, Reich E, Brex M. GTR with bioresorbable membranes in the treatment of intrabony defects: A clinical and histologic study. *Int J Periodontics Restorative Dent* 1999;19:501-9.
- Shah S, Qaqish R, Patel V, Amiji M. Evaluation of factors influencing stomach-specific delivery of antibacterial agents for *Helicobacter pylori* infection. *J Pharm Pharmacol* 1999;51:667-72.
- Shu XZ, Zhu KJ. A novel approach to prepare tripolyphosphate/chitosan complex beads for controlled release drug delivery. *Int J Pharm* 2000;201:51-8.
- Silparcha A, Hongprasong N. Treatment of periodontal lesion by guided tissue regeneration using rubber dam and bone graft material: Two cases report. *CU Dent J* 1998;21:119-26.
- Simion M, Trisi P, Malplione M, Piatelli A. A preliminary report on a method studying the permeability of expanded polytetrafluoroethylene membrane to bacteria in vitro: A scanning electron microscopic and histologic study. *J Periodontol* 1994;66:775-61.
- Singla AK, Chawla M. Chitosan: Some pharmaceutical and biological aspects-an update. *J Pharm Pharmacol* 2001;53:1047-67.
- Soane RJ, Frier M, Perkins AC, Jones NS, Davis SS, Illm L. Evaluation of the clearance characteristics of bioadhesive systems in humans. *Int J Pharm* 1999;18-78:55-65.
- Sukonpan C, Swasdison S, Hongprasong N. Silicone sheet. II. Treatment of the infrabony defect by using silicone sheet as a barrier membrane accompanied by bone graft. A case report. *J Dent Assoc Thai* 2001;51:320-6.
- Swasdison S, Apinhasmit W, Siri-Upathum C, Tungpitsityotin M, Pateepasen R, Suppipat N, et al. Chemical sterilization for barrier membranes is toxic to human gingival fibroblasts. *J Dent Assoc Thai* 2000;50:193-202.
- Takata T. Oral wound healing concepts in periodontology. *Curr Opin Periodontol* 1994;1:119-27.
- Tarsi R, Carbin B, Prozzo C, Muzzarelli RAA. Effect of low-molecular-weight chitosan on the adhesive properties of oral streptococci. *Oral Microbiol Immunol* 1998;13:217-24.

- Tarsi R, Muzzarelli RAA, Guzman CA, Prozzo C. Inhibition of *Streptococcus mutans* adsorption to hydroxyapatite by low-molecular weight chitosans. *J Dent Res* 1997;76:665-72.
- Trombelli L, Schincaglia GP, Scapoli S. Healing response of human buccal gingival recessions treated with expanded polytetrafluoroethylene membranes. A retrospective report. *J Periodontol* 1995;66:14-22.
- Usami Y, Okamoto Y, Takayama T, Shigemosa Y, Minami S. Chitin and chitosan stimulate canine polymorphonuclear cells to release leukotriene B₄ and prostaglandin E₂. *J Biomed Mater Res* 1998;42:517-22.
- Van Swol RL, Ellinger R, Pfeifer J, Nancy EB, Blumenthal NM. Collagen membrane barrier therapy to guided tissue regeneration in class II furcation in human. *J Periodontol* 1993;64:622-9.
- Vongsurasit T. Technic of preventing gingival recession from using rubber dam for GTR. A case report. *J Dent Assoc Thai* 1996;46:203-10.
- Wang L, Khor E, Lim L-Y. Chitosan-Alginate-CaCl₂ system for membrane coat application. *J Pharm Sci* 2001;90:1134-42.
- Warrer K, Karring T, Nyman S, Gottlow J. Clinical applications of membranes for obtaining new attachment (abstract). *J Dent Res* 1988;67:756.
- Warrer K, Sanchez R, Karring T. Guided tissue regeneration in recession type defects using a bioabsorbable Resolut[®] or non-resorbable Gor-tex[®] Periodontal Material (GTPM) membranes (abstract). *J Dent Res* 1994;73:380.
- Witschi C, Mrsny RJ. In vitro evaluation of microparticles and polymer gels for use as nasal platforms for protein delivery. *Pharm Res* 1999;16:382-90.
- Wong FC, Yuen KH, Peh KK. An in vitro method for buccal adhesion studies: Importance of instrument variables. *Int J Pharm* 1999;180:47-57.

ประวัติผู้เขียนวิทยานิพนธ์

นางสาวสุทธิพลินทร์ สุวรรณกุล เกิดเมื่อวันที่ 9 มีนาคม พ.ศ. 2517 ที่อำเภอเมือง จังหวัดยะลา สำเร็จการศึกษาทันตแพทยศาสตรบัณฑิต จากคณะทันตแพทยศาสตร์ มหาวิทยาลัยสงขลานครินทร์ ในปีการศึกษา 2540 และเข้าศึกษาต่อในหลักสูตรวิทยาศาสตรมหาบัณฑิต สาขาวิชาปริทันตศาสตร์ คณะทันตแพทยศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย เมื่อ พ.ศ. 2541 ปัจจุบันรับราชการตำแหน่งอาจารย์ที่คณะทันตแพทยศาสตร์ มหาวิทยาลัยนเรศวร อำเภอเมือง จังหวัดพิษณุโลก

