

## REFERENCES

1. Hennrich, G.; Anslyn, E. V. "1,3,5-2,4,6-Functionalized, Facially Segregated Benzenes-Exploitation of Sterically Predisposed Systems in Supramolecular Chemistry" *Chem. Eur. J.* **2002**, *8*, 2219-2224.
2. Hoffmann, R. W. "Conformation Design of Open-Chain Compounds" *Angew. Chem. Int. Ed.* **2000**, *39*, 2055-2070.
3. MacNicol, D. D.; Wilson, D. R. "Synthesis and Clathrate Cavity Geometry of a 2-Nor-Analogue of Dianin's Compound: X-ray Crystal Structure" *J. Chem. Soc., Chem. Commun.* **1976**, 355-356.
4. MacNicol, D. D.; Mallinson, P. R.; Murphy, A.; Sym, G. J. "An Efficient Synthesis of Hexa-Substituted Benzenes and the Discovery of a Novel Host Conformation for Hexakis( $\beta$ -naphthylthio)benzene" *Tetrahedron Lett.* **1982**, *23*, 4131-4135.
5. Gilmore, C. J.; MacNicol, D. D.; Murphy, A.; Russell, M. A. "Synthesis of Hexakis(aryloxy)benzenes: X-Ray Analysis of Hexakis(phenyloxy)benzene and of the Acetonitrile Clathrate of Hexakis(3,5-dimethylphenoxy)benzene" *Tetrahedron Lett.* **1983**, *24*, 3269-3272.
6. Vögtle, F.; Weber, E. "Octopus Molecules" *Angew. Chem. Int. Ed. Engl.* **1974**, *13*, 814-816.
7. Marks, V.; Gottlieb, H. E.; Biali, S. E. "Stereochemistry of Polyethylated Aromatic Systems" *Eur. J. Org. Chem.* **2003**, 1825-1835.
8. Iverson, D. J.; Hunter, G.; Blount, J. F.; Damewood, J. R., Jr.; Mislow, K. "Static and Dynamic Stereochemistry of Hexaethylbenzene of Its Tricarbonyl-chromium, Tricarbonylmolybdenum, and Dicarbonyl(triphenylphosphine)chromium Complexes" *J. Am. Chem. Soc.* **1981**, *103*, 6073-6083.

9. Osawa, E.; Musso, H. "Molecular Mechanics Calculation in Organic Chemistry: Examples of the Usefulness of this Non-Quantum Mechanical Model" *Angew. Chem. Int. Ed. Engl.* **1983**, *22*, 1-12.
10. Dougherty, D. A.; Mislow, K. "A Combination of Empirical Force Field and Extended Hückel Molecular Orbital Calculations as a Computational Approach to Conformational Analysis" *J. Am. Chem. Soc.* **1979**, *101*, 1401-1405.
11. Gottlieb, H. E.; Ben-Ari, C.; Hassner, A.; Marks, V. "Side-chain Rotational Processes in Pentaethylated Benzenes" *Tetrahedron* **1999**, *55*, 4003-4014.
12. Kilway, K. V.; Siegel, J. S. "Effect of Transition-Metal Complexation on the Stereodynamics of Persubstituted Arenes. Evidence for Steric Complementarity between Arene and Metal Tripod" *J. Am. Chem. Soc.* **1992**, *114*, 255-261.
13. Kilway, K. V.; Siegel, J. S. "Evidence for Gated Stereodynamics in [1,4-Bis(4,4-dimethyl-3-oxopentyl)-2,3,5,6-tetraethylbenzene]chromium Tricarbonyl" *J. Am. Chem. Soc.* **1991**, *113*, 2332-2333.
14. Chudek, J. A.; Hunter, G.; MacKay, R. L.; Kremminger, P.; Weissensteiner, W. "Restricted Rotation about a Metal-Arene Bond Caused by the Steric Effects of Proximal Groups; Stereodynamics of Some Complexes of 1,3,5-triethyl-2,4,6-tris(trimethylsilylmethyl)benzene" *J. Chem. Soc., Dalton Trans.* **1991**, 3337-3347.
15. (a) Lautens, M.; Klute, W.; Tam, W. "Transition Metal-Mediated Cycloaddition Reactions" *Chem. Rev.* **1996**, *96*, 49-92. (b) Sigman, M. S.; Fatland, A. W.; Eaton, B. E. "Cobalt-Catalyzed Cyclotrimerization of Alkynes in Aqueous Solution" *J. Am. Chem. Soc.* **1998**, *120*, 5130-5131. (c) Trost, B. M.; Tanoury, G. J. "Intramolecular Carbametalation. A [2+2+2] Cycloaddition as Evidence for a Palladacyclopentene Intermediate" *J. Am. Chem. Soc.* **1987**, *109*, 4753. (d) Strickler, J. R.; Bruck, M. A.; Wigley, D. E. "Synthesis and Characterization of a Substituted  $\eta^2$ -Pyridine Complex of Tantalum Prepared by [2+2+2] Cycloaddition Chemistry" *J. Am. Chem. Soc.* **1990**, *112*, 2814.

16. Jhingan, A. K.; Maier, W. F. "Homogeneous Catalysis with a Hetrogeneous Pd Catalyst. An Effective Method for the Cyclotrimerization of Alkynes" *J. Org. Chem.* **1987**, *52*, 1161-1165.
17. Li, J.; Jiang, H.; Chen, M. "CuCl<sub>2</sub>-Induced Regiospecifical Synthesis of Benzene Derivatives in the Palladium-Catalyzed Cyclotrimerization of Alkynes" *J. Org. Chem.* **2001**, *66*, 3627-3629.
18. Cho, E. J.; Lee, V.; Yoo, B. R.; Jung, I. N.; Sohn, H.; Powell, D. R.; West, R. "Syntheses and Structures of Silyl-Group-Containing Hexaalkylated Benzenes" *Organometallics* **1997**, *16*, 4200-4205.
19. Katz, H. E. "Synthesis and Stereochemistry of Novel Triarylmesitylenes. Bases for Rigid Tridentate Ligands" *J. Org. Chem.* **1987**, *52*, 3932-3934.
20. van der Made, A. W.; van der Made, R. H. "A Convenient Procedure for Bromomethylation of Aromatic Compounds. Selective Mono-, Bis-, or Trisbromomethylation" *J. Org. Chem.* **1993**, *58*, 1262-1263.
21. Závada, J.; Pánková, M.; Holý, P.; Tichý, M. "A Facial Synthesis of Hexakis(bromomethyl)benzene from Mesitylene" *Synthesis* **1994**, 1132.
22. Metzger, A.; Lynch, V. M.; Anslyn, E. V. "A Synthetic Receptor Selective for Citrate" *Angew. Chem. Int. Ed. Engl.* **1997**, *36*, 862-865.
23. Marx, H. W.; Mouline, F.; Wagner, T.; Astruc, D. "Hexakis(but-3-ynyl)benzene" *Angew. Chem. Int. Ed. Engl.* **1996**, *35*, 1701-1704.
24. Hennrich, G.; Lynch, V. M.; Anslyn, E. V. "A Cascade of Reactions Involving Anchimeric Assistance Leads to a Highly "Crowded" Hexa(alkylcarboxy)benzene" *Chem. Commun.* **2001**, 2436-2437.
25. Sanz, D.; Jiménez, J. A.; Claramunt, R. M.; Elguero, J. "Multidentate Ligands from *N*-hydroxy and *N*-aminopyrazole" *ARKIVOC* **2004**, *4*, 100-108.
26. Wallenfels, K.; Friedrich, R. "Synthesis of Tetracyano-*m*-xylene, Pentacyanotoluene and hexacyanobenzene" *Tetrahedron Lett.* **1963**, *4*, 1223-1227.

27. Bushey, M. L.; Hwang, A.; Stephens, P. W.; Nuckolls, C. "Enforced Stacking in Crowded Arenes" *J. Am. Chem. Soc.* **2001**, *123*, 8157-8158.
28. Simaan, S.; Siegel, J. S.; Biali, S. E. "Tris(aryl methyl) Derivatives of 1,3,5-Trimethoxy and 1,3,5-Triethylbenzene" *J. Org. Chem.* **2003**, *68*, 3699-3670.
29. (a) Stack, T. D. P.; Hou, Z.; Raymond, K. N. "Rational Reduction of the Conformational Space of a Siderophore Analog through Nonbonded Interactions: The Role of Entropy in Enterobactin" *J. Am. Chem. Soc.* **1993**, *115*, 6466-6467. (b) Hou, Z.; Stack, T. D. P.; Sunderland, C. J.; Raymond, K. N. "Enhanced Iron (III) Chelation through Ligand Predisposition: Syntheses, Structures and Stability of Tris-Catecholate Enterobactin Analogs" *Inorg. Chim. Acta* **1997**, *263*, 341-355. (c) Hay, B. P.; Dixon, D. A.; Vargas, A.; Garza, J.; Raymond, K. N. "Structural Criteria for the Rational Design of Selective Ligands. 3. Quantitative Structure-Stability Relationship for Iron(III) Complexation by Tris-Catecholamide Siderophores" *Inorg. Chem.* **2001**, *40*, 3922-3935.
30. (a) Harshorn, C. M.; Steel, P. J. "Coelenterands: A New Class of Metal Encapsulating Ligands" *Angew. Chem. Int. Ed. Engl.* **1996**, *35*, 1701-1704. (b) Harshorn, C. M.; Steel, P. J. "Self-Assembly and X-Ray Structure of a Ten-Component, Three-Dimensional Metallosupramolecular Cage" *Chem. Commun.* **1997**, 541-542.
31. Chin, J.; Walsdorff, C.; Stanix, B.; Oh, J.; Chung, H. J.; Park, K.-M.; Kim, K. "A Rational Approach to Selective Recognition of  $\text{NH}_4^+$  over  $\text{K}^+$ " *Angew. Chem. Int. Ed.* **1999**, *38*, 2756-2759.
32. Kim, S.-G.; Ahn, K. H. "Novel Artificial Receptors for Alkylammonium Ions with Remarkable Selectivity and Affinity" *Chem. Eur. J.* **2000**, *6*, 3399-3403.
33. Stack, T. D. P.; Holm, R. H. "Subsite-Specific Functionalization of the [4Fe-4S]<sup>2+</sup> Analog of Iron-Sulfur Protein Clusters" *J. Am. Chem. Soc.* **1987**, *109*, 2546-2547.


34. Walsdorff, C.; Saak, W.; Pohl, S. "A New Preorganized Tridentate Ligand Bearing Three Indolethiolate Groups. Preparation of 3 : 1 Subsite-differentiated Fe<sub>4</sub>S<sub>4</sub> Clusters" *J. Chem. Soc., Dalton Trans.* **1997**, 1857-1861.
35. Walsdorff, C.; Park, S.; Kim, J.; Heo, J.; Park, K.-M.; Oh, J.; Kim, K. "Coordination Chemistry of CuI with 1,3,5-Tris[bis(pyridin-2-ylmethyl)aminomethyl]-2,4,6-triethylbenzene, a Conformationally Constrained Trinucleating Ligand" *J. Chem. Soc., Dalton Trans.* **1999**, 923-929.
36. Metzger, A.; Anslyn, E. V. "A Chemosensor for Citrate in Beverages" *Angew. Chem. Int. Ed.* **1998**, *37*, 649-652.
37. Niikura, K.; Metzger, A.; Anslyn, E. V. "Chemosensor Ensemble with Selectivity for Inositol-Triphosphate" *J. Am. Chem. Soc.* **1998**, *120*, 8533-8534.
38. Niikura, K.; Anslyn, E. V. "Azacalixarene: Synthesis, Conformational Analysis, and Recognition Behavior toward Anions" *J. Chem. Soc., Perkin Trans. 2* **1999**, 2769-2775.
39. Cabell, L. A.; Anslyn, E. V. "A Competition Assay for Determining Glucose-6-phosphate Concentration with a Tris-boronic Acid Receptor" *Tetrahedron Lett.* **1999**, *40*, 7753-7756.
40. Lavigne, J. J.; Anslyn, E. V. "Teaching Old Indicators New Tricks: A Colorimetric Chemosensing Ensemble for Tartrate/Malate in Beverages" *Angew. Chem. Int. Ed.* **1999**, *38*, 3666-3669.
41. Cabell, L. A.; Best, M. D.; Lavigne, J. J.; Schneider, S. E.; Perrault, D. M.; Monahan, M.-K.; Anslyn, E. V. "Metal Triggered Fluorescence Sensing of Citrate Using a Synthetic Receptor" *J. Chem. Soc., Perkin Trans. 2* **2001**, 315-323.
42. Schneider, S. E.; O'Neil, S. N.; Anslyn, E. V. "Coupling Rational Design with Libraries Leads to the Production of an ATP Selective Chemosensor" *J. Am. Chem. Soc.* **2000**, *122*, 542-543.

43. Bisson, A. P.; Lynch, V. M.; Monahan, M.-K.; Anslyn, E. V. "Recognition of Anions through NH- $\pi$  Hydrogen Bonds in a Bicyclic Cyclophane-Selectivity for Nitrate" *Angew. Chem. Int. Ed. Engl.* **1997**, *36*, 2340-2342.
44. Niikura, K.; Bisson, A. P.; Anslyn, E. V. "Optical Sensing of Inorganic Anions Employing a Synthetic Receptor and Ionic Colorimetric Dyes" *J. Chem. Soc., Perkin Trans. 2* **1999**, 1111-1114.
45. Snowden, T. S.; Bisson, A. P.; Anslyn, E. V. "A Comparison of NH- $\pi$  versus Lone Pair Hydrogen Bonding Effects on Carbon Acid pKa Shifts" *J. Am. Chem. Soc.* **1999**, *121*, 6324-6326.
46. Jon, S. Y.; Kim, J.; Kim, M.; Park, S.-H.; Jeon, W. S.; Heo, J.; Kim, K. "A Rational Designed NH<sub>4</sub><sup>+</sup> Receptor Based on Cation- $\pi$  Interaction and Hydrogen Bonding" *Angew. Chem. Int. Ed.* **2001**, *40*, 2116-2119.
47. Tam-Chang, S.-W.; Stehouwer, J. S.; Hao, J. "Formation of a Macrobicyclic Tris(disulfide) by Molecular Self-Assembly" *J. Org. Chem.* **1999**, *64*, 334-335.
48. O'Leary, B. M.; Szabo, T.; Svenstrup, N.; Schalley, C. A.; Lützen, A.; Schäfer, M.; Rebek, J., Jr. "Flexiball" Toolkit: A Modular Approach to Self-Assembling Capsules" *J. Am. Chem. Soc.* **2001**, *123*, 11519-11538.
49. Rebek, J., Jr. "Host-guest Chemistry of Calixarene Capsules" *Chem. Commun.* **2000**, 637-643.
50. Ohi, H.; Tachi, Y.; Itoh, S. "Supramolecular and Coordination Polymer Complexes Supported by a Tripodal Tripyridine Ligand Containing a 1,3,5-Triethylbenzene Spacer" *Inorg. Chem.* **2004**, *43*, 4561-4563.
51. (a) Mazik, M.; Sicking, W. "Pyridine-Base receptors with Affinity for Carbohydrates. Influence of the Degree of Steric Hindrance at Pyridine Nitrogen on the Binding Mode" *Tetrahedron Lett.* **2004**, *45*, 3117-3121. (b) Vacca, A.; Nativi, C.; Cacciarini, M.; Pergoli, R.; Roelens, S. "A New Tripodal Receptor for Molecular Recognition of Monosaccharides. A Paradigm for Assessing Glycoside Binding Affinities and Selectivities by <sup>1</sup>H


- NMR Spectroscopy” *J. Am. Chem. Soc.* **2004**, *126*, 16456-16465. (c) Mazik, M.; Radunz, W.; Boese, R. “Molecular Recognition of Carbohydrates with Acyclic Pyridine-Based Receptors” *J. Org. Chem.* **2004**, *69*, 7448-7462. (d) Mazik, M.; Cavgal, H.; Jones, P. “Molecular Recognition of Carbohydrates with Artificial Receptors: Mimicking the Binding Motifs Found in the Crystal Structures of Protein-Carbohydrate Complexes” *J. Am. Chem. Soc.* **2005**, *127*, 9045-9052. (e) Mazik, M.; Radunz, W.; Sicking, W. “High  $\alpha/\beta$ -Anomer Selectivity in Molecular Recognition of Carbohydrates by Artificial Receptors” *Org. Lett.* **2002**, *4*, 4579-4582.
52. (a) Warshawsky, A.; Kalir, R.; Patchomik, A. “Interpolymeric Reactions. The Fries Rearrangement of Acetoxy and Benzyloxy Derivatives of 4-Hydroxy-3-nitrobenzylated Polystyrene and 5-Polystyrylmethyl-8-quinolinol” *J. Am. Chem. Soc.* **1978**, *100*, 4544-4550. (b) Ollevier, T.; Desyroy, V.; Asim, M.; Brochu, M.-C. “Bismuth Triflate-Catalyzed Fries Rearrangement of Aryl Acetates” *Synlett* **2004**, 2794–2796. (c) Boyer, J. L.; Krum, J. E.; Myers, M. C.; Fazal, A. N.; Wigal, C. T. “Synthetic Utility and Mechanistic Implications of the Fries Rearrangement of Hydroquinone Diesters in Boron Trifluoride Complexes” *J. Org. Chem.* **2000**, *65*, 4712-4714. (d) Commarieu, A.; Hoelderich, W.; Laffitte, J. A.; Dupont, M.-P. “Fries Rearrangement in Methane Sulfonic Acid, an Environmental Friendly Acid” *J. Mol. Cat. A: Chem.* **2002**, 137-141.
53. Abildgaard, J.; Bolvig, S.; Hansen, P. E. “Unraveling the Electronic and Vibrational Contributions to Deuterium Isotope Effects on  $^{13}\text{C}$  Chemical Shifts Using ab Initio Model Calculations. Analysis of the Observed Isotope Effects on Sterically Perturbed Intramolecular Hydrogen-Bonded O-Hydroxy Acyl Aromatics” *J. Am. Chem. Soc.* **1998**, *120*, 9063-9069.
54. (a) Kupczyk-Subotkowska, L.; Saunders, W. H., Jr.; Shine, H. J. “The Claisen Rearrangement of Allyl Phenyl Ether: Heavy-Atom Kinetic Isotope Effects and Bond Orders in the Transition Structure” *J. Am. Chem. Soc.* **1988**, *110*, 7153-7159. (b) Bernstein, M. A.; Hall, L. D.; Hull, W. E. “Secondary Deuterium Isotope Effects and Transition State Structure in the Aromatic Claisen Rearrangement” *J. Am. Chem. Soc.* **1979**, *101*, 2746-2747. (c)

Santoro, D.; Louw, R. "On the Enthalpy of Formation of Cyclohexa-2,4- and -2,5-dienone" *J. Chem. Soc., Perkin Trans. 2* **2001**, 645–649. (d) Gómez, B.; Chattaraj, P. K.; Chamorro, E.; Contreras, R.; Fuentealba, P. "A Density Functional Study of the Claisen Rearrangement of Allyl Aryl Ether, Allyl Arylamine, Allyl Aryl Thio Ether, and a Series of Meta-Substituted Molecules through Reactivity and Selectivity Profiles" *J. Phys. Chem. A.* **2002**, *106*, 11227-11233.


## **APPENDIX**



**Figure A.1**  ${}^1\text{H}$ -NMR ( $\text{CDCl}_3$ ) Spectrum of 1,3,5-triacetyl-2,4,6-trihydroxybenzene **60**



**Figure A.2**  $^{13}\text{C}$ -NMR ( $\text{CDCl}_3$ ) Spectrum of 1,3,5-triacetyl-2,4,6-trihydroxybenzene **60**



**Figure A.3** IR (KBr) spectrum of 1,3,5-triacetyl-2,4,6-trihydroxybenzene **60**






Figure A.4 Mass Spectrum of 1,3,5-triacetyl-2,4,6-trihydroxybenzene **60**




**Figure A.5**  ${}^1\text{H}$ -NMR ( $\text{CDCl}_3$ ) Spectrum of 1,3,5-tribenzoyl-2,4,6-trihydroxybenzene **61**




**Figure A.6**  $^{13}\text{C}$ -NMR ( $\text{CDCl}_3$ ) Spectrum of 1,3,5-tribenzoyl-2,4,6-trihydroxybenzene **61**







**Figure A.7** IR (KBr) Spectrum of 1,3,5-tribenzoyl-2,4,6-trihydroxybenzene **61**




**Figure A.8** Mass Spectrum of 1,3,5-tribenzoyl-2,4,6-trihydroxybenzene **61**




**Figure A.9**  $^1\text{H}$ -NMR ( $\text{CDCl}_3$ ) Spectrum of 1,3,5-trioctanoyl-2,4,6-trihydroxybenzene **62**




**Figure A.10**  $^{13}\text{C}$ -NMR ( $\text{CDCl}_3$ ) Spectrum of 1,3,5-trioctanoyl-2,4,6-trihydroxybenzene **62**




**Figure A.11** IR (KBr) Spectrum of 1,3,5-trihydroxy-2,4,6-trioctanoylbenzene **62**



**Figure A.12** Mass Spectrum of 1,3,5-trihydroxy-2,4,6-trioctanoylbenzene **62**



**Figure A.13**  $^1\text{H}$ -NMR ( $\text{CDCl}_3$ ) Spectrum of 1,3,5-benzyloxybenzene **63**



**Figure A.14**  $^{13}\text{C}$ -NMR ( $\text{CDCl}_3$ ) Spectrum of 1,3,5-benzoyloxybenzene **63**







Figure A.15 IR (KBr) Spectrum of 1,3,5-tribenzoyloxybenzene 63




**Figure A.16** Mass Spectrum of 1,3,5-tribenzoyloxybenzene **63**




**Figure A.17**  ${}^1\text{H}$ -NMR ( $\text{CDCl}_3$ ) Spectrum of 1,3,5-triallyloxy-2,4-diallylbenzene **68**




**Figure A.18**  $^{13}\text{C}$ -NMR ( $\text{CDCl}_3$ ) Spectrum of 1,3,5-triallyloxy-2,4-di(1-propenyl)benzene **68**




**Figure A.19** IR (neat) Spectrum of 1,3,5-triallyloxy-2,4-di(1-propenyl)benzene **68**




**Figure A.20** Mass Spectrum of 1,3,5-triallyloxy-2,4-di(1-propenyl)benzene **68**



**Figure A.21**  $^1\text{H}$ -NMR ( $\text{CDCl}_3$ ) Spectrum of 1,3,5-triacetyl-2,4,6-tribenzyloxybenzene **69**



**Figure A.22**  $^{13}\text{C}$ -NMR ( $\text{CDCl}_3$ ) Spectrum of 1,3,5-triacetyl-2,4,6-tribenzyloxybenzene **69**



**Figure A.23** IR (KBr) Spectrum of 1,3,5-triacetyl-2,4,6-tribenzyloxybenzene **69**






Figure A.24 Mass Spectrum of 1,3,5-triacetyl-2,4,6-tribenzyloxybenzene **69**



**Figure A.25**  ${}^1\text{H}$ -NMR ( $\text{CDCl}_3$ ) Spectrum of 1,3,5-benzyloxybenzene **70**



**Figure A.26**  $^{13}\text{C}$ -NMR ( $\text{CDCl}_3$ ) Spectrum of 1,3,5-benzyloxybenzene **70**




Figure A.27 IR (KBr) Spectrum of 1,3,5-benzyloxybenzene **70**






Figure A.28 Mass Spectrum of 1,3,5-benzyloxybenzene **70**



**Figure A.29**  $^1\text{H}$ -NMR ( $\text{CDCl}_3$ ) Spectrum of ethyl iodoacetate



**Figure A.30**  $^{13}\text{C}$ -NMR ( $\text{CDCl}_3$ ) Spectrum of ethyl iodoacetate








Figure A.31 IR (neat) Spectrum of ethyl iodoacetate



**Figure A.32**  $^1\text{H}$ -NMR ( $\text{CDCl}_3$ ) Spectrum of trifuranyl triester derivative **71**



**Figure A.33**  $^{13}\text{C}$ -NMR ( $\text{CDCl}_3$ ) Spectrum of trifuranyl triester derivative 71




Figure A.34 IR (KBr) Spectrum of trifuranyl triester derivative 71






Figure A.35 Mass Spectrum of trifuranyl triester derivative 71



**Figure A.36**  $^1\text{H}$ -NMR ( $\text{CDCl}_3$ ) Spectrum of *N*-Benzyl Iodoacetamide



**Figure A.37**  $^{13}\text{C}$ -NMR (CDCl<sub>3</sub>) Spectrum of *N*-Benzyl Iodoacetamide







Figure A.38 IR (KBr) Spectrum of *N*-Benzyl Iodoacetamide



**Figure A.39**  ${}^1\text{H}$ -NMR ( $\text{CDCl}_3$ ) Spectrum of 1,3,5-tris(2-[(1-phenylhydrazone)ethyl])-2,4,6-trihydroxybenzene **72**



**Figure A.40**  $^{13}\text{C}$ -NMR ( $\text{CDCl}_3$ ) Spectrum of 1,3,5-tris(2-[(1-phenylhydrazone)ethyl])-2,4,6-trihydroxybenzene **72**



**Figure A.41** IR (KBr) spectrum of 1,3,5-tris(2-[(1-phenylhydrazone)ethyl])-2,4,6-trihydroxybenzene **72**




Figure A.42 Mass spectrum of 1,3,5-tris(2-[(1-phenyl-hydrazono)ethyl])-2,4,6-trihydroxybenzene 72



## VITA

Miss Saowanaporn Choksakulpor was born on September 12, 1981 in Nakhon Phanom province. She got a Bachelor's Degree of Science in Chemistry from Khon Kaen University in 2003. Since then, she has been a graduate student studying Organic Chemistry at Chulalongkorn University. During the studies toward the Master's Degree, she was awarded The Development and Promotion of Science and Technology Talents Project (DPST) scholarship from Thai Government during 2003-2006 and was supported by a research grant from the Graduate School, Chulalongkorn University.

Her address is 17 Look-Sue Road, Muang District, Nakhon Phanom 48000, Tel 0-4251-1241, 0-6338-9570.