



REFERENCES

- Bergshoef, M.M., and Vancso, G.J. (1999) Transparent nanocomposites with ultrathin, electrospun nylon-4,6 fiber reinforcement. Advanced Materials, 11(16), 1362-1365.
- Buer, A., Ugbolue, S.C., and Warner, S.B. (2001) Electrospinning and properties of some nanofibers. Textile Research Journal, 71(4), 323-328.
- Choi, S., Lee, S., Im, S., Kim, S., and Joo, Y. (2003) Silica nanofibers from electrospinning/sol-gel process. Journal of Materials Science Letters, 22, 891-893.
- Corriu, R.J.P. (1988) Some aspects of the reactivity of hypervalent species of silicon in organic synthesis. Pure and Applied Chemistry, 60, 99-106.
- Deitzel, J.M., Kleinmeyer, J.D., Hirvonen, J.K., and Beck Tan, N.C., (2001) Controlled deposition of electrospun poly(ethylene oxide) fibers. Polymer, 42, 8163-8170.
- Fong, H., Liu, W., Wang, C., and Vaia, R.A. (2002) Generation of electrospun fibers of nylon 6 and nylon 6-montmorillonite nanocomposite. Polymer, 43, 775-780.
- Frye, C.L. (1970) Pentacoordinate silicon derivatives IV alkylammonium siliconate salts derived from aliphatic 1,2-diols. Journal of American Chemical Society, 92, 1205-1210.
- Frye, C.L. (1971) Pentacoordinate silicon compounds V novel silatrane chemistry. Journal of American Chemical Society, 93, 6805-6810.
- Gibson, H.S., Gibson, P., Senecal, K., Sennett, M., Walker, J., Yeomans, W., and Ziegler, D. (2002) Protective textile materials based on electrospun nanofibers. Journal of Advanced Materials, 34(3), 44-55.
- Laine, R.M., Blohowiak, K.Y., Robinson, T.R., Hoppe, M.L., Nardi, P., Kampf, J., and Uhm, J. (1991) Synthesis of pentacoordinate silicon complexes from SiO₂. Nature, 353(6345), 642-644.
- Madhugiri, S., Zhou, W., Ferraris, J., and Balkus, K. (2003) Electrospun mesoporous molecular sieve fibers. Microporous and mesoporous materials, 63, 75-84.

- Michelson, D. (1990) Electrostatic atomization. New York, USA: Adam Hilger.
- Punchaipetch. P., (1995) Synthesis of silatrane complexes directly from SiO₂ and TEA
M.Sc. Thesis in Polymer Science, The Petroleum and Petrochemical College,
Chulalongkorn University.
- Reneker, D.H., and Chun, I. (1996) Nanometre diameter fibres of polymer, produced
by electrospinning. Nanotechnology, 7, 216-223.
- Reneker, D.H., Yarin, A.L., Fong, H., and Koombhongse, S. (2000) Bending instability
of electrically charged liquid jets of polymer solutions in electrospinning.
Journal of Applied Physics, 87(9), 4531-4546.
- Shao, C., Kim, H., Gong, J., and Lee, D. (2002) A novel method for making silica
nanofibres by using electrospun fibres of polyvinylalcohol/silica composite as
precursor. Nanotechnology, 13, 635-637.
- Shao, C., Kim, H., Gong, J., Ding, B., Lee, D., and Park, S. (2003) Fiber mats of
poly(vinyl alcohol)/silica composite via electrospinning. Materials Letters, 57,
1579-1584.
- Shin, Y.M., Hohman, M.M., Brenner, M.P., and Rutledge, G.C. (2001) Experimental
characterization of electrospinning: the electrically forced jet and instabilities.
Polymer, 42, 9955-9967.
- Taylor, G. (1969) Electrically driven jets. Proceedings of the Royal Society of London
A, 313, 453-475.
- Zong, X., Kim, K., Fang, D., Ran, S., Hsiao, B., and Chu, B. (2002) Structure and
process relationship of electrospun bioabsorbable nanofiber membranes.
Polymer, 43, 4403-4412.

CURRICULUM VITAE

Name: Mr. Thammasit Vongsetkul

Date of Birth: May 24, 1982

Nationality: Thai

University Education:

1997-2000 Bachelor Degree of Economics in Economic Theory, Faculty of Economics, Sukhothai Thammathirat Open University, Nonthaburi, Thailand.

1998-2002 Bachelor Degree of Science in Chemistry (First Class Honours with a Gold Medal), Faculty of Science, Chulalongkorn University, Bangkok, Thailand.

