

รายการอ้างอิง

ภาษาไทย

- มงคล เตชะกำพุ และวิชัย ทันตศุภารักษ์ 2534. การเจริญเติบโตของเอ็มบริโอสุกรหลัง เพาะเลี้ยงและย้ายฝากในสุกรตัวรับ. เวชศาสตร์สัตวแพทย์ 21(4):191-212.
- มงคล เตชะกำพุ การประเมินคุณภาพของตัวอ่อน. ใน มงคล เตชะกำพุ(บรรณาธิการ), เทคโนโลยีชีวภาพทางวิทยาการสืบพันธุ์สัตว์. หน้า 45-57. พิมพ์ครั้งที่ 1. พระนคร: จุฬาลงกรณ์มหาวิทยาลัย, 2534.

ภาษาอังกฤษ

- Austin, C.R. 1952 "Capacitation" of the mammalian sperm. Nature. 170:326.
- Ash, K., Anderson, G.B., BonDurant, R.H., Pashen, R.L., Parker, K.M. and Berger, T. 1989. Competition between split and nonmanipulated embryos in the production of identical piglets. Theriogenology 31 : 903-911.
- Baker, R.D. and Shea, B.F. 1985. Commercial splitting of bovine embryos. Theriogenology 23 : 2-12.
- Blandau, R.J., Young, W.C. and Cornex, G.W. 1961. Sex and internal secretions. Vol. 2. 2rd ed. pp 797-882. Baltimore: Williams and Wikins.
- Bredbacka, P., Huhtinen, M., Aalto, J. And Rainio, V. 1992. Viability of bovine demi- and quarter-embryos after transfer. Theriogenology 38:107-113.
- Chesne, P., Colas, G., Cognie, Y. And Sevellec, C. 1987. Lamb production using superovulation, embryo bisection, and transfer. Theriogenology 27(5):751-757.

- Davis, D.L. and Day, B.N. 1978. Cleavage and Blastocyst formation by pig eggs in vitro. J. Anim. Sci. 46(4): 1043-1053.
- _____. 1985. Culture and storage of pig embryos. J. Reprod. Fert. (Suppl) 33: 115-124. Sci. 46(4): 1043-1053.
- Elsden, R.P., Nelson., L.D. and Seidel, Jr. 1978. Superovulating cows with follicle stimulating hormone and pregnant mare's serum gonadotropin. Theriogenology 9:17.
- Gatica, R., Boland, M.P., Grosby, T.F. and Gordon, I. 1984. Micromanipulation of sheep morulae to produce monozygotic twins. Theriogenology 21 : 555-560.
- Heyman, Y. 1985. Factors affecting the survival of whole and half embryo transferred in cattle. Theriogenology 23:63-75.
- Johnson, M., Everitt, B. 1988. Essential reproduction. 3rd ed. London: Butler & tanner Ltd.
- Kippax, I.S., Christie, W.B. and Rowan, T.G. 1991. Effects of method of splitting, stage of development and presence or absence of zona pellucida on foetal survival in commercial bovine embryos transfer of bisected embryos. Theriogenology 35:25-35.
- Lamberth, V.A., Looney, C.R., Voelkel, S.A. and Godke, R.A. 1983. Microsurgery on bovine embryos at the morula stage to produce monozygotic twin calves. Theriogenology 20:85-95.
- Lawitts, J.A. and Graves, C.N. 1988. Viability of mouse half embryos in vitro and in vivo. Gamete Research 20:421-430.
- Lewis, I. M. 1994. Splitting cattle embryos commercially : The effects of sucrose, embryo stage and the duration between embryo recovery and bisection. Theriogenology 41: 237 (abstr.)

- Malter, H.E. and Cohen, J. 1989. Embryonic development after micro- surgical repair of polyspermic human zygotes. Fertil. Steril. 52:372-380.
- Maurer, R.R., Whitener, R.H. and Foote, R.H. 1969. Relationship of in vivo gamete aging and exogenous hormone to early embryo development in rabbit. Proceeding of the Society for Experimental Biology and Medicine 131: 882-885
- Nicholas, J.S. and Hall, B.V. 1942. Experiments on developing rat. II The development of isolated blastomere and fused eggs. J. Exp. Zool. 90:441-459.
- Nagashima, H., Matsui, K., Sawasaki, T. and Kano, Y. 1984. Production of monozygotic mouse twins from microsurgically bisected morulae. J. Reprod. Fert. 70:357-362.
- _____. 1987. Development of half-embryo produced from morulae and blastocysts in pigs. Theriogenology 27:262. (abstr.)
- _____. 1988. Production of normal piglets from microsurgically split morulae and blastocyst. Theriogenology 29 : 485-495.
- Ogawa, S., Miyake, K., Seike, N. And Kanagawa, H. 1983. Microsurgical technique for the bisection of early embryos in the mouse, rabbit and cow. Japan. J. Anim. Reprod. 29: 198-208.
- Ozil, J.P., Heyman, Y. and Renard, J.P. 1982. Production of monozygotic twins by micromanipulation and cervical transfer in the cow. Vet. Rec. 10 : 126-127
- _____. 1983. Production of identical twins by bisection of blastocysts in the cow. J. Reprod. Fert. 69 : 463-468.
- Polge, C. 1985. How does embryo manipulation fit into present and future pig reproduction. J. Reprod. Fert. (Supp.) 33:93-100.

- Ponzilius, K. H., Nagai, J., Marcus, G. J. and Hackett, A. J. 1987. Survival of bisected mouse embryos after exposure to pronase and medium free of calcium and magnesium. Theriogenology 27(6) : 859-867.
- Reichelt, B. and Niemann, H. 1994. Generation of identical twin piglets following bisection of embryos at the morula and blastocyst stage. J. Reprod. Fert. 100 : 163-172.
- Robl, J.M. and First, N. L. Manipulation of gametes and embryos in the pig. J. Reprod. Fert (Suppl.) 33: 101-114.
- Seike, N., Saeki, K., Utaka, K., Sakai, M., Takakura, R., Nagao, Y. and Kanagawa, H. 1989. Production of bovine identical twins via transfer of demi-embryo without zona pellucida. Theriogenology 32:211-220.
- Shelton, J.N. 1992. Factors affecting viability of fresh and frozen-thawed sheep demi-embryos. Theriogenology 37: 713-721.
- Restall, B.J. and Wales, R.G. 1966. The fallopian tube of the sheep. III The chemical composition of the the fluid from the fallopian tube. Aust. J. Bio. Sci. 19: 687-698.
- Stephoe, P.C., Edwards, R.G. and Purdy, J.M. 1971. Human blastocysts grown in culture. Nature. 229:132.
- Szell, A. and Hudson, R.H.H. 1991. Factors affecting the survival of bisected sheep embryos *in vivo* Theriogenology 36:379-387.
- Saito, S., Nienhaus, P. and Niemann, H. 1991. Developmental ability of bisected and aggregated porcine embryos *in vitro*. Theriogenology 35 :267.(abstr.)
- Tarkowski, A.K. 1995. Experiments on the development of isolated blastomere of mouse eggs. Nature 184 : 1286-1289.
- Tao, T., Reichelt, B. and Niemann, H. 1995. Ratio of inner cell mass and trophoblastic cells in demi- and intact pig embryos. J. Reprod. Fert. 104 : 251-258.

- Techakumphu, M., Tantasuparak, W., Singlor, J. And Srianan, W. 1994. Ovarian responses and embryo quality after oestrus stimulation by gonadotrophin in prepubertal crossbred gilts in Thailand. Proc. of the 13th IPVS congress, Bangkok, Thailand, 26-30 June 1994, p388.
- Tervit, H.R., Whittingham, D.G. and Rowson, L.E.A. 1972. Successful culture in vitro of sheep and cattle ova. J. Reprod. Fert 30:493-497.
- Tsunoda, Y. and McLaren, A. 1983. Effect of various procedures on the viability of mouse embryos containing half the normal number of blastomeres. J. Reprod. Fert. 69 : 395-322.
- _____. 1985. Production of monozygotic twins following the transfer of bisected embryos in the goats. Theriogenology 24 : 337-343.
- Voelkel, S.A., Viker, S.D., Humes, P.E. and Godke, R.A. 1984. Micromanipulation and non-surgical transfer of bovine embryos. J. Anim. Sci. 59 (suppl. 1) : 393. (Abstr.)
- Wales, R.G. 1973. The uterus of the ewe. II Chemical analysis of uterine fluid collected by cannulation. Aust. J. Biol. Sci. 26: 947-955.
- Warfield, S.J., Seidel, G.E. Jr. and Elsdon, R.P. 1987. Transfer of bovine demi-embryos with and without zona pellucida. J. Anim. Sci. 65 : 761-765.
- Whitten, W.K. and Bigger, J.D. 1968. Complete development in vitro of the preimplantation stages of the mouse in a simple chemically defined medium. J. Reprod. Fert. 17:399-401.
- Whittingham, D.G. and Bigger, J.D. 1967. Fallopian tube and early cleavages in the mouse. Nature. 213:942-943.
- _____. 1979. In vitro fertilization embryo transfer and storage. Br. Med. Bull. 35: 105-111.

- Willadsen, S.M.1979. A method for culture of micromanipulated sheep embryos and its use to produce monozygotic twins. Nature. 277: 298-300.
- _____. 1980. The viability of early cleavage stage containing half the normal number of blastomeres in the sheep. J.Reprod. Fert. 59 : 357-362.
- _____. 1981. The developmental capacity of blastomeres from 4-and 8-cell sheep embryos. J Embryol Exp Morphol 65: 165-172.
- _____. 1981. Attempt to produce monozygotic quadrapets in cattle by blastomere separation. Vet. Rec. 108 : 211-213.
- _____. 1981. The production of monozygotic twins of preselected parentage by micromanipulation of non-surgically collected embryos. Theriogenology 15 (L1) : 23-29.
- _____. 1982. Micromanipulation of the large domestic species. In Adams, C.E.(ed.) Mammalian Egg Transfer, pp.185-210. London : Cambridge.
- _____. 1984. A simple procedure for the production of identical sheep twins. Vet. Rec. 144 : 240-243.
- Williams, T.J.,Elsden, R.P. and Seidel, Jr.G.E.1982. Identical twin bovine pregnancies derived from bisected embryos.Theriogenology 17 : 114-126.
- _____. 1988. Quick-splitting of bovine embryos. Theriogenology. 29(2): 477-484.
- Wright,R.W.Jr., Anderson,G.B.,Cupps,P.T. and Drost,M.1976. Successful culture in vitro of bovine embryos to the blastocyst stage. Biology of Reproduction 14:157-162.
- Yang, X. And Anderson, G. B. 1992. Micromanipulation of mammalian embryos: principles, progress and future possibilities.Theriogenology 38: 315-335.
- Zhouji, W., Trounson, A. and Dziadek, M.1990. Developmental capacity of mechanically bisected mouse morulae and blastocysts. Reprod. Fertil.Dev.2:68 (abstra.)

ประวัติผู้เขียน

นางสาวพรรณิ รัตนแสง เกิดวันที่ 4 สิงหาคม พ.ศ. 2510 ที่จังหวัดมหาสารคาม สำเร็จการศึกษาปริญญาตรีพยาบาลศาสตรบัณฑิต คณะพยาบาลศาสตร์ มหาวิทยาลัยขอนแก่น เมื่อ พ.ศ. 2533 และเข้าศึกษาต่อในหลักสูตรวิทยาศาสตรมหาบัณฑิต ที่จุฬาลงกรณ์มหาวิทยาลัย เมื่อ พ.ศ. 2536 ประสบการณ์การทำงาน เคยเป็นพยาบาลประจำการที่โรงพยาบาลตำรวจ แพทย์ จังหวัดสมุทรปราการเมื่อ พ.ศ. 2533-2534 และที่โรงพยาบาลศรีนครินทร์ คณะแพทยศาสตร์ มหาวิทยาลัยขอนแก่น เมื่อ พ.ศ. 2534-2536 ปัจจุบันอาศัยอยู่บ้านเลขที่ 124/68 หมู่ 6 ตำบลในเมือง อำเภอเมือง จังหวัดขอนแก่น