

เอกสารอ้างอิง



ภาษาไทย

เกรียง ตั้งสง่า. 2534. สรีรวิทยาของไตสำหรับอายุรแพทย์. พิมพ์ครั้งแรก.
กรุงเทพมหานคร : สำนักพิมพ์เมดิคัลมีเดีย.

ภาษาอังกฤษ

- D' Agati, V. 1994. The many mask of focal segmental glomerulosclerosis. Kidney Int. 46 : 1223-1241.
- Alderson, P.O., et al. 1979. Deconvolution analysis in radionuclide quantitation of left-to-right cardiac shunts. J Nucl Med. 20 : 502-506.
- Al-Nahas, A., Marcus, A.J., Bomanji, J., Nimmon, C.C., Decie, J.E., and Britton, K.E. 1989. Validity of the mean parenchymal transit time as a screening test for the detection of functional renal artery stenosis in hypertensive patients. Nucl Med Commun. 10 : 807-815.
- D' Amico, G. 1987. The commonest glomerulonephritis in the world : IgA nephropathy. Q J Med. 245 : 709-727.
- Bader, H. and Meyer, D.S. 1977. The size of the juxtaglomerular apparatus in diabetic glomerulosclerosis and its correlation with arteriosclerosis and arterial hypertension : a morphometric light microscopic study on human renal biopsies. Cin Nephrol. 8 : 308.
- Bassingthwaighe, J.B. 1966. Plasma indicator dispersion in arteries of the human leg. Circ Res. 19 : 332-346.
- Baud, L. and Ardaillou, R. 1994. Tumor necrosis factor alpha in glomerular injury. Kidney Int. 45 (suppl 45) : 532-536.
- Beaufils, H., Alphonse, J.C., Guedon, J. and Legrain, M. 1978. Focal glomerulosclerosis : Natural history and treatment. Nephron. 21 : 75-85.

- Berger, J., and Hinglais, N. 1968. Les depots intercapillaires d'IGA-IgG. *J. Urol Nephrol.* 74 : 694-695. Cited by Ibels, L.S., and Gyory, A.Z. 1994. IgA nephropathy : Analysis of the natural history, important factors in the progression of renal disease, and a review of the literature. *Medicine.* 73 : 79-102
- Bhasin, H.K., Abuelo, J.G., Nayak R., and Esparza, A.R. 1978. Mesangial proliferative glomerulonephritis. *Lab Invest.* 39 : 21-29.
- Bloom, P.M., Filo, R.S. and Smith, E.J. 1978. Immunofluorescent deposits in normal kidneys. Abstract. *Kidney Int.* 10 : 539. Cited by Kopolovic, J, Shvil Y., Pomeranz, A., Ron, N., Rubinger, D. and Oren, R. 1987. IgM Nephropathy : Morphological study related to clinical findings. *Am. J Nephrol.* 7 : 275-280.
- Border, W.A. 1988. Distinguishing minimal-change disease from mesangial disorders. *Kidney Int.* 34 : 419-343.
- Brown, C.B., Cameron, J.S., et al. 1977. Focal segmental glomerulosclerosis with rapid decline in renal function ("malignant FSGS"). *Clin Nephrol.* 10 : 51-61.
- Brown, E.A., Upadhyaya, K., Hayslett, J.P., Kashgarian, M., and Siegel, N.J. 1979. The clinical course of mesangial proliferative glomerulonephritis. *Medicine.* 58 : 295-303.
- Bulger, R.E., Eknoyan. G., Purcell, D.J., and Dobyen, D.C. 1983. Endothelial characteristics of glomerular capillaries in normal, mercuric chloride-induced gentamicin-induced acute renal failure in the rat. *J. Clin. Invest.* 72 : 128 -141.
- Burrows, L., Stritzke, P., and Kupfer, S. 1991. The simultaneous measurement of glomerular filtration rate (GFR) and renal plasma flow (RPF) following renal transplantation by use of functional imaging. *Int J Artif Organs.* 14 : 667-671.
- Cameron, J.S. 1992a. Clinical consequences of the nephrotic syndrome. In J.S. Cameron (ed.). *Oxford textbook of clinical nephrology* vol 1 , pp 276-279. New York : Oxford University Press.
- Cameron, J.S. 1992b. Membranous nephropathy and its treatment. *Nephrol Dial Transplant.* 7 (suppl 1) : 72-79.

- Cameron, J.S., et al. 1983. Idiopathic mesangiocapillary glomerulonephritis. Comparison of type I and II in children and adults and long-term prognosis. Am. J. Med. 74 : 175-192.
- Chaiwatanarat, T., et al. 1994. Deconvolution analysis of renal blood flow : Evaluation of postrenal transplant complications. J. Nucl Med. 35 : 1792-1796.
- Chen, Y.P., et al. 1987. Antibody to a mesangial cell membrane antigen stimulates prostaglandin production by a complement-dependent mechanism. Abstract. Kidney Int. 31 : 315.
- Cohen, A., Border, W., and Glasscock R. 1978. Nephrotic syndrome with glomerular mesangial IgM deposits. Lab Invest. 38 : 610-619.
- Coulam, C.M., Warner, H.R., Wood, E.H., and Bassingthwaite, J.B. 1966. A transfer function analysis of coronary and renal circulation calculated from upstream and downstream indicator-dilution curves. Circ Res. 19 : 879-890.
- Couser, W.G. 1993. Pathogenesis of glomerulonephritis. Kidney Int. 44 (suppl 42) : 519-526.
- Couser, W.G., Schulze, M., and Pruchno, C.J. 1992. Role of C5b-9 in experimental membranous nephropathy. Nephrol Dia Transplant. 7 (suppl 1) : 25-31.
- Donadio, J.V., et al. 1984. Membranoproliferative glomerulonephritis. A prospective clinical trial of platelet-inhibitor therapy. N Engl J Med. 310 : 1421-1426.
- Eddy, A.A., and Michael, A.F. 1989. Immunopathogenetic mechanisms of glomerular injury. In C.C. Tisher and B.M. Brenner (eds), Renal pathology with clinical and functional correlations Vol 1. pp 111-155. Philadelphia : J.B. Lippincott.
- Ehrenrich, T., and Churg. J. 1968. Pathology of membranous nephropathy. In Sommers S.C. (Ed), Pathology Annual, pp 145-186. New York : Appleton - Century - Crofts. Cited by Rosen, S., Tornroth, T. and Bernard, D.B. 1989. Membranous nephropathy. In C.C. Tisher and B.M. Brenner (eds), Renal pathology with clinical and functional correlation vol 1, pp 196-227. Philadelphia : J.B. Lippincott.
- Futrakul, N., et al. 1994. Intrarenal hemodynamic alteration in mesangial proliferative nephrotic syndrome with steroid resistance : effects of vasodilators. Nephron. 66 : 366-367.

- Glasscock, R.J., et al. 1985. IgA nephropathy in Japan. Am. J. Nephrol. 5 : 127-137.
- Gonzalo, A., et al., 1985. Clinical significance of IgM mesangial deposit in the nephrotic syndrome. Nephron. 41 : 246-249.
- Hebert, S.C., and Kriz, W. 1993. Structure - Function correlation along the renal tubule. In R.W. Schreir (ed.), Diseases of the Kidney 5th ed, pp 3-63. Boston : Little, Brown and company.
- Helin, H., Mustonen, J., Pasternak, A. and Antonen, J. 1982. IgM - associated glomerulonephritis. Nephron. 31 : 11-16.
- Holly, K.E. and Donadio, J.V. 1989. Membranoproliferative glomerulonephritis. In C.C. Tisher and B.M. Brenner (eds), Renal Pathology with clinical and functional correlations vol 1, pp 228-264. Philadelphia : J.B. Lippincott.
- Honkanen. E., Tomroth, T., and Gronhagen-Riska, c. 1992. Natural history, clinical course and morphological evolution of membranous nephropathy. Nephrol Dial Transplant. 7 (suppl1) : 35-41.
- Hunt, L.P., Short, C.D. and Mallick, N.P. 1988. Prognostic indicators in patients presenting with the nephrotic syndrome. Kidney Int. 34 : 382-388.
- Ibels, L.S. and Gyory, A.Z. 1994. IgA nephropathy : Analysis of the natural history, important factors in the progression of renal disease, and a review of the literature. Medicine. 73:79-102.
- Kenny, R.W., Ackery, D.M., Fleming, J.S., Goddard, B.A., and Grant, R.W. 1975. Deconvolution analysis of the scintillation camera renogram. Br J Radiol. 48 : 481-486.
- Korbet, S.M., Schwartz, M.M., and Lewis, E.J. 1994. Primary focal segmental glomerulosclerosis : clinical course and response to therapy. Am. J. Kidney dis. 6:773-783.
- Kriz, w., et al. 1994. The role of podocytes in the development of glomerular sclerosis. Kidney Int. 45 (suppl. 42) : s64-s72.

- Kurathong, P., Sitprijia, V., Boonpucknavig, V., Panichphant, S. and Tapaneya-olam, W. IgM Nephropathy. International symposium on Geographical Nephrology, Bangkok. Abstract.
- Larson, M., Sjonquist, M., and Wolgast, M. 1984. Renal interstitial volume of the rat kidney. Acta Physiol. Scand. 120 : 291-304.
- Lawler, W., William, G., Tarpey, P and Mallick, N.P. 1980. IgM-associated primary diffuse mesangial proliferative glomerulonephritis. J. Clin. Pathol. 33 : 1029-1038.
- Lee, H.S., and Spargo, B.H. 1985. Significance of renal hyaline arteriosclerosis in focal segmental glomerulosclerosis. Nephron. 41:86-93.
- Makker, S.P. 1993. Mediators of immune glomerular injury. Am. J Nephrol. 13:324-336.
- Maseri, A., Caldini, P., Permutt, S., and Zierler, K.L. 1970. Frequency function of transit times through dog pulmonary circulation. Circ Res. 26:527-543.
- Mees, E.J.D. 1992. fluid retention in renal disease : The genesis of renal oedema. In J.S. Cameron (ed.), Oxford textbook of clinical nephrology vol 1. pp 262-275. Oxford : Oxford University press.
- Nicholls, K.M, Fairley, K.F., Dowling. J.P., and Kincaid-Smith, P. 1984. The clinical course of mesangial IgA associated nephropathy in adults. Q J Med. 210 : 227-250.
- Noel, L.H., Zanetti, M., Droz, D., and Barbanel, C. 1979. Long-term prognosis of idiopathic membranous glomerulonephritis. Study of 116 untreated patients. Am. J. Med. 66:82-90.
- O' Donoghue, D.J., Lawler, W., Hant, L.P., Acheson, E.J., and Mallick, N.P. 1991. IgM-associated primary diffuse mesangial proliferative glomerulonephritis : Natural history and prognostic indicators. Q J Med. 288:333-350.
- Rennke, H.G., and Klein, P.S. 1989. Pathogenesis and significance of nonprimary focal and segmental glomerulosclerosis. Am. J. Kidney dis. 6:443-456.

- Renkin, E.M., and Gilmore, J.P. 1973. Glomerular filtration. In Orloff, J., Berliner, R.W., and Geiger, S.R. (eds), Handbook of physiology, Section 8 : Renal Physiology, pp. 185. Washington, D.C. : Am Physiol Soc. Cited by Hebert, L.A., Allhiser, C.L., and Koethe S.M. 1978. Some hemodynamic determinants of immune complex trapping by the kidney. Kidney Int. 14:452-465.
- Rich, A.R. 1975. A hitherto undescribed vulnerability to the juxtamedullary glomeruli in the lipid nephrosis. Bull. Johns Hopkins Hosp. 100:173-175. Cited by Beaufils, H., Alphonse, J.C., Guedon, J., and Legrain, M. 1978. Focal glomerulosclerosis : Natural history and treatment. Nephron. 21 : 75-85.
- Rutland, M.D. 1981. Mean transit time without deconvolution. Nucl Med commun. 2 : 337-344.
- Rutland, M.D. 1985. A comprehensive analysis of renal DTPA studies II. Renal transplant evaluation. Nucl Med Commun. 6; 21-30.
- Schmitt, H., Bohle, A., Reineke, T., Eichberger, D.M. and Vogl, W. 1990. Long-term prognosis of membranoproliferative glomerulonephritis type I : Significance of clinical and morphological parameters : An investigation of 220 cases. Nephron. 55 : 242-250.
- Schwartz, M.M., and Korbet, S.M. 1993. Primary focal and segmental glomerulosclerosis : Pathology, histological variants and pathogenesis. Am. J. Kidney Dis. 6 : 874-883.
- Sekse, I., Iversen, B.M., Morkrid, L. and Ofstad, J. 1990. Renal blood flow and glomerular filtration rate during the heterologous phase in passive Heymann nephritis in Rats. Nephron. 56:194-200.
- Silva, F.G., and Hogg, R.J. 1989. IgA nephropathy. In C.C. Tisher and B.M. Brenner (eds), Renal pathology with clinical and functional correlations vol 1. pp 434-493. Philadelphia : J.B. Lippincott.
- Sinniah, R. 1985. IgA mesangial nephropathy : Berger's disease. Am. J. Nephrol. 5:73-83.

- Swainson, C.P., Robson, J.S., Thomson, D. and Macdonald, M.K. 1983. Mesangiocapillary glomerulonephritis : A long-term study of 40 cases. J. Pathol. 141 : 449-468.
- Ulfendahl, H.R., and Wolgast, M. 1992. Renal circulation and lymphatics. In D.W. Seldin and G. Giebisch (eds), The Kidney : Physiology and Pathology 2nd ed, pp 1011-1047. New york : Raven Press.
- Vilches, A.R., Turner, M.D., Cameron, J.S., Ogg, C.S., Chantler C. and Williams, D.G. 1982. Significance of mesangial IgM deposition in "Minimal change" nephrotic syndrome. Lab Invest. 46:10-15.
- Waldherr, R., Gubler, M.C., Levy, M., Broyer, M. and Habib, R. 1978. the significance of pure diffuse mesangial proliferation in idiopathic nephrotic syndrome. Clin Nephrol. 1978:171-179.
- Wehrmann, M., Bohle, A., Bogenschütz, O., et al. 1989. Long term prognosis of chronic idiopathic membranous glomerulonephritis. An analysis of 334 cases with particular regard to tubulo-interstitial changes. Clin Nephrol. 31 : 67-76.
- Wehrmann, M., Bohle, A., Schumm, H.H.G., Kendziorra, H. and Pressler, H. 1990. Long-term prognosis of focal sclerosing glomerulonephritis. An analysis of 250 cases with particular regard to tubulointerstitial changes. Clin Nephrol. 33: 115-122.
- Williams, D.L. 1979. Teaching Editorial : Improvement in quantitative data analyses by numerical deconvolution techniques. J Nucl Med. 20: 568-570.
- Windhager, L. 1986. Micropuncture technique and nephron function. New York : Appleton-Century-Crofts. อ้างถึงใน เกรียง ตั้งสง่า. สรีรวิทยาของไตสำหรับอายุรแพทย์. กรุงเทพมหานคร : สำนักพิมพ์เมดิคัล มีเดีย, 2534.
- Zager, R.A., Baltes, L.A., Sharma, H.M., and Couser, W.G. 1984. Glomerulopathy does not increase renal susceptibility to acute ischemic injury. Am. J. Physiol. 15 : F 272-F 281.

ต้นฉบับ หน้าขาดหาย