

## REFERENCES

- Aelion, R., Loebel, A., and Eirich, F. (1950) Hydrolysis of ethyl silicate. J. Am. Chem. Soc., 72, 5705-5712.
- Berube, F., Kleitz, F., and Kaliaguine, S. J. (2009) Surface properties and epoxidation catalytic activity of Ti-SBA15 prepared by direct synthesis. J. Mater. Sci., 44, 6727-6735.
- Charoenpinijkarn, W., Suwankruhasn, M., Kesapabutr, B., Wongkasemjit, S. and Jamieson, A.M. (2001) Sol-gel processing of silatranes. European Polymer Journal, 37, 1441-1448.
- Che, S., Sakamoto, H., Yoshitake, H., Terasaki, O., and Tatsumi, T. (2001) Synthesis and characterization of Mo-SBA-1 cubic mesoporous molecular sieves. J. Phys. Chem. B, 105, 10565-10572.
- Chen, Y., Huang, Y., Xiu, J., Han, X., and Bao, X. (2004) Direct synthesis, characterization and catalytic activity of titanium-substituted SBA-15 mesoporous molecular sieves. Applied Catalysis A: General, 273, 185-191.
- Chu, B. and Zhou, Z. (1996) Physical Chemistry of Polyoxyalkylene Block Copolymer Surfactants in Nonionic Surfactants. Surfactant Science Series, 60, 67-143.
- Corma, A. (1997) From Microporous to mesoporous molecular sieve materials and their use in catalysis. Chem. Rev., 97, 2373-2420.
- Cotton, F.A., Wilkinson, G. (1980) Advance Inorganic Chemistry, 4<sup>th</sup> ed., John Wiley & Sons, New York.
- Estermann, M., McCusker, L. B., Baerlocher, C., Merroche, A., and Kessler H. (1991) A synthetic gallophosphate molecular sieve with a 20-tetrahedral-atom pore opening. Nature, 352, 320-323.
- He, N., Bao, S., and Xu, Q. (1998) Fe-containing mesoporous molecular sieves materials: very active Friedel-Crafts alkylation catalysts. Appl. Catal.: A, 169, 29-36.
- Higashimoto, S., Hu, Y., Tsumura, R., Iino, K., Matsuoka, M., Yamashita, H., Shul, Y., Che, M., and Anpo, M. (2005) Synthesis, characterization and

- photocatalytic reactivities of Mo-MCM-41 mesoporous molecular sieves: Effect of the Mo content on the local structures of Mo-oxides. *J. Catal.*, 235, 272-278.
- Hoang, V-T., Huang, Q., Ei, M., Do, T-O., and Kaliaguine S. (2005) Structure and Diffusion Characterization of SBA-15 Materials. *Langmuir*, 21, 2051-2057.
- Hulea, V., and Dumitriu, E. (2004) Styrene oxidation with H<sub>2</sub>O<sub>2</sub> over Ti-containing molecular sieves with MFI, BEA and MCM-41 topologies. *Applied Catalysis A: General*, 277, 99-106.
- Huo, Q., Margolese, D.I., Ciesla, D.I., Demuth, D.G., Feng, P., Gier, T.E., Sieger, P., Firouzi, A., Chemelka, B.F., Schuth, F., and Stucky, G.D. (1994) Organization of Organic Molecules with Inorganic Molecular Species into Nanocomposite Biphase Arrays. *Chemistry of Materials*, 6, 1176-1191.
- Giordano, N., Meazza, M., Castellan, A., Bart. J.C.J., and Ragaini, V. (1977) Structure and catalytic activity of MoO<sub>3</sub>-SiO<sub>2</sub> systems: III. Mechanism of oxidation of propylene. *J. Catal.*, 50, 342-352.
- Goltner, C. G., and Antonietti, M. (1997) Mesoporous materials by templating of liquid crystalline phases. *Adv Mater.*, 9, 431.
- Ježłorowski, H., and Knozinger, H. (1979) Raman and ultraviolet spectroscopic characterization of molybdena on alumina catalysts. *J. Phy. Chem.*, 83, 1166-1173.
- Ji, D., Zhao, R., Lv, G., Qian, G., Yan, L., and Suo, J. (2005) Direct synthesis, characterization and catalytic performance of novel Ti-SBA-1 cubic mesoporous molecular sieves. *Applied Catalyst A: General*, 281, 39-45.
- Komarneni, S., Li, Q. H., and Roy, R. (1994) Microwave-hydrothermal synthesis of ceramic powders. *J. Mater. Chem.*, 4, 1903-1906.
- Kotov, St.V., and Balabolov, E. (2001) Comparative evaluation of the activity of some homogeneous and polymeric catalysts for the epoxidation of alkenes by organic hydroperoxides. *J. Mol. Catal. A*, 176, 41-48.
- Kresge, C. T., Leonowicz, M. E., Roth, W. J., Vartuli, J. C. and Beck, J. S. (1992) Ordered mesoporous molecular sieves synthesized by a liquid-crystal template mechanism. *Nature*, 359, 710-712.

- Kubo, S., and Kosuge, K. (2007) Salt-Induced Formation of Uniform Fiberlike SBA-15 Mesoporous Silica Particles and Application to Toluene Adsorption. *Langmuir*, 23, 11761-11768.
- Laha, S.C., and Kumar, R. (2001) Selective Epoxidation of Styrene to Styrene Oxide over TS-1 Using Urea-Hydrogen Peroxide as Oxidizing Agent. *Journal of Catalysis*, 204, 64-70.
- Li, Y., Feng, Z., Lian, Y., Sun, K., Zhang, L., Jia, G., Yang, Q., and Li, C. (2005) Direct synthesis of highly ordered Fe-SBA-15 mesoporous materials under weak acidic conditions. *Microporous and Mesoporous Materials*, 84, 41-49.
- Lin C.L., Pang Y.S., Chao M.C., Chen B.C., Lin H.P., Tang C.Y., and Lin C.Y. (2008) Synthesis of SBA-16 and SBA-15 mesoporous silica crystals templated with neutral block copolymer surfactants. *Physic and Chemistry of Solids*, 69, 415-419.
- Liu, T-C., Forissier, M., Coudurier, G., and Ve'drine, J.C. (1989) Properties of molybdate species supported on silica. *J. Chem. Soc. Faraday. Trans.*, 85, 1607-1618.
- Louis, C., Tatibouet, J.-M., and Che, M. (1988) Catalytic properties of silica-supported molybdenum catalysts in methanol oxidation: The influence of molybdenum dispersion. *J. Catal.*, 109, 354-366.
- Luan, Z. H., Hartmann, M., Zhao, D. Y., Zhou, W. Z., and Kevan, L. (1999) Alumination and ion exchange of mesoporous SBA-15 molecular sieves. *Chem. Mater.*, 11, 1621-1627.
- Melero, J.A., Iglesias, J., Arsuaga, J.M., Sainz-Pardo, J., de-Frutos, P., and Blazquez, S. (2007) Synthesis, characterization and catalytic activity of highly dispersed Mo-SBA-15. *Applied Catalysis A: General*, 331, 84-94.
- Morey, M. S., O'Brien, S., Schwarz, S., and Stucky, G. D. (2000) Hydrothermal and Post-synthesis Surface Modification of Cubic MCM-48 and Ultra-large-pore SBA-15 Mesoporous Silica with Titanium. *Chem. Mater.*, 12, 898-911.
- Newalkar, B., Komarneni, S., and Katsuki H. (2000) Rapid synthesis of mesoporous SBA-15 molecular sieve by a microwave-hydrothermal process. *Chem. Commun.*, 2389-2390.

- Newalkar, B., Olanrewaju, J., and Komarneni, S. (2001) Direct Synthesis of Titanium-Substituted Mesoporous SBA-15 Molecular Sieve under Microwave-Hydrothermal Conditions. Chem. Mater., 13, 552-557.
- Ono, T., Anpo, M., and Kubokawa, Y. (1986) Catalytic activity and structure of.  $\text{MoO}_3$  hightly dispersed on  $\text{SiO}_2$ . J. Phys. Chem., 90, 4780-4784.
- Park, M., and Komarneni, S. (1998) Rapid synthesis of  $\text{AlPO}_4$ -11 and cloverite by microwavehydrothermal processing. Microporous Mesoporous Mater., 20, 39-44.
- Phiriyawirut, P., Jamieson, A.M., and Wongkasemjit, S. (2005) VS-1 Zeolite synthesized directly from silatrane. Mesoporous and Microporous Mater., 77, 203-213.
- Phiriyawirut, P., Magaraphan, R., Jamieson, A. M., and Wongkasemjit S. (2003) MFI zeolite synthesis directly from silatrane via sol-gel process and microwave technique. Material Science and Engineering, A361, 147-154.
- Phonthammachai, N., Chairassameewong, T., Gulari, E., Jamieson, A. M., and Wongkasemjit, S. (2003) Structural and rheological aspect of mesoporous nanocrystalline  $\text{TiO}_2$  synthesized via sol-gel process. J. Met. Mater. Min., 12, 23-28.
- Phonthammachai, N., Krissanasaeranee, M., Gulari, E., Jamieson, A.M., and Wongkasemjit, S. (2006) Crystallization kinetics and catalytic activity of high titanium loaded TS-1 zeolite. Materials Chemistry and Physics, 97, 458-467.
- Piboonchaisit, P., Wongkasemjit, S., and Laine, R. (1999) A novel route to tris (silatranyloxy-I-propyl) amine directly from silica and triiosopropanolamine, Part I, Science-Asia. Journal of the Science Society of Thailand, 25, 113-119.
- Rana, R.K. and Viswsabathan, B. (1998) Mo incorporation in MCM 41 type zeolite Catal. Lett., 52, 25-29.
- Ressler, T., Wienold, J., Jentoft, R.E. and Girgsdies, F. (2003) Evolution of Defects in the Bulk Structure of  $\text{MoO}_3$  During the Catalytic Oxidation of Propene. Eur. J. Inorg. Chem., 2003, 2, 301-312.

- Samran, B., White, T.J. and Wongkasemjit, S. (2010) A novel room temperature synthesis of mesoporous SBA-15 from silatrane. Journal of Porous Materials, DOI. 10.1007/s10934-010-9367-3.
- Sathupanya, M., Gulari, E., and Wongkasemjit, S. (2003) ANA and GIS zeolite synthesis directly from alumatrane and silatrane by sol-gel process and microwave techniques. Journal of European Ceramic Society, 22, 2305-2314.
- Sathupanya, M., Gulari, E., and Wongkasemjit, S. (2003) Na-A (LTA) zeolite synthesis directly from alumatrane and silatrane by sol-gel microwave techniques. Journal of European Ceramic Society, 23, 1293-1303.
- Sayari, A. (1996) Catalysis by Crystalline Mesoporous Molecular Sieves. Chemistry of Materials, 8, 1840-1852.
- Soler-Illia Galo, J. De A.A., Sanchez, C., Lebeau, B., and Patarin, J. (2002) Chemical Strategies to Design Textured Materials: from Microporous and Mesoporous Oxides to Nanonetworks and Hierarchical Structures. Chem. Rev., 102, 4093-4138.
- Sutara, S., Gulari, E., and Wongkasemjit, S. (2004) Proceeding of the International Conference on Smart Material (SmartMat-'04), Chiang Mai, Thailand, December 1-3, 2004.
- Taguchi, A., and Schuth, F. (2005) Ordered mesoporous materials in catalysis. Micropor. Mesopor. Mater., 77, 1-45.
- Tanglumlert, W., Imae, T., White, T. J., and Wongkasemjit S. (2008) Preparation of highly ordered Fe-SBA-1 and Ti-SBA-1 cubic mesoporous silica via sol-gel processing of silatrane. Materials Letters, 62, 4545-4548.
- Tanglumlert, W., Imae, T., White, T. J., and Wongkasemjit S. (2009) Styrene oxidation with H<sub>2</sub>O<sub>2</sub> over Fe- and Ti-SBA-1 mesoporous silica. Catal. Comm., 10, 1070-1073.
- Thanabodeekij, N., Sadthayanon S., Gulari, E., and Wongkasemjit, S. (2006) Extremely high surface area of ordered mesoporous MCM-41 by atrane route. Materials Chemistry and Physics, 98, 131- 137.

- Thanabodeekij, N., Tanglumlert, W., Gulari, E., and Wongkasemjit, S. (2005) Synthesis of Ti-MCM-41 directly from silatrane and titanium glycolate and its catalytic activity. *Applied Organometallic Chemistry*, 19, 1047-1054.
- Thitsatarn, W., Gulari, E., and Wongkasemjit, S. (2008) Synthesis of Fe-MCM-41 fromm silatrane and  $\text{FeCl}_3$  via sol-gel process and its epoxidation activity. *Applied Organometallic Chemistry*, 22, 97-103.
- Trong-On, D., Desplantier-Giscard, D., Danumah, D., and Kaliaguine S. (2001) Perspectives in catalytic applications of mesostructured materials. *Appl. Catal. A*, 222, 299-357.
- Vinu, A., Murugesan, V., Bohlmann, W., and Hartmann, M. (2004) An optimized procedure for the synthesis of AISBA-15 with large pore diameter and high aluminum content. *J. Phys. Chem. B*, 108, 11496-11505.
- Vinu, A., Murugesan, V., Tangermann, O., and Hartmann, M. (2004) Adsorption of cytochrome c on mesoporous molecular sieves: Influence of pH, pore diameter and aluminium incorporation. *Chem. Mater.*, 16, 3056-3065.
- Vinu, A., Sawant, D. P., Ariga, K., Hossain, K. Z., Halligudi, S. B., Hartmann M., and Nomura, M. (2005) Direct synthesis of well-ordered and unusually reactive FeSBA-15 mesoporous molecular sieves. *Chem. Mater.*, 17, 5339-5345.
- Vinu, A., Srinivasu, P., Miyahara, M., and Ariga, K. (2006) Preparation and characterization of high Ti content large pore TiSBA-15 mesoporous molecular sieves and their catalytic performance on styrene epoxidation. *J. Phys. Chem. B*, 110, 801-806.
- Wang, L., Kong, A., Chen, B., Ding, H., Shan, Y., and He, M. (2005) Direct synthesis, characterization of Cu-SBA-15 and its high catalytic activity in hydroxylation of phenol by  $\text{H}_2\text{O}_2$ . *Journal of Molecular Catalysis A: Chemical*, 230, 143-150.
- Wanka, G., Hoffmann, H., and Ulbricht, W. (1994) Phase Diagrams and Aggregation Behavior of Poly(oxyethylene)-Poly(oxypropylene)-Poly(oxyethylene) Triblock Copolymers in Aqueous Solutions. *Macromolecules*, 27, 4145-4159.

- Weber, R.S. (1995) Effect of Local Structure on the UV-Visible Absorption Edges of Molybdenum Oxide Clusters and Supported Molybdenum Oxides. *J. Catal.*, 151, 470-474.
- Wongkasemjit, S., Tamuang, S., Tanglumlert, W., and Imae, T. (2009) Synthesis of Mo-SBA-1 catalyst via sol-gel process and its activity. *Materials Chemistry and Physics*, 117, 301-306.
- Wu, P., and Tatsumi, T. (2002) Post-synthesis, Characterization and Catalytic Properties in Alkene Epoxidation of Hydrothermally Stable Mesoporous Ti-SBA-15. *Chem. Mater.*, 14, 1657-1664.
- Wu, S., Han, Y., Zou, Y. C., Song, J. W., Zhao, L., Di, Y., Liu, S. Z., and Xiao, F. S. (2004) Synthesis of Heteroatom Substituted SBA-15 by the “pH-Adjusting” Method. *Chem. Mater.*, 16, 486-492.
- Xiao, F.-S. (2005) Ordered mesoporous materials with improved stability and catalytic activity. *Top. Catal.*, 35, 9-24.
- Yang, Q., Cope'ret, C., Li, C., and Basset, J.M. (2003) Molybdenum containing surface complex for olefin epoxidation. *New. J. Chem.*, 27, 319–323.
- Yue, Y. H., Gedeon, A., Bonardet, J. L., Melosh, N., D'Espinose, J. B., and Fraissard, J. (1999) Direct synthesis of AlSBA mesoporous molecular sieves: characterization and catalytic activities. *Chem. Commun.*, 1967-1968.
- Zhang, L., Hua, Z., Dong, X., Li, L., Chen, H., and Shi, J. (2007) Preparation of highly ordered Fe-SBA-15 by physical-vapor-infiltration and their application to liquid phase selective oxidation of styrene. *Journal of Molecular Catalysis A: Chemical.*, 268, 155-162.
- Zhang, W., Wangt, J., Taney, P.T., and Pinnavaia, T. (1996) Benzene over Transition-Metal Substituted Hexagonal Mesoporous Silicas. *Chem. Commun.*, 69, 979–980.
- Zhang, W., Lu, J., Han, B., Li, M., Xiu, J., Ying, P., and Li, C. (2002) Direct Synthesis and Characterization of Titanium-Substituted Mesoporous Molecular Sieve SBA-15. *Chemistry of Materials*, 14, 3413-3421.

- Zhang, Y., Gao, F., Wan, H., Wu, C., Kong, Y., Wu, X., Zhao, B., Dong, L., and Chen, Y. (2008) Synthesis, characterization of bimetallic Ce-Fe-SBA-15 and its catalytic performance in the phenol hydroxylation. Micropor. Mesopor. Mater., 113, 393–401.
- Zhao, D., Feng, J., Huo, Q., Melosh, N., Frerickson, G. H., Chmelka, B. F., and Stucky, G. D. (1998) Triblock Copolymer Syntheses of Mesoporous Silica with Periodic 50 to 300 Angstrom Pores. Science, 279, 548-552.
- Zhao D., Huo Q., Feng J., Chmelka B. F., and Stucky G. D. (1998) Nonionic triblock and star diblock copolymer and oligomeric surfactant syntheses of highly ordered, hydrothermally stable, mesoporous silica structures. J. Am. Chem. Soc., 120, 6024-6036.
- Zheng, J., Zhai, S., Wu, D., and Sun, Y. (2005)  $S^+X^-I^+$  route to mesostructured materials from Fau and Beta zeolite precursors: A comparative study of their assembly behaviors in extremely acidic media. Journal of Solid State Chemistry, 178, 1630-1636.

## CURRICULUM VITAE

**Name:** Ms. Busaraporn Samran

**Date of Birth:** June 20, 1979

**Nationality:** Thai

**University Education:**

- 2000-2001 Master Degree of Polymer Science, Petroleum and Petrochemical College, Chulalongkorn University, Bangkok, Thailand
- 1996-1999 Bachelor Degree of Science, Faculty of Science, King Mongkut's University of Technology Thonburi, Bangkok, Thailand

**Working Experience:**

- 2003-2007 Position: Product Development Manager  
Company name: Unilever Thai Trading Limited
- 2002-2003 Position: R&D Supervisor  
Company name: Thai KK Industry Co. Ltd.

**Publications:**

1. Wanlin Chang, Kanjana Phattarasakul, Busaraporn Samran and Jie-bing Zhu  
ANTI-DANDRUFF HAIR CONDITIONING COMPOSITIONS  
(WO/2008/003677)
2. Wanlin Chang, Kanjana Phattarasakul, Busaraporn Samran, and Jie-bing Zhu  
ANTI-DANDRUFF HAIR CONDITIONING COMPOSITIONS (20100016271)
3. Samran, S., White, T.J., Wongkasemjit, S. (2010) A novel room temperature synthesis of mesoporous SBA-15 from silatrane. Journal of Porous Materials DOI: 10.1007/s10934-010-9367-3.
4. Samran, S., Aungkutranont, S., White, T.J., Wongkasemjit, S. (2010) Room temperature synthesis of Ti-SBA-15 from silatrane and titanium-glycolate and its catalytic performance towards styrene epoxidation. Journal of Sol-Gel Science and Technology