

## REFERENCES

- Hawker, C.J. (1995) Architectural control in "living" free radical polymerizations : preparation of star and graft polymers. Angewandte Chemie International Edition in English, 34, 1456-1459.
- Inoue, K. (2000) Functional dendrimers, hyperbranched and star polymers. Progress in Polymer Science, 25, 453.
- Robello, D.R. Star-shaped polystyrene for initiator. United States patent US 6,686,407. 2004, Mar 24.
- Gugliuzza, A. 2008. Next generation self-assembled functional membranes [online]. Available from: [http://www.itm.cnr.it/Annarosa\\_Gugliuzza.htm](http://www.itm.cnr.it/Annarosa_Gugliuzza.htm) [Accessed 8 December 2010]
- Viswanathan, K., Long, T.E., and Ward, T.C. (2005) Synthesis and Characterization of Star Polymers for Organic and Hybrid Inorganic/Organic surface modifier. Journal Polymer Science Part A, 43, 3655–3666.
- Tsitsilianis, C., Lutz, P., Graff, S., Lamps, J.P., and Rempp P. (1991) Core-first synthesis of star polymers with symmetric structure. Macromolecules, 24, 5897.
- Xia, J., Zhang, X., and Matyjaszewski, K. (1999) Block copolymer prepared through a combination of ATRP and other controlled polymerization techniques. Macromolecules, 32, 4482.
- Matyjaszewski polymer group. 2008. Star copolymers. Available from: <http://www.cmu.edu>. [Accessed 21 February 2011]
- Chirachanchai, S., Laobuthee, A., and Phongtamrug, S. (2009) Self termination of ring opening reaction of p-substituted phenol-based benzoxazines: an obstructive effect via intramolecular hydrogen bond. Journal of Heterocyclic Chemistry, 46, 714.
- Laobuthee, A., and Chirachanchai, S. (2002) A simple, effective, and selective synthesis route for difunctional 30-membered macrocyclic ester and linear oligoester derived from benzoxazine dimers. Chemistry Letters, 614-615.

- Rungsimanon, T., Laobuthee, A., Miyata, M., and Chirachanchai, S. (2008) [1+1] and [2+2] crown ethers derived from N,N-bis(2-hydroxyalkylbenzyl) alkylamine and their inclusion phenomena with metal ions. Journal of Inclusion Phenomena and Macrocyclic Chemistry, 62, 333–338.
- Laobuthee, A., Chirachanchai, S., Ishida, H., and Tashiro, K. (2001) Asymmetric mono-oxazine: an inevitable product from mannich reaction of benzoxazine dimers. Journal of American Chemical Society, 123, 9947-9955.
- Elderfield, R.C., Todd, W., and Gerber, S. In Heterocyclic compounds; Elderfield, R.K. Ed.; Wiley: New York, 1957 1957.
- Burke W.J. (1949) 3,4-dihydro-1,3,2h-benzoxazines. reaction of *p*-substituted phenols with n,n-dimethylolamines. Journal of American Chemical Society, 71, 609.
- Daoud, M., and Cotton, J.P. (1982) Star shaped polymers: a model for the conformation and its concentration dependence. Journal De Physique, 43, 531 – 553.
- Gao, H., and Matyjaszewski, K. (2009) High-yield synthesis of uniform star polymers - is controlled radical polymerization always needed?. Chemistry - A European Journal, 15, 6107-6111.
- Grest, G.S., Fetters, L.J., Huang, J.S., and Richter, D. (2007) Star polymers: experiment, theory, and simulation. Advances in Chemical Physics , 94, 613-618.
- Prigogine, I., and Rice, S.A. (2009) Anionic polymerization: principles and practical application. John Wiley and Sons Ltd. New York, 14, 67.
- Li, M., Jahed, N.M. Min, K., and Matyjaszewski, K. (2004) Preparation of linear and star-shaped block copolymers by ATRP using simultaneous reverse and normal initiation process in bulk and miniemulsion. Macromolecules, 37, 2434-2441.
- Cloutet, E., Fillaut, J.L., Astruc, D., and Gnanou, Y. (1998) Newly designed star-shaped polystyrene: synthesis and characterization. Macromolecules, 31, 20.

- Rein, D., Lamps, J.P., Rempp, P., Lutz, P., Papanagopoulos, D., and Tsitsilianis, C. (1993) New developments in synthesis of star polymers with poly(ethylene oxide) arms. Acta Polymerica, 44, 225-229.
- Kolb, H.C., Finn, M.G., and Sharpless, K.B. (2001) Click chemistry: diverse chemical function from a few good reactions. Angewandte Chemie International Edition, 40, 2004-2021.
- Chirachanchai, S., Laobuthee, A., and Phongtamrug, S. (2000) a novel ion extraction material using host-guest properties of oligobenzoxazine local structure and benzoxazine monomer molecular assembly. Journal of Applied Polymer Science, 77 2561–2568.
- Strunz, G., and Yu, C.M. (1988) Photocycloaddition of cytosine to 5-methoxyuracil in dinucleotide model compound. Canadian Journal of Chemistry, 66, 1081-1083.

## CURRICULUM VITAE

**Name:** Ms. Choltirosn Sutapin

**Date of Birth:** November 7, 1986

**Nationality:** Thai

**University Education:**

2005-2008 Bachelor Degree of Chemistry, Faculty of Science, Chaingmai University, Bangkok, Thailand

**Work Experience:**

2007            Position:        Internship-training  
                  Department:    Plating  
                  Company:        American Standard B&K Thailand Co. Ltd.,

**Proceedings:**

1. Sutapin, C.; and Chirachanchai, S., (2011, April 19) Development of star-shaped benzoxazine supramolecule. Proceedings of the Petroleum and Petrochemical college Chulalongkorn University, Bangkok, Thailand.

**Presentations:**

1. Sutapin, C.; and Chirachanchai, S., (2011, April 26) Development of star-shaped benzoxazine supramolecule. Paper presented at the 2<sup>nd</sup> National Research Symposium on Petroleum, Petrochemicals, and Advance Materials and the 17<sup>th</sup> PPC Symposium on Petroleum, Petrochemicals, and Polymers 2011, Bangkok, Thailand.
2. Sutapin, C.; and Chirachanchai, S., (2011, January 10-11) Benzoxazine-based star-shaped supramolecule. Paper presented at the 1<sup>st</sup> International Conference on Big Idea of Molecular Materials, Singapore, Singapore.