

REFERENCES

- Aita, Y., Komatsu, M., Yin, S., and Sato, T. (2004). Phase-compositional control and visible light photocatalytic activity of nitrogen-doped titania via solvothermal process, <u>Journal of Solid State Chemistry</u>, 177, 3235-3238.
- Anderson, C., and Bard, A.J. (1997). Improved photocatalytic activity and characterization of mixed TiO₂/SiO₂ and TiO₂/Al₂O₃ materials. <u>Journal of</u> <u>Physical Chemistry</u>, 101, 2611-2616.
- Archer, M.D., and Bolton, J.R. (1990). Requirements for ideal performance of photochemical and photovoltaic solar energy converters. <u>Journal of</u> <u>Physical Chemistry</u>, 94, 8028-8036.
- Asahi, R., Morikawa, T., Ohwaki, T., Aoki, K., and Taga, Y. (2001). Visible-light photocatalysis in nitrogen-doped titanium oxides. <u>Science</u>, 293, 269-271.
- Ashkarran, A.A., Aghigh, S.M., Kavianipour, M., and Farahani, N.J. (2011). Visible light photo-and bioactivity of Ag/TiO₂ nanocomposite with various silver contents. <u>Current Applied Physics</u>, 11, 1048-1055.
- Bak, T., Nowotny, J., Rekas, M., and Sorrell, C.C. (2002). Photo-electrochemical hydrogen generation from water using solar energy. <u>International Journal of</u> <u>Hydrogen Energy</u>, 27, 991-1022.
- Bamwenda, G.R., Tsubota, S., Nakamura, T., and Haruta, M. (1995). Photoassisted hydrogen production from a water-ethanol solution: a comparison of activities of Au-TiO₂ and Pt-TiO₂. <u>Journal of Photochemistry and Photobiology A: Chemistry</u>, 89, 177-189.
- Bard, A.J., and Fox, M.A. (1995). Artificial photosynthesis: solar splitting of water to hydrogen and oxygen. <u>Accounts of Chemical Research</u>, 28, 141-145.
- Bi, Z.C., and Tien, H.T. (1984). Photoproduction of hydrogen by dye-sensitized systems. International Journal of Hydrogen Energy, 9(8), 717-722.
- Carp, O., Huisman, C.L., and Reller, A. (2004). Photoinduced reactivity of titanium dioxide. <u>Progress in Solid State Chemistry</u>, 32, 33-177.
- Chen, L., Zhang, S., Wang, L., Xue, D., and Yin, S. (2009). Photocatalytic activity of Zr:SrTiO₃ under UV illumination. <u>Journal of Crystal Growth</u>, 311, 735-737.

- Chen, X.B., and Mao, S.S. (2007). Titanium dioxide nanomaterials: synthesis, properties, modifications, and applications <u>Chemical Reviews</u>, 107, 2891-2959.
- Deng, X., Yue, Y., and Gao, Z. (2002). Gas phase photo-oxidation of organic compounds over nanosized TiO₂ photocatalysts by various preparations. <u>Applied Catalysis B: Environmental</u>, 39, 135-147.
- Dhanalakshmi, K.B., Latha, S., Anandan, S., and Maruthamuthu, P. (2000). Dye sensitized hydrogen evolution from water. <u>International Journal of Hydrogen Energy</u>, 26, 669-674.
- Ding, X., and Liu, X. (1998). Correlation between anatase-to-rutile transformation and grain growth in nanocrystalline titania. <u>Journal of Materials Research</u>, 13, 2556-2559.
- Doong, R.A., Chen, C.H., Maithreepala, R.A., and Chang, S.M. (2001). The influence of pH and cadmium sulfide on the photocatalytic degradation of 2-chlorophenol in titanium dioxide suspensions. <u>Water Research</u>, 35(12), 2873-2880.
- Fu, X.Z., Zeltner, W.A., and Anderson, M.A. (1995). The gas-phase photocatalytic mineralization benzene on porous titania-based catalysts. <u>Applied Catalysis</u> <u>B</u>, 6, 209-224.
- Fujishima, A., and Honda, K. (1972). Electrochemical photolysis of water at a semiconductor electrode. <u>Nature</u>, 238, 37-38.
- Fujishima, A., Rao, T.N., and Tryk, D.A. (2000). Titanium dioxide photocatalysis. Journal of Photochemistry and Photobiology C: Photochemistry Reviews, 1, 1-21.
- Gao, X., and Wachs, I.E. (1999). Titania-silica as catalysts: molecular structural characteristics and physico-chemical properties. <u>Catalysis Today</u>, 51, 233-254.
- Gurunathan, K., Maruthamuthu, P., and Sastri, V.C. (1997). Photocatalyst hydrogen production by dye-sensitized Pt/SnO₂ and Pt/SnO₂/RuO₂ in aqueous methyl viologen solution. <u>International Journal of Hydrogen Energy</u>, 207(1-2), 173-181.

- Hague, D.C., Mayo, M.J. (1994). Controlling crystallinity during processing of nanocrystalline titania. <u>Journal of the American Ceramic Society</u>, 77, 1957-1960.
- Hoffmann, M.R., Martin, S.T., Choi, W., and Bahnemann, D.W. (1995). Environmental applications of semiconductor photocatalysis. <u>Chemical Reviews</u>, 95, 69-96.
- Ishizaki, K., Komarneni, S., and Nanko, M. (1988). <u>Porous Materials Process</u> <u>Technology and Applications</u>, Kluwer Academic Publisher, London.
- Jin, Z., Zhang, X., Lu, G., and Li, S. (2006). Improve quantum yield for photocatalytic hydrogen generation under visible light irradiation over eosin sensitized TiO₂-Investigation of different noble metal loading. <u>Journal of</u> <u>Molecular Catalysis A : Chemical</u>,259, 275-280.
- Jung, K.Y., and Park, S.B. (2004). Photoactivity of SiO₂/TiO₂ and ZrO₂/TiO₂ mixed oxides prepared by sol-gel method. <u>Materials Letters</u> 58 (2004) 2897-2900.
- Kamat, P.V. (1995). Tailoring Nanostructured Thin Films, Chemtech.
- Kang, M.G., Han, H.E., and Kim, K.J. (1999). Enhance photodecomposition of 4chlorophenol in aqueous solution by deposition of CdS on TiO₂ Journal of <u>Photochemistry and Photobiology A: Chemistry</u>, 124, 119-125.
- Khunrattanaphona, P., Sreethawong, T., and Chavadej, S. (2011). Synthesis and application of novel mesoporous-assembled SrTi_xZr_{1-x}O₃-based nanocrystal photocatalysts for azo dye degradation. <u>Chemical Engineering Journal</u>, 170, 292–307.
- Kobasa, I.M., Kondratyeva, I.V., and Vorobets, G.I. (2008). TiO₂-Me_nO_m-based materials. <u>Superlattices and Microstructures</u>, 44, 496-505.
- Li, D., Haneda, H., Ohashi, N., Hishita, S., and Yoshikawa, Y. (2004). Synthesis of nanosized nitrogen-containing MO_X-ZnO (M=W,V,Fe) composite powders by spray pyrolysis and their visible-light-driven photocatalysis in gas phase acetaldehyde decomposition. <u>Catalysis Today</u>, 93-95, 895-901.

- Li X., Li B., Chenga M., Dua Y., Wang X. and Yang P. (2007). Catalytic hydrogenation of phenyl aldehydes using bimetallic Pt/Pd and Pt/Au nanoparticles stabilized by cubic silsesquioxanes. <u>Journal of Molecular</u> <u>Catalysis A: Chemical</u> 284 (2008) 1-7.
- Li, Y., Xie, C., Peng, S., Lu, G., and Li, S. (2008). EosinY-sensitized nitrogendoped TiO2 for efficient visible light photocatalytic hydrogen evolution. <u>Journal of Molecular Catalysis A : Chemical</u>, 282, 117-123.
- Matsuoka, M., Kitano, M., Takeuchi, M., Tsujimaru, K., Anpo, M., and Thomas, J.M. (2007). Photocatalysis for new energy production Recent advances in photocatalytic water splitting reaction for hydrogen production. <u>Catalysis</u> <u>Today</u>, 122, 51-61.
- Mills, A., Lee, S.K., and Lepre, A. (2003). Photodecomposition of ozone sensitised by a film of titanium dioxide on glass. <u>Journal of Photochemistry and</u> <u>Photobiology A: Chemistry</u>, 155, 199-205.
- Mrowetz, M., Balcerski, W., Colussi, A.J., and Hoffmann, M.R. (2004). Oxidative power of nitrogen-doped TiO₂ photocatalysts under visible illumination. Journal of Physical Chemistry B, 108, 17269-17273.
- Mugglie, D.S., and Ding, L. (2001). Photocatalytic performance of sulfated TiO₂ and Degussa P-25 TiO₂ during oxidation of organics. <u>Applied Catalysis B:</u> <u>Environmental</u>, 32, 181-188.
- Nada, A.A., Barakat, M.H., Hamed, H.A., Mohamed, N.R., and Veziroglu, T.N. (2005). Studies on photocatalytic hydrogen production using suspended modified TiO₂ photocatalysts. <u>International Journal of Hydrogen Energy</u>, 30, 687-691.
- Ni, M., Leung, M.K.H., Leung, D.Y.C. and Sumathy, K. (2005). A review and recent developments in photocatalytic water-splitting using TiO₂ for hydrogen production. <u>Renewable and Sustainable Energy Reviews</u>, 11, 401-425.
- Ohno, T., Akiyoshi, M., Umebayashi, T., Asai, K., Mitsui, T., and Matsumura, M. (2004). Preparation of S-doped TiO₂ photocatalysts and their photocatalytic activities under visible light. <u>Applied Catalysis A: General</u>, 265, 115-121.

- Ollis, D.F., and Al-Ekabi, H. (1993). <u>Photocatalytic Purification and Treatment of</u> <u>Water and Air</u>, Elsevier, Amsterdam.
- Onsuratoom, S., Chavadej, S., and Sreethawong, T. (2011). Hydrogen production from water splitting under UV light irradiation over Ag-loaded mesoporous-assembled TiO-ZrO₂ mixed oxide nanocrystal photocatalysts. International Journal of Hydrogen Energy, 36, 5246-5261.
- Peng, S.Q., Li, Y.X., Jiang, F.Y., Lu, G.X., and Li, S.B. (2004). Effect of Be₂C doping TiO₂ on its photocatalytic activity. <u>Chemical Physics Letters</u>, 398(1-3), 235-239.
- Puangpetch, T., Sreethawong, T., Yoshikawa, S., and Chavadej, S. (2008). Synthesis and photocatalytic activity in methyl orange degradation of mesoporous-assembled SrTiO₃ nanocrystals prepared by sol-gel method with the aid of structure-directing surfactant. Journal of Molecular Catalysis <u>A: Chemical</u>, 287, 68-77.
- Rajeshwar, K. (1995). Photoelectrochemistry and the environmeant. Journal of <u>Applied Electrochemistry</u>, 25, 1067-1082.
- Reddy, B.M., and Khan, A. (2005). Recent advances on TiO₂-ZrO₂ mixed oxides as catalysts and catalyst supports. <u>Catalysis Reviews</u>, 47, 257-296.
- Rouquerol, F., Rouquerol, J., and Sing, K. (1999). <u>Adsorption by Powders and</u> <u>Porous Solid: Principle, Methodology and Applications</u>, Academic Press, San Diego.
- Rungjaroentawon, N. (2011). Hydrogen production from water splitting under visible light irradiation using sensitized mesoporous-assembled TiO₂-SiO₂ mixed oxide photocatalysts. <u>Thesis submitted for the degree of master of</u> <u>science</u>, Petrochemical Technology, The Petroleum and Petrochemical College, Chulalongkorn University, Bangkok.
- Sakthivel, S., Shankar, M.V., Palanichamy, M., Arabindoo, B., Bahnemann, D.W., and Murugesan, V. (2004). Enhancement of photocatalytic activity by metal deposition: characterization and photonic efficiency of Pt, Au and Pd deposited on TiO₂ catalyst. <u>Water Research</u>, 38, 3001-3008.

- Savage, N., Chwieroth, B., Ginwalla, A., Patton, B.R., and Dutta, P.K. (2001). Composite n-p semiconducting titanium oxides as gas sensor. <u>Sensors and Actuators B: Chemical</u>, 79, 17-27.
- Schattka, J.H., Shchukin, D.G., Jia, J., Antonietti, M., and Caruso, R.A. (2002).
 Photocatalytic activities of porous titania and titania/zirconia structures formed by using a polymer gel templating technique. <u>Chemistry of Materials</u>,14,5103-5108.
- Serpone, N., and Pelizzetti, E. (1989). <u>Photocatalysis: Fundamentals and</u> <u>Applications</u>, Wiley, New York.
- Smith J.V., Editor. (1960). X-ray Powder Data File, American Society for Testing Materials
- So, W.W., Kim, K.J., and Moon, S.J. (2004). Photo-production of hydrogen over the CdS-TiO₂ nano-composite particulate films treated with TiCl₄. <u>International Journal of Hydrogen Energy</u>, 29, 229-234.
- Sreethawong, T., and Yoshikawa, S. (2005). Comparative investigation on photocatalytic hydrogen evolution over Cu-, Pd-, and Au-loaded mesoporous TiO₂ photocatalysts. <u>Catalysis Communications</u>, 6, 661-668.
- Sreethawong, T., and Yoshikawa, S. (2005). Enhanced photocatalytic hydrogen evolution over Pt supported on mesoporous TiO₂ prepared by single-step sol-gel process with surfactant template. <u>International Journal of Hydrogen</u> <u>Energy</u>, 31, 786-796.
- Sreethawong, T., Junbua, C., and Chavadej, S. (2009). Photocatalytic H₂ production from water splitting under visible light irradiation using Eosin Y-sensitized mesoporous-assembled Pt/TiO₂ nanocrystal photocatalyst. <u>Journal of Power</u> <u>Sources</u>, 190, 513-524.
- Sreethawong, T., Laehsalee, S., and Chavadej, S. (2008). Comparative investigation of mesoporous- and non-mesoporous-assembled TiO₂ nanocrystals for photocatalytic H₂ production over N-doped TiO₂ under visible light irradiation. <u>International Journal of Hydrogen Energy</u>, 33, 5947-5957.
- Sung, Y., Hwang, W., and Chung, J.S. (2011). Characterization and activity correlations of Pt bimetallic catalysts for low temperature fuel cells. <u>International Journal of Hydrogen Energy</u>, 36, 4007-4014.

- Tian, G., Pan, K., Fu, H., Jing, L., Zhou, W.(2009). Enhanced photocatalytic activity of S-doped TiO₂-ZrO₂ nanoparticles under visible-light irradiation. <u>Journal</u> <u>of Hazardous Materials</u>. 166, 939-944.
- Torres, G.R., Lindgren, T., Lu, J., Granqvist. C.G., and Lindquist, S.E. (2004). Photoelectrochemical study of nitrogen-doped titanium dioxide for water oxidation. Journal of Physical Chemistry B, 108, 5995-6003.
- Umebayashi, T., Yamaki, T., Itoh, H., and Asai, K. (2002). Band gap narrowing of titanium dioxide by sulfur doping. <u>Applied Physics Letters</u>, 81(3), 454-456.
- Vorontsov, A.V., Savinov, E.N., and Zhensheng, J. (1999). Influence of the form of photodeposited platinum on titania upon its photocatalytic activity in CO and acetone oxidation. <u>Journal of Photochemistry and Photobiology</u>, 125, 113-117.
- Wang, C.C., and Ying, J. (1999). Sol-gel synthesis and hydrothermal processing of anatase and rutile titania nanocrystals. <u>Chemistry of Materials</u>, 11, 3113-3120.
- Wu, J.C., and Chen, C.H. (2004). A visible-light response vanadium-doped titania nanocatalyst by sol-gel method. <u>Journal of Photochemistry and</u> <u>Photobiology A: Chemistry</u>, 163, 509-515.
- Wu, N.L., and Lee, M.S. (2004). Enhanced TiO₂ photocatalysis by Cu in hydrogen production from aqueous methanol solution. <u>International Journal of</u> <u>Hydrogen Energy</u>, 29(15), 1601-1605.
- Yu, P., Cui, B., and Ship, Q. (2008.) Preparation and characterization of BaTiO₃ powders and ceramics by sol-gel process using oleic acid as surfactant. Materials Science and Engineering A, 473, 34-41.
- Zhang, H.Z., and Banfield, J.F. (2000). Understanding polymorphic phase transformation behavior during growth of nanocrystalline aggregates: Insights from TiO₂. Journal of Physical Chemistry B, 104, 3481-3487.
- Zhang, Z., Wang, C.C., Zakaria, R., and Ying, J.Y. (1998). Role of particle size in nanocrystalline TiO₂-based photocatalysts. <u>Journal of Physical Chemistry</u> <u>B</u>, 102, 10871-10878.

- Zielińska-jurek, A., Kowalska, E., Sobczak, W.J., Lisowski, W., Ohtani, B., and Zaleska, A. (2011). Preparation and characterization of monometallic (Au) and bimetallic (Ag/Au) modified-titania photocatalysts activated by visible light. <u>Applied Catalysis B: Environmental</u>, 101, 504-514.
- Zou, H., and Lin, Y.S. (2004). Structural and surface chemical properties of sol-gel derived TiO₂-ZrO₂ oxides. <u>Applied Catalysis A</u>, 265, 35-42.

CURRICULUM VITAE

Name: Ms. Nicharee Chaona

Date of Birth: March 20, 1988

Nationality: Thai

University Education:

2006-2009 Bachelor Degree of Industrial Chemistry, Faculty of Applied Science, King Mongkut's University of Technology North Bangkok, Bangkok, Thailand

Work Experience:

April-May 2007	Position:	Research and Development
	Company name:	Department of Science Service,
		Bangkok, Thailand

Proceedings:

Chaona, N and Chavadej, S. (2012, April 24) Hydrogen Production from Water Splitting under Visible Light Irradiation over Mesoporous-Assembled TiO_2 -SiO₂, TiO_2 -ZrO₂, and SrTi_xZr_{1-x}O₃ Nanocrystal Photocatalysts with Bimetallic Pt-Ag Loading. Proceedings of <u>The 3nd Research Symposium on Petroleum</u>, <u>Petrochemicals, and Advanced Materials and The 18th PPC Symposium on</u> <u>Petroleum, Petrochemicals, and Polymers</u>, Bangkok, Thailand.

