

## รายการอ้างอิง

### ภาษาไทย

กรนวิชาการเกษตร. 2533. สมมติสารกำรจัดศัลยพิชีชี 2533. ฝ่ายวัฒนพิชช์ กองความคุ้มครอง  
และวัสดุการเกษตร กรนวิชาการเกษตร กระทรวงเกษตรและสหกรณ์. หน้า 8  
รังสินา ใช้เที่ยงมาส์, 2538. การเปลี่ยนแปลงของระดับテストโกล์ดเร oran ในอัณฑะและ  
ผลลัพธ์ของกบนา. วิทยานิพนธ์มหาบัณฑิต. 75 หน้า

### ภาษาอังกฤษ

Abraham, G.E., 1974. Ovarian and adrenal contribution to peripheral androgen during the menstrual cycle. J.Clin. Endocrinol. Metab. 39: 340-346.

Ames, R.G., Brown, S.K., Mengle, D.C., Kahn ,E., Stratton, J.W., and Jackson, R.J., 1989. Cholinesterase activity depression among california agricultural pesticide applicators. Am. J. Indust. Med. 15(2): 143-150

Bartlett, J.M.S., Kerr, J.B., and Sharpe, R.M., 1988. the effect of selective destruction and regeneration of rat Leydig cells on the intratesticular distribution of testosterone and morphology of the seminiferous epithelium. J. Androl. 7: 240-253.

- Basha ,P.M., and Nayeemunisa. 1993. Effect of methyl parathion on  $\text{Na}^+$ ,  $\text{K}^+$  and  $\text{Mg}^{++}$  adenoside triphosphatase activity in developing central nervous system in rats. Indian J. Exp. Biol. 31(9): 785-787.
- Brown, H.R., and Sharma, R.P. 1976. Synaptosomal adenoside triphosphate (ATPase) inhibition by organophosphates. Experientia. 32(12): 1540-1542.
- Bu Lock, D. E., and Jackson, C.M. 1972. Suppression of testicular androgen synthesis in the rat by ethylene dimethanesulphonate. Gynecol. Invest. 2: 305-308.
- \_\_\_\_\_. 1975. Suppression of testicular androgen synthesis in the rat by ethane-1,2-dimethanesulphonate. J. Steroid. Biochem. 6: 1181-1185.
- Carlton, B.D., Basaran, A.H., Mezza, L.E., and Smith, M.K., 1987. Examination of the reproductive effect of tri-o-cresyl phosphate administered to long-evans rats. Toxicologist. 46: 321-328.
- Carricaburu, P., Lacroix, R., and Lacroix, J. 1981. Electroretinographic study of the white mouse in toxicated by organophosphorus : mevinphos and malathion. Toxicol. Euro.Res. 3(2): 87-91.
- Chapin. R.E., Phelps. J.L., Somkuti. S.G., Heindel. J.J., and Burka, L.T. 1990. The interaction of sertoli and leydig cells in the testicular toxicity of tri-o-cresyl phosphate. Toxicol. Appl. Pharmacol. 104: 483-495.

- Cheng, C.L., Shih, S.J., Yen ,G.C., Chou,S.S., and Liu, C.H. 1994. Multiresidue determination of pesticide in fruits and vegetables by gas chromatography mass spectrometry. selected ion monitoring.J.Food. Drug. Anal. 2(2): 113-122.
- Coye, M.J., Barnett, P.G., Midtling, J.E., Velasco, A.R., Romero, P. Clements,C.L., O'Malley, M.A., Tobin, M.W., and Lowry, L. 1986. Clinical conformation of organophosphate poisoning of agricultural workers. Am.J. Indust.Med. 10 (4): 399-409.
- Dellinger, J., and Motrom, M. 1988. Effect of topical fenthion on blood cholinesterase and vagolton in dog. Vet.Hum.Toxicol. 30: 229-234
- Draper, W.M., and Street, J.C. 1981. Drift from a commercial, aerial application of methyl and ethyl parathion : An estimation of potential human exposure. Bull. Envir Contam.Toxicol. 26: 530-536.
- Dufau, M.L., Beitins, I.Z., Mac'Arthur, J.W., and Catt, K.T. 1976. Effect of luteinizing hormone-releasing hormone (LHRH) upon bioactive and immunoreactive serum LH level in normal subject. J. Clin.Endocrinol. 43: 658-667
- Edwards, G., Jackson, H., and Morris,I.D. 1990. Testicular endocrine effects of alkane methanesulphonates to the Leydig cell cytotoxic compound, EDS. Cancer Chemother. Pharmacol. 26: 19-25.

- Ekins, R.P. 1970. Theoretical aspects of saturation analysis, in vitro procedure with radioisotopes in medicine. International Atomic Energy Agency. vienna. pp.325
- ESCAP, United Nation Economic and social commission for asia and pacific. 1991. A gropesticide, properties and function in inte-grated crop protection. 329 p.
- Ewing, L.L., Wing TY, Cochran RC, Kromann N., and Zirkin BR. 1983. Effect of luteinizing hormone on leydig cell structure and testosterone secretion. Endocrinol. 112(5): 1763-1769.
- Ferreira, F.R., and Fernandes, A.M.S., 1980. Gas liquid chromatographic determination of organophosphorus insecticide residues in fruits and vegetables. J Assoc. Anal. Chem. 63: 517-522.
- Frayne, F., and Nicholson, H.D. ,1995. Effect of oxytocin on testosterone production by isolated rat leydig cells is mediated via a specific oxytocin receptor. Biol.Reprod. 52: 1268-1273.
- French, J.T., Welsh Jr,T.H., 1990. In vitro modulation of porcine leydig cell steroidogenesis by phorbol-12-myristate-13-acetate and 1,2-dioctanoylglycerol. Acta. Endocrinol. 122(1):101-106.
- Gaines, T.B. 1980. The acute toxicology of pesticides to rats. Toxicol.Appl. Pharmacol. 2(1): 88-99
- Griffin, D.E., and Hill, W.E.1978. In vitro breakage of plasmid DNA by mutagens and pesticides. Mut. Res. 52(2): 161-169.

- Gupta, R.C., Thornburg, J.E., Stedman, D.B., and Welsch, F. 1984. Effect of subchronic administration of methyl parathion on in vivo protein synthesis in pregnant rat and their conceptuses. Toxicol. Appl. pharmacol. 72(3): 457-468.
- Hadley, M. E. 1996. Endocrinology. 4th edition prentice-Hall international, Inc. pp.518
- Haider, S., and Upadhyaya, N. 1985. Effect of commercial formulation of four organophosphorus insecticides on the ovaries of a freshwater teleost, *Mystus vittatus* (Bloch) a histological and histochemical study. J. Envir. Sci. health part B. 20(3): 321-340.
- \_\_\_\_\_. 1986. Effect of commercial formulation of four organo phosphorus insecticides on the LH-induced germinal vesicle breakdown in the oocyte of freshwater teleost, *Mystus vittatus* (Bloch) a preliminary in vitro study. Ecotoxicol. Environ. Saf. 12(2): 161-165.
- Iruing, S.N., Richard, T. and Lewis, S.R. 1981. Hawley's Condensed Chemical Dictionary. 11th edition p.777,784.
- Jabbar, A., Khawaja, S.A., Iqbal, A., and Malik, S.A. 1990. Effect of malathion and methyl parathion on rat liver enzyme. J. Pak. Med. Asso. 40(11): 266-70.
- Johnson, M., and Everitt, E. 1988. Essential reproduction. 3rd ed London : Blackwall Scientific Publication.
- Kalra, S.P., and Kalra, P.S. 1983. Neural regulation of luteinizing hormone secretion in the rat. Endocrinol. Rev. 4: 311-326.

- Kapur, K., Kamaldeep, K., and Toor, H.S. 1978. The effect of fenitrothion on reproduction of a teleost fish, *Cyprinus carpio communis* Linn A biochemical study Bull. Envir. cont. toxicol. 20: 438-442.
- Kelce, W.R., Zirkin, B.R., and Ewing, L.L. 1991. Immature rat Leydig cell are intrinsically less sensitivity than adult Leydig cell to ethane dimethanesulfonate. Toxicol. Appl Pharmacol. 111: 189-200.
- Kerr, J.B., Donachie, K., Rommerts, F.F.G. 1985. Sesective destruction and regeneration of rat Leydig cells in vivo. A new method for the study of seminiferous tubular-interstitial tissue interaction. Cell tissue Res. 242: 145-157.
- \_\_\_\_\_. Bartlett J.M.S., Donachie, K. 1986. Acute response of testicular interstitial tissue in rats to the rats to the cytotoxic drug ethane dimethanesulphonate. Cell tissue Res. 243: 405-414.
- \_\_\_\_\_. Knell, C.M., Abbott, M., and Donachie, K. 1987. Ultrastructural analysis of the effect of ethane dimethanesulphonate on the testis of the rat guinea pig, hamster, and mouse. Cell tissve Res. 209: 452-457.
- Khan, N.A., and Hasan, M. 1988. Dose-relate neurochemical change in the levels of gangliosides and glycogen in various of the rat brain and spinal cord following methyl parathion administration. Exp. Pathol. 35(1): 61-65.

- Klinefelter., Laskey, J.W., and Roberts. N.L. 1990.(a) In vitro  
in vivo effects of ethane dimethanesulfonate on leydig  
cells of adult rats. Toxicol. Appl. Pharmacol. 107:  
460-471.
- Laskey, J.W., Roberts, N.R., Slott, V.S., and Suarez, J.D.  
1990.(b) Multiple effects of ethane dimethanesulfonate on  
the epididymis of adult rats. Toxicol. Appl.  
Pharmacol. 105: 271-457.
- Kumar, K.B., and Devi, K.S. 1992. Teratogenic effect of methyl  
parathion in developing chick embryos. Vet. Hum. Toxicol.  
34(5): 408-410.
- Lino, C.M., and Silveira, M.I.N. 1992. Organophosphorus pesticide  
residue in cow's milk : levels of cismevinphos, methyl  
parathion and paraoxon. Bull. Environ. Contam. Toxicol.  
49(2): 211-216.
- Mahaboob, B.p., and Nayyemunisa. 1993. Methyl parathion induced  
alterations in GABAergic system during critical stage of  
central nervous system development in albino rat pups.  
Indian J. Exp. Biol. 31(4): 369-372
- Mathew, G., Rahiman, M.A., and Vijayalaxmi, K.K. 1990. In vivo  
genotoxic effect in mice of metacid 50 an organophosphorus  
insecticide. Mutagenesis. 5(2): 147-149.
- Vijayalaxmi, K.K., and Abdul, R.M. 1992. Metyl parathion  
induced sperm shape abnormalities in mouse. Mut.Res. 280  
(3): 169-173

- Misawa, M., Doull, J., Kitos, P.A., and Wyeski, E.M., 1981. Teratogenic effects of cholinergic insecticides in chick embryos diazinon treatment on acetylcholinesterase and choline acetyltransferase activities. Toxicol. Appl. Pharmacol. 57: 20-29.
- Molenaar, R. DE Rooij, D.G., Rommerts, F.F.G. Reuver, P.J. and Molen, H.J. 1985. Specific destruction of Leydig cell in mature rats after in vivo administration of ethane dimethanesulfonate. Biol. Reprod. 33: 1213-1222.
- Morris, I.D., Phillips, D.M., and Bardin, C.W. 1986. Ethylene dimethanesulphonate destroys Leydig cells in the rat testis. Endocrinol. 118: 709-719.
- Ozmen, G., and Akey, M.T. 1993. The effect of malathion on some hormone levels and tissue secreting these hormone in rats. Vet. Hum. Toxicol. 35(1): 22-24.
- Palmer, T.S., 1978. Toxicologic evaluation of a microencapsulated formation of methyl parathion applied dermally to cattle. Am. J. Vet. Res. 39(3): 429-431
- Prakash, N., and Narayana, K., 1992. The effect of malathion, an organophosphate, on the plasma FSH, 17-estradiol and progesterone concentrations and acetylcholinesterase activity and conception in Dairy cattle. Vet. Hum. Toxicol. 34(2): 116-119.
- Prasada, R. K.S., and Ramana, R. K.V., 1984. (a) Tissue specific alteration of aminotransferases and total ATPase in the fish (*Tilapia mossambica*) under methyl parathion impact. Toxicol. Lett. 20(1): 53-57

- \_\_\_\_\_. and Ramana, R. K.V., 1984. (b) Change in the lipid tissue lipid profiles of fish (*Oreochromis mossambicus*) during methyl parathion toxicology a time course study. Toxicol. Lett. 21(2): 147-53.
- \_\_\_\_\_. Ahammad sahib,I.K., and Ramana, R.I.K.1985. Methyl para thion(0-0-dimethyl-0-4-nitrophenyl thiophosphate) effect on whole-body and tissue respiraton in the teleost *Jilapia mossambica* (peters). Ecotoxicol. Envir. 9(3): 339-345.
- Psathaki, M., Manoussaridou, E., and Stephanou, E.G. 1994. Determination of organophosphate and triazine pesticides in ground and drinking water by solid-phase extraction and gas chromatography with nitrogen phosphorus or mass spectrometric detection. J.Chromatogr. 667(1-2): 241-248.
- Rao, K.S., and Rao,K.V. 1987. The possibie role of glucose-6-phosphate dehydrogenase in the detoxification of methyl parathion. Toxicol. Lett. 39(2-3): 211-214.
- Rattner, B.A., and Michael, S.D., 1985. Organophosphorus insecticide induce decrease in plasma luteinizing hormone concentration in white - footed mice. Toxicol. Lett. 24: 65-69.
- Reddy, M.S., and Rao, K.V., 1990. Effect of sublethal Concentration of phosphamidon, methyl parathion, DDT and lindane on tissue nitrogen metabolism in the penacid prawn, *Metapenaeus monoceros* (fabricius). Ecotoxicol. Envir. Saf. 19(1): 47-54.

- Richard, T. and Csry, T. 1984. Farm chemical hand book. Berol Nobel p.239, 235-266
- Rommerts, F.F.G., Grootenhuis, J.W., Hooquerbruge, J.W., and Vander Molen, H.J. 1985. Ethane dimethanesulphonate (EDS) specifically inhibits LH-stimulated steroidogenesis in Leydig cells isolated from mature rats but not in cells from immature rats. mol.cell. Endocrinol. 55: 87-94.
- Rupa, D.S., Reddy, P.P., and Reddi, O.S., 1989. Frequencies of chromosomal aberration in smokers exposed to pesticides in cotton fields. Mut. Res. 222(1): 37-41.
- \_\_\_\_\_. 1990. Cytogeneticity of guinalphos and methyl parathion. Hum. Exp. Toxicol. 9(6): 385-387.
- \_\_\_\_\_. Reddy, P.P., Sreemannarayana, K., and Reddi, O.S. 1991. Frequency of sister chromatid exchange in peripheral lymphocytes of male pesticides applicators. Envir. Mol. Mut. 18(2): 136-138
- Schoor, W.P., and Brausch, J. 1980. The inhibition of acetylcholinesterase activity in pink shrimp (*Penaeus duorarum*) by methyl parathion and its oxon. Arch. Envir. Cont. 9(5): 599-605.
- Singh, S., Lehmann, G.B., and Goedde, H.W. 1984. Cytogenetic effect of paraxon and methyl parathion on cultured human lymphocytes : SCE, clastogenic activity and cell cycle delay. Intern. Arch. 54(3) 195-200.

Simonovic, I., Motta, M. and Martini, L. 1974. Acetylcholine and the release of the follicle stimulating hormone releasing factor. Endocrinology. 95: 1373-1379.

Smallridge, R.C., Carr, F.E., and Fein, H.G. 1991. Diisopropyl fluorophosphate (DFP) reduced serum prolactin thyrotropin, luteinizing hormone and growth hormone and increases adrenocorticotropin and corticosterone in rats: involvement of dopaminergic and somatostatinergic as well as cholinergic pathway. Toxicol. Appl. Pharmacol. 108: 284-295

Somkuti, S.G., Lapadola, D.M., Chapin, R.E., Lamb, T.C., and Abou Donia, M.B., 1986. The mophogenesis and ultrastructural changes of the Tri-o-cresyl phosphate (TOCP)-induced testicular lesion in F 344 rats. Toxicologist. 6: 1164.

\_\_\_\_\_. 1987.(a) Reproductive tract lesions resulting from subchronic administration (63 days) of tri-o-cresyl-phosphate in male rats. Toxicol. Appl. Pharmacol. 89: 49-63.

\_\_\_\_\_. 1987.(b) Time course of the Tri-o-cresyl-phosphate induced testicular lesion in F-344 rats.enzymatic,hormonal and sperm parameter studies. Toxicol. Appl. Pharmacol. 89: 64-72

\_\_\_\_\_. 1991.Light and electron microscopic evidence of tri-o-cresylphosphate (TOCP)-mediated testicular toxicity in fischer 344 rats. Toxicol. Appl. Pharmacol. 107: 35-46.

- SunilKumar, K.B., Ankathil, R., and Devi, K.S., 1993. Chromosomal aberrations induced by methyl parathion in human peripheral lymphocytes of alcoholics and smokers. Hum. Exp. Toxicol. 12(4): 285-288.
- Takahashi, M., Tokumota, T., and Ishikawa, K., 1994 . DFP Sensitive multicatalytic protease complexes (proteasomes) involved in the control of oocyte maturation in the toad, *Bufo japonicus*. Mol. Reprod. Develop. 38: 310-317
- Tripathy, N.K., Dey,L., Majhi, B., and Das, E.C. 1987. Genotoxicity of metacid established through the somatic and germ line mosaic assays and the sex-link recessive lethal test in drosophila. Arch. Toxicol. 61(1): 53-57.
- Tripathi,G., and Shukla, S.P. 1990. Enzymatic and ultrastructural studies in fresh water catfish:impact of methyl parathion. Biomed. Envir. Sci. 3(2): 166-182
- Varnagy L. 1981. Teratogenicity testing of parathion 20WP, methyl parathion 18WP and wofatox 50EC in japanese quail embryos by immersion technique. Acta, Vet. Acad. Sci. Hung. 29: 85-90
- \_\_\_\_\_, and Deli, E. 1985. Comparative teratological study of insecticide wofatox 50 EC (50% methyl parathion) on chicken and pheasant fetuses. Anat. Anz. 158(1): 1-3.
- Verberk, M.M. 1977. Incipient cholinesterase inhibition in volunteers ingesting monocrotophos or mevinphos for one month. Toxicol. Appl. Pharmacol. 42: 345-350.

and sall, H.J.A. 1977. Effect on nervous function in  
volunteers ingestion for one month. Toxicol. Appl.  
Pharmacol. 42: 351-358.

Vigayaraghavan, M., and Nagarajan, B. 1944. Mutagenic potential  
of acute exposure to organophosphorus and organochlorine  
compound. Mut. Res. 321(1-2): 103-111.

Windholz, M., Budarari, S., Bluwetti, R.F., and OHerbein, E.E.  
1983. the Merck Index: An Encyclopedia of Chemical,  
Drugs and biologicals, Merck, Rahway, NJ.

สถาบันวิทยบริการ  
จุฬาลงกรณ์มหาวิทยาลัย

**ประวัติผู้เชื่อม**

นายมงคล สมบูรณ์ เกิดวันที่ 26 กรกฎาคม 2514 ที่จังหวัดสุรินทร์ ส่วนราชการศึกษาปฐมทุกครั้งจากสถาบันเทคโนโลยีการเกษตรม่เจ สาขาวิชาสัตวศาสตร์ ปีการศึกษา 2536 เข้าศึกษาปฐมทุกวิทยาศาสตร์มนหมายพิเศษ จึงถูกแต่งตั้งให้เป็นอาจารย์จากสถาบันเทคโนโลยีการเกษตรม่เจ ปีการศึกษา 2536 ได้รับทุนพัฒนาอาจารย์จากสถาบันเทคโนโลยีการเกษตรม่เจ ปีการศึกษา 2537 และ ได้รับทุนวิจัยจากบัญชีพิเศษวิทยาลัย จึงถูกแต่งตั้งให้เป็นอาจารย์จากสถาบันเทคโนโลยีการเกษตรม่เจ ปีการศึกษา 2538

**สถาบันวิทยบริการ  
จุฬาลงกรณ์มหาวิทยาลัย**