

## REFERENCES

### Thai

- เต็ม สมตินันท์. ชื่อพันธุ์ไม้แห่งประเทศไทย (ชื่อพฤกษาศาสตร์-ชื่อพื้นเมือง). พิมพ์ครั้งที่ 2.  
กรุงเทพมหานคร : แฟนนีพับลิชิ่ง, 2523.
- มหาวิทยาลัยมหิดล. คณะเภสัชศาสตร์. ภาควิชาเภสัชพฤกษาศาสตร์. สยามไภษฐยพุทธิ : ภูมิปัญญาของชาติ. พิมพ์ครั้งที่ 1. กรุงเทพมหานคร : ออมรินทร์พรินติ้งแอนด์พับลิชิ่ง, 2538.
- มหาวิทยาลัยมหิดล. คณะเภสัชศาสตร์. ภาควิชาเภสัชชีวนิจฉัย. ยาและผลิตภัณฑ์จากธรรมชาติ. พิมพ์ครั้งที่ 1. 2534.
- ลีนา ผู้พัฒนาพงศ์. สมุนไพรไทย ตอนที่ 5. กรุงเทพมหานคร : สำนักพิมพ์พันนีพับลิชิ่ง, 2530.  
เสียงยม พงษ์บุญราอด. ไม้เทศเมืองไทย สรวพคุณยาเทศและยาไทย. พิมพ์ครั้งที่ 1.  
กรุงเทพมหานคร : เขชมนบรรณกิจ, 2502.

### English

- Aiyar, V. N.; Rao, P.S.; Sachdev, T.R; and Seshadri, T. R. Isolation and Constitution of deoxyoblongifoliol. Indian J. Chem. 7(1969): 838-839.
- Aiyar, V. N. and Seshadri, T. R. Components of *Croton oblongifolius* Roxb. III. Constitution of oblongifolic acid. Tetrahedron. 26(1970): 5275-5279.
- Aiyar, V. N. and Seshadri, T. R. Chemical components of *Croton oblongifolius*. Roxb: part IV constitution of oblongifoliol and deoxyoblongifoliol. Indian J. Chem. 9(1971): 1055-1059.
- Aiyar, V. N. and Seshadri, T. R. Chemical components of *Croton oblongifolius* Roxb. : Part V. Indian J. Chem. 9(1971): 613-614.
- Aiyar, V. N. and Seshadri, T. R. Isolation of acetyl aleuritolic acid from *Croton oblongifolius*. Roxb. Indian J. Chem. 9(1971): 1028-1029.
- Aiyar, V. N. and Seshadri, T. R. 11-dehydro(-)hardwickic acid from *Croton oblongifolius* Roxb. Phytochemistry 11(1972): 1473-1476.
- Aiyar, V. N. and Seshadri, T. R. Chemical components of *Croton oblongifolius*. Roxb. Curr. Sci. 41(1972): 839-840.

- Anthonsen, T.; and McCrindle R. The Constitution of diterpenoids from *Solidago elongata* Nutt Acta Chem. Scand. 23(1969): 1068-1970.
- Baiagern, S., Chemical constituents and biological activity from the stem barks of Croton oblongifolius Roxb. from Amphoe Muang Udonthani province. Master's thesis in Chemistry, Faculty of Science, Chulalongkorn University, 1999.
- Berh, D.; Wahlberg, I.; Aasen, A. J.; Nishida, T.; Enzell, C. R.; Berg, J.; and Pilotti, A. Tobacco chemistry.44.(1S,2E,4R,6E,8R,11S,12R)-and (1S,2E,4S,6E,8R,11S, 12R) -8,11-epoxy-2,6-thunbergadiene-4,12-diol. Two new diterpenoids of Greek tobacco. Acta. Chem Scand. B 32(1978): 221-227.
- Blatter, E.; Caius, J. F.; and Mhaskar, K. S. Indian Medicinal Plants Vol. III.2<sup>nd</sup>ed. Jayyed Press, Delhi. (1975):751.
- Blois, M.S. Mechanism of free radical-scavenging antioxidant Nature 181(1958): 1199-1200.
- Bunyamanee, P. Cytotoxicity to cancer cell lines of diterpenoid compounds from stem barks of Croton oblongifolius Roxb. from Chachoengsao province. Master's thesis in Chemistry, Faculty of Science, Chulalongkorn University, 1999.
- Carmicheal, J.; DeGraff, W. G.; Gazdar, A. F.; Minna, J. D.; and Mitchell, B. MTT colorimetric assay for test in macrophage cytotoxic activity in Vitro. Cancer Res. 47(1987): 936.
- Chen, Z.P.; Cai, Y.; Phillipson, D. Studies on the anti-tumor, anti-bacterial, and wound-healing properties of Dragon's blood. Planta Med. 60(1994): 541-545.
- Chien-Chang, S.; Yuan-Shiun, C.; and Li-Kang, H. Nuclear magnetic resonance studies of 5,7-Dihydroxyflavonoids. Phytochemistry 34(1993): 843-845.
- Corsano, S. and Nicoletti, R. The structure of incensole. Tetrahedron 23(1967): 1977-1984.
- Cotelle, N.; Bernier J.L.; Catteau, J.P.; Pommery, J.; Wallet, J.C.; Gaydou, E.M. Antioxidant properties of hydroxy-flavonones. Free Radical Biology and Medicine 20(1996): 35-43.

- Dauben, W. G.; Thiessen, W. E.; and Resnick, P. R. Cembrene, a fourteen-membered ring diterpene hydrocarbon. J.Org.Chem. 30(1965): 1693-1698.
- Ferguson, G.; Marsh, W.C.; McCrindle, R.; and Nakamura, E. Stereochemistry of Clerodanes. X-ray structure of a key diterpenoid from *Solidago Arguta* Ait. J. Chem. Soc., Chem. Comm. (1975): 299.
- Gadow, A. V; Joubert, E.; Hansmann, C.F. Comparison of the antioxidant activity of Aspalathin with that of other plant phenols of Rooibos Tea (*Aspalathus linearis*),  $\alpha$ -Tocopherol, BHT, and BHA. J. Agric. Food Chem. 45(1997): 632-638.
- Gambaro, V.; Chamy, M.C.; Garbarino, J.A.; San-Martin, A.; and Castillo, M. Neoclerodane diterpenoids from *Baccharis macraei*. Phytochemistry 25(1986): 2175.
- Henderson, M.S. and Murray, R.D.H. Constituents of *Solidago species*. Part III. The constitution of diterpenoids from *Solidago juncea* Ait. Can. J. Chem. 51 (1973): 1322.
- Kosela, S.; Ghisalberti, E. L.; Jefferies, P. R.; Skelton, B. W. E.; and White, A. H. Unsaturated cembrene acids from *Cleome viscosa* L. (Capparidaceae). Aust. J. Chem. 38(1985): 1365-1370.
- Kuptiyanuwat, N. Chemical constituents of stem barks of *Croton oblongifolius* Roxb. and their biological activity from Amphoe Wangsapung Loei province. Master's thesis in Chemistry, Faculty of Science, Chulalongkorn University, 1999.
- Lu, T.; Menelaou, M. A.; Vargas, D.; Fronczek, F.R; Fischer, N.H. Polyacetylenes and diterpenes from *Solidago canadensis*. Phytochemistry 32(1993):1483-1488.
- Luzbetak, D.J.; Torrance, S.J.; Hoffmann, J.J; and Cole, J.R. Isolation of (-)-hardwickiic acid And 1-triacontanol from *Croton californicus*. J. Nat. Prod. 42(1978): 315-317.
- McChesney, J.D.; Clark, A.M. Antimicrobial diterpenes of *Croton sonderianus*, 1. Hardwickiic and 3,4-secotrachylobanoic acid. J.Nat.Prod. 54(1991): 1625-1633.

- Misra, R.; Pandey, R.C.; and Dev S. The absolute stereochemistry of Hardwickiic acid and its congeners. Tetrahedron Lett. (1968): 2681-2684.
- Misra, R.; Pandey, R.C.; and Dev S. Diterpenoids from the oleoresin of Hardwickia pinnata Part 1:Hardwickiic acid. Tetrahedron Lett. 35(1979): 2301.
- Pandey, C.C.; Singhal, A.K.; Barua, N.C.; Sharma, R.P.; Baruah, J.N.; Watanabe, K.; Kulanthaivel, P.; and Herz, W. Stereochemistry of strictic acid and related furanoditerpenes from *Conyza japonica* and *Grangea maderaspatnana*. Phytochemistry 23(1984): 391-393.
- Ratnayake Bandara, B.M.; Wimalasiri, W.R.; Premaratne Bandara, K.A.N.; Isolation and insecticidal activity of (-)-hardwickiic acid from Croton aromaticus. Planta Med. 6(1987): 575-578.
- Roa. P.S.; Sachdev, T.R.; and Singh, H.B. Isolation and constitution of oblongifoliol, a new diterpene of *Croton oblongifolius*. Tetrahedron Letter. 45(1968): 4685-4688.
- Roengsumran, S.; Petsom, A.; Pudhom, K.; Surachetapan, S.; Achayindee, S.; and Vilaivan, T. Two New cembranoids from *Croton oblongifolius* Roxb. J. Nat. Prod. 61(1998): 652-654.
- Roengsumran, S.; Singtotong, P.; Pudhom, K.; Ngamrojnavanich, N.; Petsom, A.; and Chaichantipyuth, C. Neocrotocembranal from *Croton oblongifolius*. J.Nat.Prod. 62(1999): 1163-1164.
- Roengsumran, S.; Petsom, A.; Sommit,D.; and vilaivan, T. Labdane diterpenoids from *Croton oblongifolius*. Phytochemistry 50(1999): 449-453.
- Roengsumran, S.; Petsom, A.; Kuptiyanuwat, N.; Vilaivan, T.; Ngamrojnavanich, N.; Chaichantipyuth, C.; and Phutong, S. Cytotoxic labdane diterpenoids from *Croton oblongifolius*. Phytochemistry. 56(2001): 103-107.
- Rowland, R. L. and Roberts, D. L. Macrocyclic diterpenes isolated from tobacco.  $\alpha$ - and  $\beta$ -3,8,13-duvatriene-1,5-diols. J.Org.Chem. 2001. 28(1963): 1165-1169.
- Sato, A.; Kurabayashi, M.; Ogiso, A.; and Kuwano, H. Poilaneic acid, a cembranoid diterpene from *Croton poilanei*. Phytochemistry 20(1981): 1915-1918.
- Singtothong, P., Chemistry and biological activity of diterpenoid from Croton oblongifolius Roxb. Doctoral dissertation in Chemistry, Faculty of Science, Chulalongkorn University, 1999.

- Sirimongkhon, S. Kaurane diterpenes from stem bark of *Croton oblongifolius* Roxb from Kuiburi, Prachuabkhirikhan province. Master's thesis in Chemistry, Faculty of Science, Chulalongkorn University, 2000.
- Siriwat, K. Chemical constituents and biological activity from the stem bark of *Croton oblongifolius* Roxb from Amphoe Dan Sai, Loei province. Master's thesis in Chemistry, Faculty of Science, Chulalongkorn University, 1999.
- Sriyangnok, S. Chemical constituents and biological activity from the stem bark of *Croton oblongifolius* Roxb from Amphoe Muang, Udonthani province. Master's thesis in Chemistry, Faculty of Science, Chulalongkorn University, 2000.
- Soares, J.R.; Dinis, T.C.P.; Cunha A.P.; Almeida, L.M. Antioxidant activities of some extracts of *Thymus zygis* Free Radical Research 26(1997): 469-478.
- Sommit, D. Structure analysis of diterpenoid compounds from stem barks of *Croton oblongifolius* Roxb. Master's thesis in Chemistry, Faculty of Science, Chulalongkorn University, 1996.
- Tanaka, C.M.A.; Sarragiotto, M.H.; Schpector, J. Z.; and Marsaioi, A. J. A cembrane from *Echinodaurus grandiflorus*. Phytochemistry 44(1997): 1547-1549.
- Tanwattanakun, T. Chemical constituents and their biological activity of stem barks of *Croton oblongifolius* Roxb from Amphoe Muang Uttaradit province. Master's thesis in Chemistry, Faculty of Science, Chulalongkorn University, 1999.
- Valcic, S.; Timmermann, B.N.; Alberts, D.S.; Wachter, G.A.; Krutzsch, M.; Wymer, J.; Guillen, J.M. Inhibitory effect of six green tea catechins and caffeine on the growth of four selected human tumor cell lines. Anti-cancer Drugs 7 (1996): 461-468.
- Wahlberg, I.; Behr, D.; Eklund, A.; Nishida, T.; Enzell, C.; and Berg, J. Tobacco chemistry. 54.(1S,2E,4S,6E,8S,11R,12S)-8,11-epoxy-2,6-cembradiene-4,12-diol, a new constituent of Greek tobacco. Acta. Chem. Scand. 36(1982): 37-41.
- Wahlberg, I.; Forsblom, I.; Eklund, A.; and Nishida, T. Tobacco chemistry 62, five new cembranoids from Tobacco. J.Org.Chem. 50(1985): 4527-4538.

- Wiemer, D. F. and Meinwald, J. Cembrene A: diterpenes from a Termite soilder (*Isoptera termitidae* Termitinae). J. Org. Chem. 22(1979): 3950.
- Yamaguchi, T.; Takamura, H.; Matoba, T.; Terao, J. HPLC method for evalution of the free radical-scavenging activity of foods by using 1,1-diphenyl-2-picrylhydrazyl. Biosci., Biotechnol., Biochem. 62(1998): 1201-1204.
- Yen, G.C. and Duh, P.D. Scavenging effect of methnolic extracts of Peanut Hulls on Free-Radical and Active-Oxygen Species. J. Agric. Food chem. 42(1994): 629-632.





## **APPENDICES**

ศูนย์วิทยทรัพยากร  
จุฬาลงกรณ์มหาวิทยาลัย




Figure 11 The IR spectrum of Compound 1




Figure 12 The <sup>1</sup>H-NMR spectrum of Compound 1




Figure 13 The  $^{13}\text{C}$ -NMR spectrum of Compound 1




Figure 14 The DEPT-135, 90 and  $^{13}\text{C}$ -NMR spectrum of Compound 1




Figure 15 The EM-IS spectrum of Compound 1




Figure 16 The IR spectrum of Compound 2




Figure 17 The <sup>1</sup>H-NMR spectrum of Compound 2





Figure 18 The  $^{13}\text{C}$ -NMR spectrum of Compound 2






Figure 20 The EM-IS spectrum of Compound 2




Figure 21 The IR spectrum of Compound 3




Figure 22 The <sup>1</sup>H-NMR spectrum of Compound 3




Figure 23 The  $^{13}\text{C}$ -NMR spectrum of Compound 3




Figure 24 The DEPT-135, 90 and  $^{13}\text{C}$ -NMR spectrum of Compound 3




Figure 25 The EM-IIS spectrum of Compound 3




Figure 26 The IR spectrum of Compound 4




Figure 27 The  $^1\text{H}$ -NMR spectrum of Compound 4




Figure 28 The  $^{13}\text{C}$ -NMR spectrum of Compound 4




Figure 29 The DEPT-135, 90 and  $^{13}\text{C}$ -NMR spectrum of Compound 4




Figure 30 The EM-IS spectrum of Compound 4




Figure 31 The IR spectrum of Compound 5




Figure 32 The <sup>1</sup>H-NMR spectrum of Compound 5




Figure 33 The  $^{13}\text{C}$ -NMR spectrum of Compound 5





Figure 34 The DEPT-135, 90 and  $^{13}\text{C}$ -NMR spectrum of Compound 5



Figure 35 The EM-ESI spectrum of Compound 5



**Figure 36** The IR spectrum of Compound 6




Figure 37 The  $^1\text{H-NMR}$  spectrum of Compound 6




Figure 38 The  $^{13}\text{C}$ -NMR spectrum of Compound 6




Figure 39 The DEPT-135, 90 and  $^{13}\text{C}$ -NMR spectrum of Compound 6




Figure 40 The EM-IIS spectrum of Compound 6

## VITA

Miss Chalalai Moonthongchun was born on December 2, 1977 in Bangkok, Thailand. She graduated with Bachelor Degree of Science in Biochemistry from Chulalongkorn University in 1999. During the same year, she was admitted into the Master Degree Program in Biotechnology at Chulalongkorn University and complete the program in year 2002.

