

REFERENCES

1. Furkawa, J. and Yamashita, S. 1968. Application of Natural rubber. *Poly. Chem. Syn. Elas. Part I.* 843-866.
2. Suzuki, D. 1987. Common membrane from polymer. *J. Appl. Polym. Sci.* 34, 2197-2198.
3. Cabasso, K. 1974. Mechanism of membrane separation. *J. Appl. Polym. Sci.* 18, 2117.
4. Suwinit, K. 2001. National Rubber and its Chemical Modifications. *J. Nat. Rubb.* 7(2), 186-188.
5. Baker, C.S.L. and Barnand, D. 1987. Mechanism of ring opening. *Advances in Elastomer and Rubber Elasticity*, Plenum New York. 175-180.
6. Boccaccio, L. 1989. Epoxidation of liquid natural rubber. *Proceedings of UNIDO sponsored workshop on development of the applications of liquid natural rubber.* 61-71.
7. Schulz, D.N. and Turner, S.R. 1982. Recent advances in the chemical modification of unsaturated polymers. *Rubber Chem. Technol.* 55, 839-842.
8. Pautrat, R. 1980. Caoutchoucs liquides de polyisoprene natural preparation et properties. *Caoutchoucs et Plastiques.* 91-97.
9. Gelling, I.R. 1991. Epoxidised, natural rubber. *J.Nat.Rubb.Res.* 6(3), 184-205.
10. Nguyen, V.B. and Chu, C.H. 1996. Synthesis and application of epoxidised natural rubber . *J.Mat.Sci Pure Appl. Chem.. A33.* 12, 1949-1955.
11. Burfield, D.R., Lim, K.L., Law, K.S., and Soon N. 1984. Analysis of epoxidised natural rubber. A comparative study of DSC, NMR, ellsemental analysis and direct titration methods. *Polymer.* 24, 995-998.
12. Bradbury, J.H. and Perera, M.C.S. 1985. Epoxidation of natural rubber studied by NMR spectroscopy. *J. Appl. Polym. Sci.* 30, 3347-3346.
13. Jay, R.R. 1964. Direct titration of epoxy compounds and aziridines. *Analytical Chemical.* 36, 667-668.
14. Stevens, M.P. 1990. Polymer Chemistry: An Introduction 2nd ed. Oxford University Press, Inc. 374-379.
15. May, A.C. and Tanaka, Y. 1973. Epoxy Resin: Chemistry and Technology. Marcel Dekker Inc. 143-193.

16. Burfield, D.R. 1974. Ring opening of epoxide group. *Nature*. 249, 29-32.
17. Burfield, D.R. and Gan, S.N. 1975. Ring opening of epoxide group and crosslinking agent. *J. Polymer. Sci., Part A-1, Polymer Chem.* 13, 2725-2730.
18. Colclough, T., Cunneen, J.I. and Moore, C.G. 1961. Reaction of amines with epoxide group. *Tetrahedron*. 15, 187-192.
19. Fisch, W., Hofmann, W. and Koskikallio, J. 1956. Reaction of Aliphatic Amines with epoxide group. *J. Appl. Chem* 6, 429-435.
20. David, R.B., Seng-neon, G. and Roger, H.S. 1976. Reaction of amines with epoxide group. *J. Chem. Soc., Perkin trans I*. 666-671.
21. Perera, M.C.S. 1990. Reaction of Aromatic Amines with Epoxidised Natural Rubber Latex. *J. Appl. Polym. Sci.* 39, 749-758.
22. Gelling, I.R. 1983. Reaction of amines with epoxide group. *Br. U.K. Pat. Appl. GB dt: 2: 692/113.*
23. Somboonsak, S. 1999. Synthesis and characterization of silicalite membrane for separation of mixed xylenes. *Master's thesis*, Program of Petrochemistry and Polymer Science, Faculty of Science, Chulalongkorn University.
24. Huang, R.Y.M. and Yeom, C.K. 1990. Pervaporation separation of Aqueous Mixtures Using Crosslinked Poly (vinyl alcohol). II. Permeation of Ethanol-Water Mixtures. *J. Memb. Sci.* 51, 293-307.
25. Harogoppad, S.B. and Aminabhavi, T.M. 1991. Diffusion and Sorption of Organic Liquids Through Polymer Membranes. II. Neoprene, SBR, EPDM, WBR and Natural Rubber versus n-Alkanes. *J. Appl. Polym. Sci.* 42, 2329-2336.
26. Unnikrishnan, G., Gedam, P.H., Kishan Prasad V.S. and Thomas S. 1997. Separation of n-Hexane/Acetone Mixtures by Pervaporation Using Natural Rubber Membranes. *J. Appl. Polym. Sci.* 64, 2597.
27. Johnson, T. and Thomas, S. 1999. Pervaporation of Acetone-Chlorinated Hydrocarbon Mixture through polymer blend membrane of Natural rubber and epoxidised natural rubber. *J. Appl. Ploym. Sci.* 71, 2365-2379.
28. Seader, J.D. and Henley, E.J. 1998. *Separation process principles*. New york: John Wiley & Sons, Inc. 56-63.
29. Winston, W.S. and Sirkar, K.K. 1992. *Membrane handbook*. New York : Chapman & Hall. 87-102.

30. Hashim, A.S. and Kohjiya, S. 1994. Curing of Epoxidised Natural rubber with p-phenylenediamine. *J. Polym. Sci. (A)*. 32, 1149-1157.
31. Lye, P.H. and Toh, K.H. 1984. Incorporation of Amine Antioxidants into Natural rubber network via epoxide groups. *J. Polym. Sci., Polym. Lett. Ed.* 22. 327-334.
32. Perera, M.C.S. 1990. Reaction of Aromatic with Epoxidised Natural Rubber latex. *J. Appl. Polym. Sci.* 39, 749-758.
33. Bac, N.V. and Huu, C.C. 1996. Synthesis and Application of Epoxidised Natural Rubber. *J. Macro. Sci Pure Appl. Chem. A33*. 12, 1949-1955.

ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย

VITA

Miss Kornpat Wattanakul was born on July 23, 1979 in Bangkok. She received a Bachelor degree Science, from King Mongkut's Institute of Technology Thonburi in 2000. She has been a graduate student of the Program of Petrochemistry and Polymer Science, Faculty of Science, Chulalongkorn University and completed the program in 2003. Currently, she serves as a product development at the TPE (Thai Polyethylene) Co., Ltd.

