

รายการอ้างอิง

1. Dipiro, J. T., Blouin, R. A., Pruemer, J. M., and Spruill, W. J. Concepts in clinical pharmacokinetics, a self-instructional course 2 nd ed. USA: American Society of Health-System Pharmacists Inc., 1996
2. Grady, H. J., Jacobs, D. S., Earle, S. B., Papasian, C. J., and Jacobs, D. H. Therapeutic drug monitoring/ toxicology/ drugs of abuse, Laboratory test handbook concise with disease index, pp.29-33.: Lexi-Comp Inc., 1996
3. Kucharczyk, N., and Segelman, F. Drug level monitoring of antiasthmatic drugs. J Chromatogr 340 (1985): 243-271
4. White, L. O., Edwards, R., Holt, H. A., Lovering, A. M., Finch, R. G., and Reeves, D. S. The in-vitro degradation at 37°C of vancomycin in serum, CAPD fluid and phosphate-buffered saline. J Antimicrob Chemother 22 (1988): 739-745
5. Morishige, H., Shuto, H., Ieiri, I., Otsubo, K., and Oishi, R. Instability of standard calibrators may be involved in overestimating vancomycin concentrations determined by fluorescence polarization immunoassay. Ther Drug Monit 18 (1996): 80-85
6. Somerville, A. L., Wright, D. H., and Rotschafer, J. C. Implications of vancomycin degradation products on therapeutic drug monitoring in patients with end-stage renal disease. Pharmacotherapy 19(6) (1999): 702-707
7. Burke, J. T., and Thenot, J. P. Determination of antiepileptic drugs. J Chromatogr B 340 (1985): 199-241

8. Pickard, C. E., Stewart, A. D., Hartley, R., and Lucock, M. D. A rapid HPLC method for monitoring plasma levels of caffeine and theophylline using solid phase extraction columns. Ann Clin Biochem 23 (1986): 440-446
9. Berg, J. D., and Buckley, B. M. Rapid measurement of anticonvulsant drug concentrations in the out-patient clinic, using HPLC with direct injection of plasma. Ann Clin Biochem 24 (1987): 488-493
10. McDowall, R. D. Sample preparation for biomedical analysis. J Chromatogr B 492 (1989): 3-58
11. Jehl, F., Gallion, C., and Montell, H. High-performance liquid chromatography of antibiotics. J Chromatogr B 531 (1990): 509-548
12. Kapetanovic, I. M. Analysis of antiepileptic drugs. J Chromatogr B 531 (1990): 421-457
13. Cohen, J. L., et al. Theophylline. In K., Florey, et al. Analytical profile of drugs substances and Excipients, pp. 468-493. New York: Academic Press Inc, 1975
14. Udem, B. J., and Lichtenstein, L. M. Drugs used in the treatment of asthma. In J. G., Hardman, L. L., Limbird, and A. G., Gilman Goodman & Gilman's the pharmacological basis of therapeutics, pp. 733-754. USA: McGraw-Hill, 2001
15. Barnes, P. J. Theophylline. In P.C., Barnes, I. W., Rodgor, and N. C., Thomson, Asthma: basic mechanisms and clinical management. 3rd ed. pp. 689-706, 1998
16. Darsey, E.H. Theophylline. In J.E., Murphy. Clinical pharmacokinetics pocket reference. pp. 345-359. USA: American Society of Health-System Pharmacist, 2001
17. Wendy, S.C., et al. Dose-dependent pharmacokinetics of caffeine in humans: relevance as a test of quantitative liver function. Clin Pharmacol Ther 47 (1990): 516-524

18. Tanaka, E., et al. A simple useful method for the determination of hepatic function in patients with liver cirrhosis using caffeine and its three major dimethylmetabolites. Int J Clin Pharmacol Ther Toxicol 30(9) (1992): 336-341
19. Caubet, M.S., Elbast, W., Dubuc, M.C., and Brazier, J.L. Analysis of urinary caffeine metabolites by HPLC-DAD: the use of metabolic ratios to assess CYP1A2 enzyme activity. J Pharm Biomed Anal 27 (2002): 261-270
20. Calatayud, O., Rodriguez, M., Sanchez-Alcarazt, A., and Ibanez, P. Caffeine test assessment for masuring liver function in critically ill patients. J Clin Pharm Ther 20(1) (1995): 33-39
21. Philip, J., Halcomb,I.J., and Fusari, S.A. Phenytoin In K., Florey, et al. Analytical profile of drugs substances and Excipients, pp. 418-445. New York: Academic Press Inc, 1984
22. Booker, H. E. Clinical use and interpretation of serum phenytoin levels. In C. E., Pippenger, J. K., Penny, and H.,Kutt (eds.). Antiepileptic drugs: quantitative analysis and interpretation, pp. 253-260. New York: Raven Press, 1978
23. Warner, A., Privitera, M., and Bates, D. Standards of laboratory practice: antiepileptic drug monitoring. Clin Chem 44(5) (1998): 1085-1095
24. Burt, M., Anderson, D. C., Kloss, J., and Apple, F. S. Evidence-based implementation of free phenytoin therapeutic drug monitoring. Clin Chem 46(8) (2000): 1132-1135
25. Winter, M.E. Phenytoin and Fosphenytoin. In J.E., Murphy. Clinical pharmacokinetics pocket reference, pp. 271-283. USA: American Society of Health-System Pharmacist, 2001

26. Butler, T. C. Some quantitative aspects of the pharmacology of phenobarbital. In C. E., Pippenger, J. K., Penny, and H., Kutt (eds.), Antiepileptic drugs: quantitative analysis and interpretation, pp. 261-271. New York: Raven Press, 1978
27. Anderson, D.M., and Tallian, K.B. Phenobarbital. In J.E., Murphy. Clinical pharmacokinetics pocket reference, pp. 271-283. USA: American Society of Health-System Pharmacist, 2001
28. Chao, M.C., et al. Phenobarbital. In K , Florey, et al. Analytical profile of drugs substances and Excipients, pp. 362-399. New York: Academic Press Inc, 1978
29. Chambers, H.F. Chemotherapy of microbial diseases. In J. G., Hardman, L. L., Limbird, and A. G., Gilman Goodman & Gilman's the pharmacological basis of therapeutics, pp. 1262-1264. USA: McGraw-Hill, 2001
30. Facts and comparisons. Drugs facts and comparisons. 54th ed. St.Louis: Wotters Klumer, 2000
31. Frye, R.F., and Matzke, G.R. Vancomycin. In J.E., Murphy. Clinical pharmacokinetics pocket reference, pp. 375-387. USA: American Society of Health-System Pharmacist, 2001
32. Wenk, M., Vozeh, S., and Follath, F. Serum level monitoring of antibacterial drugs. Clin Pharmacokinetics 9 (1984): 475-492
33. McClain, J. B. L., Bongiovanni, R., and Brown, S. Vancomycin quantitative by high-performance liquid chromatography in human plasma. J Chromatogr B 231 (1982): 463-466
34. Muir, K. T., Kunitani, M., and Riegelman, S. Improved high-performance liquid chromatographic assay for theophylline in plasma and saliva in the presence of caffeine and its metabolites and comparisons with three other assays. J Chromatogr B 231 (1982): 73-82

35. Kushida, K., and Ishizki, T. Concurrent determination of valproic acid with other antiepileptic drugs by high-performance liquid chromatography. J Chromatogr B 338 (1985): 131-139
36. Setchell, K. D. R., Welsh, M. B., Klooster, M. J., and Balistreri, W. F. Rapid high-performance liquid chromatography assay for salivary and serum caffeine following an oral load: an indicator of liver function. J Chromatogr 385 (1987): 267-274
37. Meatherall, R., and Ford, D. Isocratic liquid chromatographic determination of theophylline, acetaminophen, chloramphenicol, caffeine, anticonvulsant, and barbiturates in serum. Ther Drug Monit 10 (1988): 101-115
38. Hu, M. W., Anne, L., Forni, T., and Gottwald, K. Measurement of vancomycin in renally impaired patient samples using a new high-performance liquid chromatography method with vitamin B₁₂ internal standard: comparison of high-performance liquid chromatography, Emit, and fluorescence polarization immunoassay methods. Ther Drug Monit 12 (1990): 562-569
39. Moncrieff, J. Determination of theophylline in serum and saliva in the presence of caffeine and its metabolites. J Chromatogr B 568 (1991): 177-185
40. Romanyshyn, L. A., Wichmann, J. K., Kucharczyk, N., Shumaker, R. C., Ward, D., and Sofia, R. D. Simultaneous determination of felbamate, primidone, phenobarbital, carbamazepine, two carbamazepine metabolites, phenytoin, and one phenytoin metabolites in human plasma by high-performance liquid chromatography. Ther drug Monit 16 (1994): 90-99
41. Luksa, J., and Marusic, A. Rapid high-performance liquid chromatographic determination of vancomycin in human plasma. J Chromatogr B 667 (1995): 277-281

42. Del Nozal, M. J., Bernal, J. L., Pampliega, A., Marinero, P., Lopez, M. I., and Coco, R. High-performance liquid chromatographic determination of vancomycin in rabbit serum, vitreous and aqueous humour after intravitreal injection of the drug. J Chromatogr A 727 (1996): 231-238
43. Kizu, J., et al. Development and clinical application of high performance liquid chromatography for the simultaneous determination of plasma levels of theophylline and its metabolites without interference from caffeine. Biomed Chromatogr 13 (1999): 15-23
44. Favetta, P., Guitton, J., Bleyzac, N., Dufresne, C., and Bureau, J. New sensitive assay of vancomycin in human plasma using high-performance liquid chromatography and electrochemical detection. J Chromatogr B 751 (2001): 377-382
45. Schreiber-Deturmeny, E., and Bruguerolle, B. Simultaneous high-performance liquid chromatographic determination of caffeine and theophylline for routine drug monitoring in human plasma. J Chromatogr B 677 (1996): 305-312
46. กนกวรรณ จารุกัจฉกร กระบวนการวิเคราะห์ตัวอย่างพลาสมาของยากลุ่มกรดที่มีค่าการจับกับพลาสมาโปรตีนสูง โดยอาศัยหลักการแยกพลาสมาโปรตีน.
วิทยานิพนธ์ปริญญาโทบัณฑิต สาขาวิชาเภสัชเคมี คณะเภสัชศาสตร์
จุฬาลงกรณ์มหาวิทยาลัย, 2536
47. Dadgar, D., Burnett, P. E., Choc, M. G., Gallicano, K., and Hooper, J. W. Application issues in bioanalytical method validation, sample analysis and data reporting. J Pharm Biomed Anal 13(2) (1995): 89-97
48. Bressolle, F., Bromet-Petit, M., and Audran, M. Validation of liquid chromatographic and gas chromatographic methods: applications to pharmacokinetics. J Chromatogr B 686 (1996): 3-10
49. Causon, R. Validation of chromatographic methods in biomedical analysis: viewpoint and discussion. J Chromatogr B 689 (1997): 175-180

50. Shan, V., et al. Analytical methods validation: bioavailability, bioequivalence and pharmacokinetic studies. Pharm Res 9(4) (1992): 588-592
51. U.S. Department of Health and Human Services. Guidance for Industry Bioanalytical Method Validation Food and Drug Administration, 2001
52. ภารุณี ถนอมเกียรติ มาตรฐานวิธีการปฏิบัติ คณะเภสัชศาสตร์
จุฬาลงกรณ์มหาวิทยาลัย, 2539
53. สถาบันวิจัยวิทยาศาสตร์และเทคโนโลยีแห่งประเทศไทย การจัดทำเอกสารระบบคุณภาพห้องปฏิบัติการ ตามมาตรฐาน ISO/IEC 17025 2543
54. จันดนา บรณะโอสถ ความสัมพันธ์ระหว่างความสามารถในการจับของยากับพลาสมาโปรตีนและความถูกต้องของวิธีการแยกพลาสมาโปรตีนในการวิเคราะห์หาปริมาณยาในพลาสมาโดยไฮเพอร์ฟอร์แมนซ์ลิควิดโครมาโตกราฟี.
วิทยานิพนธ์ปริญญาโทมหาบัณฑิต ภาควิชาเภสัชเคมี คณะเภสัชศาสตร์
จุฬาลงกรณ์มหาวิทยาลัย, 2535



ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย

ประวัติผู้เขียนวิทยานิพนธ์

นางสาวชมเดือน ลียากาศ เกิดเมื่อวันที่ 28 ตุลาคม พ.ศ. 2518 ที่กรุงเทพมหานคร
สำเร็จการศึกษาชั้นปริญญาตรีเกาสศาสตร์บัณฑิต (เกียรตินิยมอันดับสอง) จาก
คณะเกาสศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย เมื่อปีการศึกษา 2541



ศูนย์วิทยทรัพยากร
จุฬาลงกรณ์มหาวิทยาลัย