อัลกาลอยด์จากใบหัศกุณ



นางสาววริศรา วัยศิริโรจน์

004525

วิทยานิพนธ์นี้ เป็นส่วนหนึ่งของการศึกษาตามหลักสูตรปริญญา เภสัศศาสตรมหาบัณฑิต ภาควิชา เภสัชพฤกษศาสตร์ บัณฑิตวิทยาลัย จุฬาลงกรณ์มหาวิทยาลัย

พ.ศ. ๒๔๒๓

Miss Varisara Vaisiriroj

A Thesis Submitted in Partial Fulfillment of the Requirements

for the Degree of Master of Science in Pharmacy

Department of Pharmaceutical Botany

Graduate School

Chulalongkorn University

Thesis Title	Alkaloid(s) from Micromelum minutum Leaves
Ву	Miss Varisara Vaisiriroj
Department	Pharmaceutical Botany
Thesis Advisor	Professor Payom Tantivatana, Ph.D.
Accepte	d by the Graduate School, Chulalongkorn University in partial
fulfillment of	the requirements for the Master's degree.
	S. Burnag Dean of Graduate School
(Associ	ate Professor Supradit Bunnag, Ph.D.)
Thesis Committe	e e
• • • • •	Uichiera firewongse
(Profes	sor Vichiara Jirawongse, Ph.D.)
•••••	Payon Tantivalana Member
	sor Payom Tantivatana, Ph.D.)
	Bomrung Tantisevie Member
(Assist	ant Professor Bamrung Tantisewie, B.Sc. in Pharm.)
•••••	Ohavader Ponglax Member
(Associ	ate Professor Dhavadee Ponglux, Ph.D.)
Copyri	ht of the Graduate School, Chulalongkorn University

(

หัวข้อวิทยานิพนธ์ ชื่อนิสิต อาจารย์ที่ปรีกษา ภาควิชา ปีการศึกษา อัลกาลอยด็จากใบหัสคุณ นางสาววริศรา วัยศิริโรจน์ ศาสตราจารย์ คร.พยอม ตันติวัฒน์ เภสัชพฤกษศาสตร์

ខេត្ត

บทคัดย่อ

ได้ทำการแยกอัลกาลอยด์จำพวกไพแรนโนควิโนโลน (Pyranoquinolone) จากใบของตันหัศถุณ (Micromelum minutum Seem.) โดยใช้ Preparative thin layer chromatography

จากคุณสมบัติทางเกมี กายภาพ และช้อมูลของสเปคตรัม (spectra) หลายชนิด ทำให้ทราบสูตรเป็นฟลินเดอร์ซีน [Flindersine, 2',2'-dimethyl- α-pyrano-(5',6'-3,4)-2-quinolone] อัลกาลอยด์นี้ยังไม่เคยมีรายงานว่าพบในพืช สกุล Micromelum มาก่อน

ศูนย์วิทยทรัพยากร งุฬาลงกรณ์มหาวิทยาลัย Thesis Title

Alkaloid(s) from Micromelum minutum Leaves

Name

Miss Varisara Vaisiriroj

Thesis Advisor

Professor Payom Tantivatana, Ph.D.

Department

Pharmaceutical Botany

Academic Year

1980

ABSTRACT

A pyranoquinolone alkaloid was isolated from the leaves of Micromelum minutum Seem. by means of preparative thin layer chromatography.

The physical and chemical properties together with spectroscopic evidence have shown that it is flindersine [2',2'-dimethyl-pyrano-(5',6',-3,4)-2-quinolone]. This alkaloid has never been reported from the genus Micromelum before.



ACKNOWLEDGEMENTS

The author wishes first to express her deep indebtedness and grateful thanks to her advisor, Professor Dr. Payom Tantivatana, Head of the Department of Pharmaceutical Botany, Faculty of Pharmaceutical Sciences, Chulalongkorn University, for her kindness in accepting her to study in the Department of Pharmaceutical Botany, for her supervision of the research, keen interest, helpful quidances, continual encouragements throughout the course of this study and editing of the dissertation.

The author also wishes to acknowledge her debt to Assistant Professor Bamrung Tantisewie. the former Head of the Department of Pharmacognosy, Faculty of Pharmaceutical Sciences, Chulalongkorn University, for his invaluable advices and useful guidances.

The author would like to express her appreciation to Professor Dr. Vichiara Jirawongse and particular to Associate Professor Dr. Dhavadee Ponglux, the former and the present Head of the Department of Pharmacognosy, respectively, Faculty of Pharmaceutical Sciences, Chulalongkorn University, for their kind discussions and useful suggestions.

The author would further like to acknowledge her sincere gratitude to the followings:-

To Professor Geoffrey Cordell of the Department of Pharmacognosy and Pharmacology, Associate Dean of the College of Pharmacy, University of Illinois, for his kindness in interpretation of ultraviolet, infrared, nuclear magnetic resonance and mass spectra. To Assistant Professor Mijsiri Ruangrungsi of the Department of Pharmacognosy, Faculty of Pharmaceutical Sciences, Chulalongkorn University, for his considerable helps and kindness in recording the ultraviolet and infrared spectra of flindersine.

To Associate Professor Dr. Vichai Reutrakool of the Department of Chemistry, Faculty of Science, Mahidol University, for his kindness in providing the mass spectrum of flindersine.

To Miss Amporn Srisuthtipruth of the Department of Chemicstry, Faculty of Science, Mahidol University, for her help in recording the nuclear magnetic resonance spectrum of flindersine.

To all the staff members of the Department of Pharmaceutical Botany and of the Department of Pharmacognosy for their kindness and helps.

Finally, thanks are also due to Graduate School, Chulalongkorn University, for granting her the stipend of fourteen thousand and four hundred Baht to study during the second academic year.

CONTENTS

		Page
ABSTRACT	(Thai)	iv
ABSTRACT	(Enalish)	V
ACKNOWLE	DGEMENTS	vi
CHAPTER I	INTRODUCTION ANTINATION	1
·II	HISTORICAL	
	1. The occurrence of chemical compounds in	
	Micromelum	6
	2. Chemical nature and classification of	
	isoprenoid quinolone alkaloids	7
	2.1 Simple prenyl quinolone alkaloids	8
	2.2 Furanoquinolone alkaloids	9
	2.3 Pyranoquinolone alkaloids	9
	3. Biogenesis of isoprenoid quinolone alkaloids	10
	3.1 Formation of anthranilic acid	10
	3.2 Formation of 2,4-dihydroxyquinoline from	
	anthranilic acid	12
	3.3 Formation of isoprenylouinoline from 2,4-	
	dihydroxyquinoline	12
	4. Chemical nature of flindersine	13
	5. Biogenesis of flindersine	14
	5.1 Quinone methide route	14
	5.2 Allylic carbonium ion route	15

CONTENTS (cont.)

HAPTE	ER	Page
II	(cont.)	
	6. Chemical synthesis of flindersine	18
	7. Isoprenoid quinolone alkaloid bearing plants	22
II	I EXPERIMENTAL	
	1. Source of plant materials	30
	2. General techniques	
	2.1 Analytical thin layer chromatography	30
	2.2 Preparative thin layer chromatography	31
	2.3 Solvents and chemicals used	31
	2.4 Melting point determination	32
	2.5 Ultraviolet absorption spectrum	32
	2.6 Infrared absorption spectrum	32
	2.7 Nuclear Magnetic Resonance spectrum	32
	2.8 Mass spectrum	32
	The isolation of alkaloid(s) from the leaves of	
	Micromelum minutum Seem	33
	4. Identification of V-1 as flindersine	34
IV	J DISCUSSION	
	1. Rutaceae and related families	36
	2. Chemotaxonomic significance of alkaloids in	
	Rutaceae	37
	3. Chemotaxonomic significance of coumarins in	
	Rutaceae	38

CONTENTS (cont.)

CHAPTER	Page
IV (cont.)	
4. The taxonomic position of Flindersioideae	39
5. Biogenetic relationship between Micromelum	
coumarins and alkaloid(s)	41
V CONCLUSION AND RECOMMENDATION	44
REFERENCES	45
APPENDIX	58
VITA	71

