



## References

- Atalan G, Holt PE and Barr FJ. (1999). Ultrasonographic estimation of prostate size in normal dogs and relationship to bodyweight and age. Journal of Small Animal Practice. 40: 199-122.
- Barden TD, Hawes BE and Conn PM. (1989). Synthesis of GnRH receptors by gonadotrope cell cultures: both preexisting receptors and those unmasked by protein kinase C activators show a similar synthetic rate. Endocrinology. 127: 1623-1629.
- Bearden HJ and Fuquay JW (1997) Neuroendocrine Regulators of Reproduction. Applied animal reproduction (4<sup>th</sup> edition). (n.p.): Prentic Hal. pp.33-51.
- Belanger A, Auclair C, Ferland L and Labrie F. (1980). Time course of effects of Treatment with a potent LHRH agonist on testicular steroidogenesis and gonadotrophin receptor levels in the adult rat. J steroid biochem. 13: 191-196.
- Cartee RE, Powe TA, Gray BW, Hudson RS and Kuhlert DL. (1986). Ultrasonographic evaluation of normal boar testicles. American Journal of Veterinary Research. 47: 2543-2548.
- Chasalow F, Marr H, Haour F and Saez JM. (1979). Testicular steroidogenesis after human chorionic gonadotropin. Desensitization in rats. J Biol Chem. 254: 5613-5617.
- Conn PM. (1994). The molecular mechanism of gonadotrophin-releasing hormone action in the pituitary. In: The physiology of reproduction, second edition, edited by Knobil E and Neill D. (n.p.): Raven Press. pp.1815-1827.
- Cunningham JG. (2002). Reproductive physiology of the male. In: Textbook of veterinary physiology, third edition. (n.p.): W.B. Saunders company. pp.421-428.
- Dube D, Assaf A, Pelletier G and Labrie F. (1987). Morphological study of the effects of an GnRH agonist on the canine testis after 4 months of treatment and recovery. Acta Endocrinol (Copenh) . 116(3) : 413-417.
- England GCW. (1990). Reproductive endocrinology of the dog. In: Manual of small animal endocrinology. edited by Maureen H. (n.p.): British Small Animal Veterinary Association. pp.121-214.

- England GCW. (1991). Relationship between ultrasonographic appearance, testicular size, spermatozoal output and testicular lesions in the dog. Journal of small animal practice. 32 : 306-311.
- England GCW. (1997). Effect of progestogens and androgens upon spermatogenesis and steroidogenesis in dogs. Reproduction in dogs, cats and exotic carnivores. J Reprod Fert., Suppl. 51 : 123-138.
- England GCW. (1998). Pharmacological control of Reproduction in the Dog and Bitch. In: Manual of Small Animal Reproduction and Neonatology. edited by Simpson G, England GCW and Horvey M. (n.p.): British Small Animal Veterinary Association. pp.197-218.
- Frayer-Hosken RA, Dookway SV and Brandon CI. (2000). Immunocontrol in dogs. Animal Repro Science. 60-61:365-373.
- Fieni F, Dumon C, Tainturier D and Bruyas JF. (1997). Clinical protocol for pregnancy termination in bitches using prostaglandin  $F_{2\alpha}$  . J Reprod Fert., Suppl. 51 :245-250.
- Footo RH, Swierstra EE and Hunt WL. (1972). Spermatogenesis in the dog. Anat Rec. 173: 341-352.
- Fraser HM and Lincoln GA. (1980). effects of chronic treatment with an LHRH agonist on the secretion of LH, FSH and testosterone in the ram. Biol Reprod. 22: 269-276.
- Galil KAA and Setchell BP. (1987). Effect of local heating of the testes on the concentration of testosterone in jugular and testicular venous blood of rats and on testosterone production in vitro. Int J Androl. 11: 61-72.
- Garraway WM, Collins GN and Lee RJ. (1991). High prevalence of benign prostatic hypertrophy in the community. Lancet. 338: 469-471.
- Grino PB, Griffin JE and Wilson JD. (1990). Testosterone at high concentrations interacts with the human androgen receptor similarly to dihydrotestosterone. Endocrinology. 126: 1165-1172.
- Hewitt D. (1998). Physiology and endocrinology of the male. Manual of Small Animal Reproduction and Neonatology. edited by Simpson G, England GCW and Horvey M. (n.p.): British Small Animal Veterinary Association. pp.61-70.

- Hwang J, Tai JC, Hsiao HN, Hsu CT, Wu TI, Huang C, Chang CLT and Fung HP. (2002). Linear array epitope (LAE) vaccine against gonadotrophin releasing hormone for pet contraception. In: Proceeding of the international symposium on nonsurgical methods for pet population control. Callaway Gardens, Pine Mountain, Georgia. pp.97.
- Iguer-Ouada m and Verstegen JP. (1997). Effect of finasteride (Proscar MSD) on seminal composition, prostate function and fertility in male dogs. J Reprod Fertil, suppl. 51: 139-149.
- Kamolpatana K, Johnston GR and Johnston SD. (2000). Determination of canine volume using transabdominal ultrasonography. Vet Radiol Ultrasound. 41(1): 73-77.
- Kawakami E, Shimizu M, Orima H, Fujita M, Hori T and Tsutsui T. (1998). Chlormadinone acetate pellet implantation plus short-term oral administration in dogs with benign prostatic hypertrophy. Int J Androl. 21: 67-73.
- Keenan LRJ. (1998). The infertile male. In: Manual of Small Animal Reproduction and Neonatology. edited by Simpson G, England GCW and Horvey M. (n.p.): British Small Animal Veterinary Association. pp.83-94.
- Labrie F, Auclair C, Cusan L, Pelletier G, Kelly PA and Ferland L. (1978). Inhibitory effects of LHRH and its agonists on testicular gonadotrophin receptor and spermatogenesis in the rat. Int J Androl, Suppl. 2: 303-318.
- Labrie F, Belanger A, Cusan L, Seguin C, Pelletier G, Kelly PA, Reeves JJ, Lefebvre FA, Lemay A and Raynaud JP. (1980). Antifertility effects of LHRH agonists in the male. J Androl. 1: 209-228.
- Lacoste D, St-Arnald R, Belanger A and Labrie F. (1988). A pure antiandrogen does not interfere with the LHRH agonist-induced blockade of testicular androgen secretion in the dog. Mol Cell Endocrinol. 56(1-2): 141-147.
- Lacoste D, Dube D, Belanger A. and Labrie F. (1989). Effect of 2-week combination therapy with the luteinizing hormone-releasing hormone (LHRH) agonist [ D-Trp<sup>6</sup>, des-Gly-NH<sub>2</sub><sup>10</sup> ] LHRH ethylamide and the antiandrogen flutamide on prostate structure and steroid levels in the dog. Mol Cell Endocrinol. 67:131-138.
- Lee C. (1996). Role of androgen in prostate growth and regression: stromal-epithelial interaction. Prostate, suppl. 6:52-56.

- Linde-Forsberg C. (1991). Achieving canine pregnancy by using frozen or chilled extended semen. Vet Clin No Am: Sm Anim Prac. 21: 467-485.
- Mechler E. (2002). Applying non-surgical sterilization to pet population control. In: Proceeding of the international symposium on nonsurgical methods for pet population control. Callaway Gardens, Pine Mountain, Georgia. P25-28.
- Miller WL. (1993). Regulation of pituitary gonadotrophins by gonadotrophin-releasing hormone, estradiol, progesterone, inhibin, and activin. Genes in mammalian reproduction. (n.p.): Wiley-Liss. pp.247-269.
- Miskin M, Buckspan M and Bain J. (1977). Ultrasonographic examination of scrotal masses. Journal of Urology. 177: 185-187.
- Murakoshi M, Tagawa M and Ikeda R. (2000). Atropic effects of antiandrogen, Chlormadinone acetate (CMA) on dog prostate with spontaneous benign prostatic hyperplasia. J Tox Sci. 25(3): 143-150.
- New C. (2002). National Shelter and pet-owner surveys; opportunities and challenges to contraception. In: Proceeding of the international symposium on nonsurgical methods for pet population control. Callaway Gardens, Pine Mountain, Georgia. pp.19-24.
- Nieschlag E, Hoogen H, Bolk M, Schuster H and Wickings EJ. (1978). Clinical trial with testosterone undecanoate for male fertility control. Contraception. 18: 607-614.
- Niswender GD, Nett TM and Akbar AM. (1974). The hormones of reproduction. In: Reproduction in farm animals edited by Hafez ESE. Lea&Febiger, Philadelphia. pp.76.
- Paramo RM, Renton JP, Ferguson JM and Concannon PW. (1993). Effects of medroxyprogesterone acetate or gonadotrophin-releasing hormone agonist on suppression of spermatogenesis in the dog (*Canis familiaris*). J Reprod Fertil., Suppl. 47: 387-397.
- Pelletier G, Cusan L, Auclair C, Kelly PA, Desy L and Labrie F. (1978). Inhibition of spermatogenesis in the rat by treatment with [D-Ala<sup>6</sup>, des-Gly-NH<sub>2</sub><sup>10</sup>] GnRH ethylamide. Endocrinology. 103: 641-643.
- Pineda MH and Hepler DI. (1981). Chemical vasectomy in dogs., long-term study. Theriogenology. 16:1-6.

- Pineda MH. (1986). Contraceptive procedures for the male dog. In: Current therapy in Theriogenology II. Ed. Morrow DA. Saunders, Philadelphia. pp.563-566.
- SAS Institute Inc., (1989). SAS user's guide. Statistic version 6.12. Cary, NC, USA.
- Schulte-Behrhuhl M and Nieschlag E. (1980). Comparison of testosterone, DHT, LH and FSH in serum after injection of testosterone enanthate or testosterone cypionate. Fertility and Sterility. 33: 201-203.
- Selman PJ, Mol JA, Rutteman GR, van Garderen E, van den Ingh TSGAM and Rijnberk A. (1997). Effects of progestin administration on the hypothalamic-pituitary-adrenal axis and glucose homeostasis in dogs. J Reprod Fert., Suppl. 51: 345-354.
- Sharpe RM. (1983). Review article. Local control of testicular function. Quarterly Journal of experimental physiology. 69:265-287.
- Sharpe RM. (1987). Testosterone and spermatogenesis. Journal of endocrinology. 113:1-2.
- Sharpe RM. (1994). Regulation of spermatogenesis. In: The Physiology of Reproduction, second edition. edited by Knobil E and Neill JD. (n.p.): Raven Press. pp.1363-1417.
- Sherins RJ and Howards SS. (1978). Male infertility. In: Campbell's Urology. WB Saunders, Philadelphia. pp.715.
- Simmons JG And Hamner CE. (1973). Inhibition of estrus in the dog with testosterone implant. American Journal of Veterinary Research. 34:1409-1419.
- Sirinarumitr K, Johnston SD, Kustritz MVR, Johnston GR, Sarkar DK and Memon M. (2001). Effects of finasteride on size of the prostate gland and semen quality in dogs with benign prostatic hypertrophy. JAVMA. 218(8): 1275-1280.
- Taha MB. (1980). Studies on semen composition and testicular function in the dog, with particular reference to the effect of season, age and exogenous hormones. PhD thesis, University of London.
- Tremblay Y, Belanger A, Labrie F, Frenette G, Dube JY and Tremblay RR. (1984). Characteristics of the inhibitory effect of chronic treatment with an LHRH agonist on testicular steroidogenesis in the dog. Prostate. 5(6): 631-638.

- Trigg TE, Wright PJ, Armour AF, Williamson PE, Junaidi A, Martin GB, Doyle AG and Walsh J. (2001). Use of a GnRH analogue implant to produce reversible long-term suppression of reproductive function in male and female domestic dogs. J Reprod Fert., Suppl. 57: 255-261.
- Trigg TE. (2002). The practical application of GnRH agonists for contraception in dogs and cats. In: Proceeding of the international symposium on nonsurgical methods for pet population control. Callaway Gardens, Pine Mountain, Georgia. pp.59-61.
- Tsutsui T, Hori T, Shimizu m, Tatsuzawa C and Kawakami E. (2001). Effect of Osaterone acetate administration on prostatic regression rate, peripheral blood hormone levels and semen quality in dogs with benign prostatic hypertrophy. J Vet Med Sci. 63(4): 453-456.
- Van Os JL. (1982). Oestrus control in the bitch with proligestone: a clinical study. PhD Thesis, University of Utrecht.
- Vickery BH, McRae GI and Bonasch M. (1981). Effect of prolonged systemic administration of an LHRH agonist upon prostatic size and function in geriatric dogs. J Androl. 2: 30.
- Vickery BH, MaRae GI and Bonasch H. (1982). Effect of chronic administration of a highly potent LHRH agonist on prostate size and secretory function in geriatric dogs. Prostate. 3(2): 123-130.
- Vickery BH, McRae GI, Bergstrom K, Briones W, Worden A and Seidenberg R. (1983). Inability of continuous long-term administration of D-Nal(2)<sup>6</sup>-LHRH to abolish fertility in male rats. J Adrol. 4: 283-291.
- Vickery BH, McRae GI, Briones W, Worden A, Scidenberg R, Schanbacher BD and Falvo R. (1984). Effects of an LHRH agonist analog upon sexual function in male dogs. Suppression, reversibility, and effect of testosterone replacement. J Androl. 5(1): 28-42.
- Vickery BH. (1985a). Comparisons of the potential utility of LHRH agonists and antagonists for fertility control. J steroid biochem. 23(5B):779-791.
- Vickery BH, McRae GI, Briones WV, Roberts BB, Worden AC, Schanbacher BD and Falvo RE. (1985b). Dose-response studies on male reproductive parameters in dogs with nafarelin acetate, a potent LHRH agonist. J Androl. 6(1): 53-60.

- Wang M. (2002). Neutersol: Intratesticular injection induces sterility in dogs. In: Proceeding of the international symposium on nonsurgical methods for pet population control. Callaway Gardens, Pine Mountain, Georgia. pp.62-65.
- Wright PI, Stelmasiak T, Black D and Sykes D. (1979). Medroxyprogesterone acetate and reproductive processes in male dogs. Australian Veterinary Journal. 55: 437-438.



ศูนย์วิทยทรัพยากร  
จุฬาลงกรณ์มหาวิทยาลัย



## Vitae

Suppawiwat Ponglowhapan was born in Bangkok, Thailand on 2<sup>nd</sup> October 1973. Following his graduation from Samsen Wittayalai School in 1990, he proceeded his study at Faculty of Veterinary Science, Chulalongkorn University, Bangkok and subsequently graduated in 1996 with honour in the degree (Doctor of Veterinary Medicine). After graduation, he became a lecturer at department of Obstetrics Gynaecology and Reproduction, Faculty of veterinary science, Chulalongkorn University. His teaching responsibility was in the area of small animal reproduction. In 2000, he pursued his Master study at department of Obstetrics Gynaecology and Reproduction, Faculty of veterinary science, Chulalongkorn University. His research work included assessment of male reproductive system and GnRH agonist.



ศูนย์วิทยทรัพยากร  
จุฬาลงกรณ์มหาวิทยาลัย