

REFERENCES

- Aikawa M, Miller L H, Johnson J, Rabbege J. Erythrocyte entry by malarial parasites : a moving junction between erythrocyte and parasite. *J Cell Biol* 1978 ; 77 : 72 - 82.
- Bannister L H, Dluzewski A R, The ultrastructure of red cell invasion in malaria infections : a review. *Blood Cells* 1990 ; 16 : 257 - 92.
- Blum J J, Ginsburg H . Absence of α - ketoglutarate dehydrogenase activity and presence of CO₂ fixing activity in *P. falciparum* grown *in vitro* in human erythrocytes. *J Protozool* 1984 ; 31 : 167 - 9.
- Bradford M M. A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein dye binding. *Anal Biochem* 1976 ; 72 : 248 - 54.
- Brain A C, Ackrell, Edna B, Kearney, Singer T P. Mammalian succinate dehydrogenase . *Methods Enzymol* 1978 ; 53 : 466 - 82.
- Condon C, Cammack R, Patil D S, Owen P. The succinate dehydrogenase of *Escherichia coli*. *J Biol Chem* 1985 ; 260 : 9427 - 34.
- Daddona P E, Wiesmann W P, Lambros C, Kelley W N, Webster H K. Human malaria parasite adenosine deaminase. Characterization in host enzyme - deficient erythrocyte culture. *J Biol Chem* 1984 ; 259 : 1472 - 5.
- Davis K A, Hatefi Y. Succinate dehydrogenase. I. Purification, molecular properties, and substructure. *Biochemistry* 1971 ; 10 : 2509 -16.
- Davis K A, Hatefi Y, Poff K L, Butler WL. The b-type cytochromes of bovine

- heart mitochondria : absorption spectra, enzymatic properties, and distribution in the electron transfer complexes. *Biochim Biophys Acta* 1973 ; 325 : 341 - 56.
- Davis K A, Hatefi Y, Crawford I P, Baltscheffsky H. Purification, molecular properties, and amino acid composition of the subunits of *Rhodospirillum rubrum* succinate dehydrogenase. *Arch Biochem Biophys* 1977 ; 180 : 459 - 64.
- Divo A A, Geary T G, Davis N L, Jensen J B. Nutritional requirements of *Plasmodium falciparum* in culture. I. Exogenously supplied dialyzable components necessary for continuous growth. *J Protozool* 1985 ; 32 : 59 - 64.
- Divo A A, Geary T G, Jensen J B. The mitochondrion of *Plasmodium falciparum* visualized by rhodamine 123 fluorescence. *J Protozool* 1985 ; 32 : 442 - 6.
- Ellis J E. Coenzyme Q homologs in parasitic protozoa as targets for chemotherapeutic attack. *Parasitology Today* 1994 ; 10 : 296 - 301.
- Fry M, Beesley J E. Mitochondria of mammalian *Plasmodium* spp. *Parasitology* 1991 ; 102 : 17 - 26.
- Gardner M J, Bates P A, Ling I T, Mitochondrial DNA of the human malarial parasite *Plasmodium falciparum*. *Mol Biochem Parasitol* 1988 ; 31 : 11 - 8.
- Gardner M J, Williamson D H, Wilson R J M. A circular DNA in malaria parasites encodes an RNA polymerase like that of prokaryotes and chloroplasts. *Mol Biochem Parasitol* 1991 ; 44 : 115 - 23.
- Geary TG, Divo A A, Linda C, Bonanni, Jensen J B. Nutritional requirements of *Plasmodium falciparum* in culture. II. Effects of antimetabolites in a

- semi-defined medium. J Protozool 1985 ; 32 : 65 - 9.
- Gero A M, Brown G V, O' Sullivan W J. Pyrimidine *de novo* synthesis during the life cycle of the intraerythrocytic stage of *Plasmodium falciparum*. J Parasitol 1984 ; 70 : 536 - 41.
- Ginsburg H . Some reflections concerning host erythrocyte-malaria parasite interrelationships. Blood Cells 1990 ; 16 : 225 - 35.
- Goman M, Langsley G, Hyde J E, Yankovsky N K, Zolg J W, Scaife J G. The establishment of genomic DNA libraries for the human malaria parasite *Plasmodium falciparum* and identification of individual clones by hybridisation. Mol Biochem Parasitol 1982 ; 5 : 391 - 400.
- Grivennikova V G, Gavrikova E V, Timoshin A A, Vinogradov AD. Fumarate reductase activity of bovine heart succinate - ubiquinone reductase. New assay system and overall properties of the reaction. Biochim Biophys Acta 1993 ; 1140 : 282 - 92.
- Guntaka R V, Gowda S, Rao A S, Green T J. Organization of *Plasmodium falciparum* genome. 1. Evidence for a highly repeated DNA sequence. Nucleic Acids Res 1985 ; 13 : 1965 - 75.
- Hammond D J, Burchell J R, Pudney M. Inhibition of pyrimidine biosynthesis *de novo* in *Plasmodium falciparum* by 2 - (4 - t - butylcyclohexyl) -3 hydroxy - 1 ,4 - naphthoquinone *in vitro*. Mol Biochem Parasitol 1984 ; 14 : 97 - 109.
- Hatefi Y, Stiggall D L. Preparation and properties of succinate : ubiquinone oxidoreductase (complex II). Methods Enzymol 1978 ; 53 : 21-35.
- Hederstedt L. Molecular properties, genetics, and biosynthesis of *Bacillus subtilis* succinate dehydrogenase complex. Methods Enzymol 1986 ; 126 : 399 - 409.

- Hempelmann E, Wilson R J M. Detection of glucose - 6 - phosphate dehydrogenase in malarial parasites. *Mol Biochem Parasitol* 1981 ; 2 : 197 - 204.
- Hill B, Kilsby J, Rogerson G W, McIntosh R T, Ginger C D. The enzymes of pyrimidine biosynthesis in a range of parasitic protozoa and helminths. *Mol Biochem Parasitol* 1981 ; 2 : 123 - 34.
- Holz G G. Jr. Lipids and the malarial parasite. *Bull. W.H.O.* 1977 ; 55 : 237 - 48.
- Homewood C A, Neame K D. Biochemistry and malarial parasites. In "Malaria", vol.1 Kreier, J.P., ed., Academic Press, New York, pp 345 - 405.
- Kanaani J, Ginsburg H. Metabolic interconnection between the human malarial parasite *P. falciparum* and its host erythrocyte. Regulation of ATP levels by means of an adenylate translocator and adenylate kinase. *J Biol Chem* 1989 ; 264 : 3194 - 9.
- Kemp D J, Corcoran L M, Coppel R L, Stahl H D, Bianco A E, Brown G V. Size variation in chromosomes from independent cultured isolates of *Plasmodium falciparum*. *Nature* 1985 ; 315 : 347 - 50.
- Kemp D J, Thompson J K, Walliker D, Corcoran L M. Molecular karyotype of *Plasmodium falciparum* : conserved linkage groups and expandable histidine - rich protein genes. *Proc Natl Acad Sci U.S.A.* 1987 ; 84 : 7672 - 6.
- Kita K. Electron - transfer complexes of mitochondria in *Ascaris suum*. *Parasitology Today* 1992 ; 8 : 155 - 9.
- Kita K, Vibat C R T, Meinhardt S, Guest J R, Gennis R B. One-step purification from *Escherichia coli* of complex II (succinate : ubiquinone

- oxidoreductase) associated with succinate reducible cytochrome b 556. J Biol Chem 1989 ; 264 : 2672 - 7.
- Krungkrai J, Krungkrai S R, Bhumiratana A. *Plasmodium berghei* : Partial purification and characterization of the mitochondrial cytochrome c oxidase. Exp Parasitol 1993 ; 77 : 136 - 46.
- Krungkrai J. Purification, characterization and localization of mitochondrial dihydroorotate dehydrogenase in *Plasmodium falciparum*, human malaria parasite. Biochim Biophys Acta 1995 ; 1243 : 351 - 60.
- Laemmli U K. Cleavage of structural genes during the assembly of the head of bacteriophage T4 . Nature 1970 ; 227 : 680 - 5.
- McCutchan T F, Dame J B, Miller L H, Barnwell J. Evolutionary relatedness of *Plasmodium* species as determined by the structure of DNA. Science 1984 ; 225 : 808 - 11.
- Moll R, Schafer G. Purification and characterization of an archaebacterial succinate dehydrogenase complex from the plasma membrane of the thermoacidophile *Sulfolobus acidocaldarius*. Eur J Biochem 1991 ; 207 : 593 - 600.
- Myler P, Saul A, Kidson C. The synthesis and fate of stage-specific proteins in *Plasmodium falciparum* cultures. Mol Biochem Parasitol 1983 ; 9 : 37 - 45.
- Pennoyer J D, Ohnishi T, Trumppower B L. Purification and properties of succinate-ubiquinone oxidoreductase complex from *Paracoccus denitrificans*. Biochim Biophys Acta 1988 ; 935 : 195 - 207.
- Perkins M E. Erythrocyte invasion by the malarial merozoite : recent advances. Exp Parasitol 1989 ; 69 : 94 - 9.
- Prapunwattana P, O ' Sullivan W J, Yuthavong Y. Depression of *Plasmodium*

- falciparum* dihydroorotate dehydrogenase activity in *in vitro* culture by tetracycline. Mol Biochem Parasitol 1988 ; 27 : 119 - 24.
- Rathod P K, Reyes P. Orotidylate - metabolizing enzymes of the human malarial parasite, *Plasmodium falciparum*, differ from host cell enzymes. J Biol Chem 1983 ; 258 : 2852 - 5.
- Reddy T L P, Weber M M. Solubilization, purification and characterization of succinate dehydrogenase from membranes of *M. phlei*. J Bacteriol 1986 ; 167 : 1 - 6.
- Reyes P, Rathod P K, Sanchez D J, Mrema J E K, Rieckmann K H, Heidrich H G. Enzymes of purine and pyrimidine metabolism from the human malaria parasite, *Plasmodium falciparum*. Mol Biochem Parasitol 1982 ; 5 : 275 - 90.
- Roth E F, Jr. Calvin M C, Max-Audit I, Rosa J, Rosa R. The enzymes of the glycolytic pathway in erythrocytes infected with *Plasmodium falciparum* malaria parasites. Blood 1988 ; 72 : 1922 - 5.
- Roth E F, Jr. *Plasmodium falciparum* carbohydrate metabolism: a connection between host cell and parasites. Blood Cells 1990 ; 16 : 453 - 60.
- Sahni S K, Saxena N, Puri S K, Duta G P, Pandey V C. NADP - specific isocitrate dehydrogenase from the simian malaria parasite *Plasmodium knowlesi* : partial purification and characterization. J Protozool 1992 ; 39 : 338 - 42.
- Saruta F, Kuramochi T, Nakamura K, et al., Stage - specific isoforms of complex II (succinate - ubiquinone oxidoreductase) in mitochondria from the parasitic Nematode, *Ascaris suum*. J Biol Chem 1995 ; 270 : 928 - 32.
- Scheibel L W, Ashton S H, Trager W. *Plasmodium falciparum* :

- microaerophilic requirements in human red blood cells.
 Exp Parasitol 1979 ; 47 : 410 - 8.
- Scheibel L W, Sherman I W. Plasmodial metabolism and related organellar function during various stages of the life - cycle : carbohydrates. pp 219 - 252 in Principles and Practice of Malariaology, Wernsdorfer W, and McGregor I. eds. New york : Churchill Livingstone.
- Schimandle C M, Sherman I W. Characterization of adenosine deaminase from the malarial parasite, *Plasmodium lophurae*, and its host cell, the duckling erythrocyte. Biochem Pharmacol 1983 ; 32 : 115 - 22.
- Schimandle C M, Tanigoshi L, Mole L A, Sherman I W. Purine nucleoside phosphorylase of the malarial parasite, *Plasmodium lophurae*. J Biol Chem 1985 ; 260 : 4455 - 60.
- Scott H V, Gero A M, O ' Sullivan W J. In vitro inhibition of *Plasmodium falciparum* by pyrazofuran, an inhibitor of pyrimidine biosynthesis de novo. Mol Biochem Parasitol 1986 ; 18 : 1 - 13.
- Sherman I W. Amino acid metabolism and protein synthesis in malarial parasites. Bull. W.H.O. 1977 ; 55 : 265 - 76.
- Sherman I W. Biochemistry of Plasmodium (malaria parasites). Microbiol Rev 1979 ; 44 : 453 - 95.
- Sherman I W. Biochemistry of Plasmodium. In "Modern design of antimalarial drugs", Wernsdorfer W, Trigg P. eds., World Health Organization, Geneva, pp 17 - 33.
- Sherman I W. Metabolism. In "Antimalarial drugs I : Handbook of experimental pharmacology." , Peters W, Richard W H G. eds. vol. 68 part I. Springer - Verlag, Berlin, Heidelberg, New york, Tokyo, pp 31-81.

- Sherman I W, Tanigoshi L. The protease of Plasmodium. A cathepsin D - like enzyme from *Plasmodium lophurae*. In : " The biochemistry of parasites ", Slutzky G M. eds., Pergamon Press, Oxford, Great Britain, pp . 137 - 49.
- Siu P M L. Carbon dioxide fixation in Plasmodia and the effect of some antimalarial drugs on the enzyme. Comp Biochem Physiol 1967 ; 23 : 785 - 95.
- Trager W, Jensen J B. Human malaria parasites in continuous culture. Science 1976 ; 193 : 673 - 5.
- Tushurashvili P R, Gavrikova E V, Ledenev A N, Vinogradov A D. Studies on the succinate dehydrogenating system. Isolation and properties of the mitochondrial succinate-ubiquinone reductase. Biochim Biophys Acta 1985 ; 809 : 145 - 59.
- Unnasch N L. Purification and properties of *Plasmodium falciparum* malate dehydrogenase . Mol Biochem Parasitol 1992 ; 50 : 17 - 26.
- Usanga E A, Luzzatto L. Adaptation of *Plasmodium falciparum* to glucose 6 - phosphate dehydrogenase - deficient host red cells by production of parasite - encoded enzyme. Nature 1985 ; 313 : 793 - 5.
- Vander Jagt D L, Hunsaker L A, Heidrich J E. Partial purification and characterization of lactate dehydrogenase from *Plasmodium falciparum*. Mol Biochem Parasitol 1981 ; 4 : 255 - 64.
- Vander Jagt D L, Baack B R, Hunsaker L A. Purification and characterization of an aminopeptidase from *Plasmodium falciparum*. Mol Biochem Parasitol 1984 ; 10 : 45 - 54.
- Vander Jagt D L, Lucy A, Hunsaker, Kibirige M, Campos N M. NADPH production by the malarial parasite *Plasmodium falciparum* .

- Blood Cells 1989 ; 74 : 471 - 4.
- Vial H J , Thuet M J, Broussal J L, Philippot J R. Phospholipid biosynthesis by *Plasmodium knowlesi* infected erythrocytes. The incorporation of phospholipid precursors and the identification of previously undetected metabolic pathway. J Parasitol 1982 ; 68 : 379 - 91.
- Vial H J, Thuet M J, Philippot J R. Phospholipid biosynthesis in synchronous *Plasmodium falciparum* culture. J Protozool 1982 ; 29 : 258 - 63.
- Vial H J, Philippot J R , Wallach D H F. A reevaluation of the status of cholesterol in erythrocytes infected by *Plasmodium knowlesi* and *Plasmodium falciparum*. Mol Biochem Parasitol 1984 ; 13 : 53 - 65.
- Vial H J, Ancelin M L, Philippot J R, Thuet M J. Biosynthesis and dynamics of lipids in Plasmodium - infected mature mammalian erythrocytes. Blood Cells 1990 ; 16 : 531 - 55.
- Webster H K, Whaun J M. Application of simultaneous uv - radioactivity high-performance liquid chromatography to the study of intermediary metabolism. I. Purine nucleotides, nucleosides and bases. J Chromatogr 1981 ; 209 : 283 - 92.
- Webster H K, Whaun J M. Purine metabolism during continuous erythrocyte culture of human malaria parasites (*P. falciparum*). In " The red cell. Fifth Ann Arbor Conference ", Alan R. Lise, Inc, New York, pp 557-570.
- Webster H K, Whaun J M. Antimalarial properties of bredinin. Prediction based on identification of differences in human host - parasite purine metabolism. J Clin Invest 1982 ; 70 : 461 - 9.

- Williamson D H, Wilson R J M, Bates P A, McCready S, Perler F, Qiang B.
 Nuclear and mitochondrial DNA of the primate malarial parasite
Plasmodium knowlesi. Mol Biochem Parasitol 1985 ; 14 :
 199 - 209.
- Wilson R J M. Biochemistry of red cell invasion. Blood Cells 1990 ; 16 :
 237 - 52.
- Wilson R J M, Gardner M J, Feagin J E, Williamson D H. Have malaria
 parasites three genomes ? Parasitology Today 1991 ; 7 :
 134 - 6.
- Xu J, Yu L, Yu C. Involvement of a carboxyl group in the interaction
 between succinate dehydrogenase and its membrane-anchoring protein
 (QP_S) fraction. Biochemistry 1987 ; 26 : 7674 - 9.
- Yu L, Yu C A. Quantitative resolution of succinate-cytochrome c reductase
 into succinate-ubiquinone and ubiquinol-cytochrome c reductases.
 J Biol Chem 1982 ; 257 : 2016 - 21.

ศูนย์วิทยทรัพยากร
 จุฬาลงกรณ์มหาวิทยาลัย



Biography

Name : Nongluk Suraveratum

Date of birth : December 8, 1955

Place of birth : Bangkok, Thailand

Institution attended : Wat Sangvaj School, Bangkok.

Certificate of Mathayom Suksa III

March, 1971

: Bodindecha School, Bangkok

Certificate of Mathayom Suksa V

March, 1973

: Mahidol University, Bangkok

Bachelor of Science (Medical Technology)

April, 1977

Place of office : Biochemistry unit, Department of Pathology

Rajchavithi Hospital.