



References

- Alldredge, K.B. 1992. Seizure disorders.: In T. Herfindal E, D. Gourley, and L. Lloyd Hart(eds.), Clinical Pharmacy and Therapeutics (5th ed.), U.S.A.: William & Wilkins.
- Ayala, G.F., Dicter, M., Gumnit, R.J., Matsumoto, H., and Spencer, W.A. 1973. Genesis of epileptic interictal spikes : New knowledge of cortical feedback systems suggests a neurophysiological explanation of brief paroxysms. Brain Res. 52: 1-17.
- Callery, P.S., Stogniew, M., and Geelhaar, L.A. 1979. Detection of the in vivo conversion of 2-pyrrolidinone to gamma-aminobutyric acid in mouse brain. Biomed. Spectrom. 6: 23.
- Chase, T.N., and Walters, J.R. 1976. In E. Roberts , T.N. Chase , and D.B.Tower (eds.), GABA in nervous system function, pp. 497. New york: Raven Press.
- Collins, R.C. 1978. Use of cortical circuits during focal penicillin seizure: An autoradiographic study with [¹⁴C] deoxyglucose. Brain Res. 150: 487-501.
- Crill, W.E.. 1991. Neurophysiologic Basis of Convulsive Disorders. In G. Tunnicliff, and U.B. Raess (eds.), GABA mechanisms in epilepsy , pp. 1-30. New York.: Wiley-Liss,Inc.

- Curtis, D.R., Duggan, A.W., Felix, D., and Johnston, G.A.R. 1970. GABA bucuculline and central nervous inhibition. Nature 226: 1222-1224.
- Fois, A., Malandrini, F., and Mostadrini, R. 1987. Clinical experiences of Petit mal. Brain Dev. 9: 54-59.
- Fukuzako, H., and Izumi, K. 1991. Clinical aspects of the epilepsies. In G. Tunnicliff, and U.B. Raess (eds.), GABA mechanisms in epilepsy, pp. 1-30. New York.: Wiley-Liss, Inc.
- Gent, J.P., and Phillips, N.I. 1980. Sodium di-*n*-propylacetate (valproate) potentiates responses to GABA and muscimol on single central neurons. Brain Res. 197: 275-278.
- Godin, Y., Heiner, L., Mark, J., and Mandel, P. 1969. Effects of di-*n*-propylacetate, an anticonvulsive compound, on GABA metabolism. J. Neurochem. 16 : 869-873.
- Hackman, J.C., Grayson, V., and Davidoff, R.A., 1981. The presynaptic effects of Valproic acid in the isolated frog spinal cord. Brain Res. 220 : 269-285.
- Harrison, N.L., Simmonds M.A. 1982. Sodium valproate enhances responses to GABA receptor activation only at high concentrations. Brain Res. 250 : 201-204.

Hearl, W.G., and Churchich, J.E. 1984. Interactions between 4-aminobutyrate aminotransferase and succinic semialdehyde dehydrogenase two mitochondria enzymes. J. Biol. Chem. 259 : 11459-11463.

Hochner, B., Spira, M.E., and Werman, R. 1976. Penicillin decreases chloride conductance in crustacean muscle: A model for the epileptic neuron. Brain Res. 107: 85-103.

Ichinose, N., Nakamura, K., Shimizu, C., Kurokura, H., and Okamoto, K. 1984. High-performance liquid chromatography of 5,8,11,14,17-Eicosapentaenoic acid in fatty acid (C₁₈ and C₂₀) by labeling with 9-Anthryldiazomethane as a fluorescent agent. J. Chromatogr. 295 : 463-469.

Imperato, A. and Di Chiara, G. 1984. Trans-striatal dialysis coupled to reverse phase high performance liquid chromatography with electrochemical detection : A new method for the study of the *in vitro* release of endogenous dopamine and metabolites. J. Neurosci. 4 : 966-977.

Johnston, D. 1984. Valproic acid : Update on its mechanism of action. Epilepsia 25 (Suppl. 1) : S1-S4.

Johnston, D., and Slater, G.E. 1982. Sodium valproate : Mechanism of action. In D.M. Woodbury, J.K. Penry, and P.E. Pippenger (eds.), Antiepileptic drugs (2nd ed.), pp 611-616. New York: Raven Press.

Keränen, T., Sillanpää, M., and Riekkinen, P.J. 1988. Distribution of seizure types in an epileptic population. Epilepsia 29: 459-467.

Kerwin, R.W., Olpe, H.R., and Schmutz, M. 1980. The effect of sodium-n-dipropyl acetate on γ -aminobutyric acid-dependent inhibition in the rat cortex and substantia nigra in relation to its anticonvulsant activity. Br. J. Pharmacol. 71: 545-551.

Krnjevic, K. 1991. Significance of GABA in brain function. In G.Tunnicliff, and U. B. Raess (eds.), GABA mechanisms in epilepsy, pp 47-87. New York.: Wiley-Liss, Inc.

Lindroth, P., and Mopper, K., 1979. High performance liquid chromatographic determination of subpicomole amounts of amino acids by precolumn fluorescence derivatization with *o*-phthaldialdehyde. Anal. Chem. 51 : 1667-1674.

Löscher, W. 1980. Effect of inhibitors of GABA transaminase on the synthesis, binding, uptake and metabolism of GABA. J. Neurochem. 34: 1603-1608.

Löscher, W. 1982. Comparative assay of anticonvulsant and toxic potencies of sixteen GABA mimetic drugs. Neuropharmacol. 21: 803-810.

Löscher, W., Fassbender, C.P., and Nolting, B. 1991. The role of technical, biological, and pharmacological factors in the laboratory evaluation of anticonvulsant drugs III. Pentylenetetrazole seizure models. Epilepsy Res. 8 : 171-189.

Lothman, E.W., and Collins, R.C. 1984. : Seizures : In Pearlman AL, Collins R.C. (eds): Neurological Pathophysiology. pp 234. New York : Oxford University Press.

MacDonald, R.L., and Barker, J.L. 1977. Pentylenetetrazol and penicillin are selective antagonists of GABA-mediated post-synaptic inhibition in cultured mammalian neurones. Nature 267: 720-721.

MacDonald, R.L., and Bergey, G.K. 1979. Valproic acid augments GABA-mediated postsynaptic inhibition in cultured mammalian neurons. Brain Res. 170: 558-562.

MacDoald, R.L., Roger C.J., Twyman, R.E. 1989 Kinetic properties of the GABA_A receptor main-conductance state of mouse spinal cord neurons in culture. J. Physiol.(Lond.) 410 : 479-499.

Morre, M., Keane, P.E., Verieres, J.C., Simiand, J., and Roncucci, R. 1984. Valproate : Recent Findings and Perspectives. Epilepsia 25 (Suppl. 1) : S5-S9.

Pellegrino, K.J. and Crushman, A.J. 1967 A Stereotaxic Atlas of the Rat Brain. Appleton Century Croftd : New York. U.S.A.

Pinder, R.M., Brogden, R.N., Speight, T.M., Avery, G.S. 1977. Sodium Valproate : A review of its Pharmacological Properties and Therapeutic Efficacy in Epilepsy. Drugs 13 : 81-123.

Polc, P., Bonetti E.P., Schaffner, R., Haefely, W. 1982 : A three-state model of benzodiazepine receptor explains the interaction between the benzodiazepine antagonist Ro-15-1788, benzodiazepine tranquilizer, β -carboline, and phenobarbitone. Naunyn Schmiedebergs Arch Pharmacol 321 : 260-264.

Prince, D.A. 1983. Ionic mechanism in cortical and hippocampal epileptogenesis. In H.H. Jasper, and N.M. Van Gelder (eds.), Basic mechanisms of neuronal hyperexcitability, New York: Alan R. Liss.

Rall, T.W., and Schleifer, L.S. 1990. Drugs effective in the therapy of the epilepsies. In A.G. Gilman (ed.), Goodman and Gilman's the pharmacological basis of therapeutics (8th ed.), pp. 436-462. New York : Pergamon Press.

Sasaki, H., Mori Y., Nakamura J., and Shibasaki, J. 1991. Synthesis and anticonvulsant activity of 1-acyl-2-pyrrolidinone derivatives. J. Med. Chem. 34: 628-633.

Schwartzkroin, P.A. 1980. Ionic and synaptic determinants of burst generation. In J.S. Lockard, and A.A. Ward (eds.), Epilepsy : A window to brain mechanisms, pp.83-95. New York : Raven Press.

Shashoua, V.E., Jacob, J.N., Ridge, R., Campbell, A., Baldessarini, R.J. 1984. γ -Aminobutyric acid esters: 1. Synthesis brain uptake and pharmacological studies of aliphatic and steroid esters of γ -aminobutyric acid. J. Med. Chem. 27: 659-664.

Shuto, K., and Nishikaki, T. 1970. Pharmacological studies on sodium dipropylacetate. Anticonvulsant activities and general pharmacologic actions. Pharmacometrics. 4 : 937.

Slater, G.E. and Johnston, D. 1978. Sodium valproate increases potassium conductance in Aplysia neurons. Epilepsia. 19 : 379-384.

Swinyard, E.A., Brown, W.C. and Goodman, L.S. 1952. Comparative assays of antiepileptic drugs in mice and rats. J. Pharmacol. Exp. Ther. 106: 319-330

Swinyard, E.A. 1964. The Pharmacology of dipropylacetic acid sodium with special emphasis on its effects on the central nervous system. University of Utah Collage of Pharmacy, Salt Lake City, Utah, pp. 1-25

Ticku, M.K., and Davis, W.C. 1981. Effect of valproic acid on ^3H -dihydrotetraoxin binding sites at the benzodiazepine-GABA receptor-ionophore complex. Brain Res. 223: 218-222.

Toman, J.E.P., Swinyard, E.A., and Goodman, L.S. 1946. Properties of Maximal seizures and their alteration by anticonvulsant drugs and other agent. J. Neurophys. 9 : 231-240.

Twyman, R.E., MacDonald, R.L. 1991. Antiepileptic drug regulation of GABA_A receptor channels. In G.Tunnicliff, and U.B.Raess (eds.), GABA mechanisms in epilepsy, pp 89-104. U.S.A.: Wiley-Liss, Inc.

Wicharn Janwitayanuchit. 1992. Synthesis of valproic acid analogues.

Master's Thesis, Chulalongkorn University. Thailand.

Zielinski, F.F. 1988. Epidemiology. In J.Laidlaw, A.Richens, and J.Oxley (eds.),
A textbook of epilepsy (3 rd ed.), pp. 21-48. Edinburgh: Churchill
Livingstone.

Zivkovic, B., Lloyd, K.G., and Bartholini, G. 1985. Anticonvulsant spectrum of
action of progabide in laboratory models of convulsant disorders. In G.
Bartholini, L. Bossi, K.G. Lloyd, and P.L. Morselli (eds.), Epilepsy and
GABA receptor agonists basic and therapeutic research, New York:
Raven Press.

Appendix

in vitro data

Calibration data for VPA analysis

Peak area	Conc. (mol/l)	Averaged peak area	SD
738518	1.06092E-05	775093.50	51725.57
811669	1.06092E-05		
1562806	2.12185E-05	1514149.00	68811.39
1465492	2.12185E-05		
3120527	4.24369E-05	2988267.50	187043.18
2856008	4.24369E-05		
6088016	8.48739E-05	5643058.00	629265.64
5198100	8.48739E-05		

Regression Statistics

Multiple R	0.99881257
R Square	0.997626551
Adjusted R Square	0.664293218
Standard Error	104687.3921
Observations	4

Analysis of Variance

	df	Sum of Squares	Mean Square	F	P-value
Regression	1	1.38197E+13	1.38197E+13	1260.98331	0.00079209
Residual	3	32878350198	10959450066		
Total	4	1.38526E+13			

Regression coefficients

	Coefficients	Standard Error	t Statistic	P-value
Intercept	0.00E+00			
X	6.75E+10	1.07E+09	6.31E+01	3.78E-07

Observed area = (6.75E+10) x (Estimated Conc.)

Brain homogenate data from RAT#1(Valproic acid analysis)

Sample ID	Observed area	Estimated Conc.	Average Conc.	SD	SEM
Control (0 min.)	0	0.00E+00	0.00E+00	0.00E+00	0
Control (0 min.)	0	0.00E+00			
VPP (0 min.)	1395514	2.07E-05	2.17E-05	1.51E-06	6.75E-07
VPP (0 min.)	1539679	2.28E-05			
Control (15 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (15 min.)	0	0.00E+00			
VPP (15 min.)	1624976	2.41E-05	2.30E-05	1.55E-06	6.93E-07
VPP (15 min.)	1476929	2.19E-05			
Control (30 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (30 min.)	0	0.00E+00			
VPP (30 min.)	1873325	2.77E-05	2.70E-05	1.08E-06	4.84E-07
VPP (30 min.)	1769867	2.62E-05			
Control (60 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (60 min.)	0	0.00E+00			
VPP (60 min.)	1775530	2.63E-05	2.53E-05	1.35E-06	6.05E-07
VPP (60 min.)	1646426	2.44E-05			
Control (120 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (120 min.)	0	0.00E+00			
VPP (120 min.)	1612431	2.39E-05	2.46E-05	1.06E-06	4.76E-07
VPP (120 min.)	1714067	2.54E-05			
Control (240 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (240 min.)	0	0.00E+00			
VPP (240 min.)	1716173	2.54E-05	2.57E-05	4.20E-07	1.88E-07
VPP (240 min.)	1756318	2.60E-05			

Brain homogenate data from RAT#2 (Valproic acid analysis)

Sample ID	Observed area	Estimated Conc.	Average Conc.	SD	SEM
Control (0 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (0 min.)	0	0.00E+00			
VPP (0 min.)	1360716	2.01E-05	2.04E-05	3.92E-07	1.75E-07
VPP (0 min.)	1398178	2.07E-05			
Control (15 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (15 min.)	0	0.00E+00			
VPP (15 min.)	1472164	2.18E-05	2.20E-05	3.44E-07	1.54E-07
VPP (15 min.)	1505022	2.23E-05			
Control (30 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (30 min.)	0	0.00E+00			
VPP (30 min.)	1601717	2.37E-05	2.41E-05	5.34E-07	2.39E-07
VPP (30 min.)	1652751	2.45E-05			
Control (60 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (60 min.)	0	0.00E+00			
VPP (60 min.)	1769499	2.62E-05	2.55E-05	1.05E-06	4.70E-07
VPP (60 min.)	1669170	2.47E-05			
Control (120 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (120 min.)	0	0.00E+00			
VPP (120 min.)	1346232	1.99E-05	2.20E-05	2.95E-06	1.32E-06
VPP (120 min.)	1627836	2.41E-05			
Control (240 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (240 min.)	0	0.00E+00			
VPP (240 min.)	1764691	2.61E-05	2.61E-05	2.19E-08	9.81E-09
VPP (240 min.)	1762596	2.61E-05			

Brain homogenate data from RAT#3 (Valproic acid analysis)

Sample ID	Observed area	Estimated Conc.	Average Conc.	SD	SEM
Control (0 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (0 min.)	0	0.00E+00			
VPP (0 min.)	1696718	2.51E-05	2.58E-05	9.90E-07	4.43E-07
VPP (0 min.)	1791287	2.65E-05			
Control (15 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (15 min.)	0	0.00E+00			
VPP (15 min.)	1551372	2.30E-05	2.38E-05	1.17E-06	5.23E-07
VPP (15 min.)	1662999	2.46E-05			
Control (30 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (30 min.)	0	0.00E+00			
VPP (30 min.)	2064012	3.06E-05	2.98E-05	1.02E-06	4.58E-07
VPP (30 min.)	1966196	2.91E-05			
Control (60 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (60 min.)	0	0.00E+00			
VPP (60 min.)	1774804	2.63E-05	2.65E-05	3.72E-07	1.66E-07
VPP (60 min.)	1810357	2.68E-05			
Control (120 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (120 min.)	0	0.00E+00			
VPP (120 min.)	1665576	2.47E-05	2.40E-05	9.81E-07	4.39E-07
VPP (120 min.)	1571889	2.33E-05			
Control (240 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (240 min.)	0	0.00E+00			
VPP (240 min.)	1661937	2.46E-05	2.48E-05	2.11E-07	9.44E-08
VPP (240 min.)	1682102	2.49E-05			

Brain homogenate data from RAT#4 (Valproic acid analysis)

Sample ID	Observed area	Estimated Conc.	Average Conc.	SD	SEM
Control (0 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (0 min.)	0	0.00E+00			
VPP (0 min.)	1674736	2.48E-05	2.67E-05	2.75E-06	1.23E-06
VPP (0 min.)	1937457	2.87E-05			
Control (15 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (15 min.)	0	0.00E+00			
VPP (15 min.)	1852498	2.74E-05	2.86E-05	1.72E-06	7.70E-07
VPP (15 min.)	2016942	2.99E-05			
Control (30 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (30 min.)	0	0.00E+00			
VPP (30 min.)	1916941	2.84E-05	2.89E-05	7.22E-07	3.23E-07
VPP (30 min.)	1985932	2.94E-05			
Control (60 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (60 min.)	0	0.00E+00			
VPP (60 min.)	2032277	3.01E-05	2.93E-05	1.09E-06	4.87E-07
VPP (60 min.)	1928360	2.86E-05			
Control (120 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (120 min.)	0	0.00E+00			
VPP (120 min.)	2320527	3.44E-05	3.46E-05	3.74E-07	1.67E-07
VPP (120 min.)	2356252	3.49E-05			
Control (240 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (240 min.)	0	0.00E+00			
VPP (240 min.)	2111138	3.13E-05	3.01E-05	1.6779E-06	7.50E-07
VPP (240 min.)	1950886	2.89E-05			

Brain homogenate data from RAT#5 (Valproic acid analysis)

Sample ID	Observed area	Estimated Conc.	Average Conc.	SD	SEM
Control (0 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (0 min.)	0	0.00E+00			
VPP (0 min.)	1612393	2.39E-05	2.39E-05	1.43E-08	6.38E-09
VPP (0 min.)	1613755	2.39E-05			
Control (15 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (15 min.)	0	0.00E+00			
VPP (15 min.)	1332584	1.97E-05	1.99E-05	2.30E-07	1.03E-07
VPP (15 min.)	1354535	2.01E-05			
Control (30 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (30 min.)	0	0.00E+00			
VPP (30 min.)	1513043	2.24E-05	2.27E-05	3.68E-07	1.65E-07
VPP (30 min.)	1548188	2.29E-05			
Control (60 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (60 min.)	0	0.00E+00			
VPP (60 min.)	1504773	2.23E-05	2.17E-05	8.26E-07	3.69E-07
VPP (60 min.)	1425924	2.11E-05			
Control (120 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (120 min.)	0	0.00E+00			
VPP (120 min.)	1557420	2.31E-05	2.34E-05	4.86E-07	2.17E-07
VPP (120 min.)	1603822	2.37E-05			
Control (240 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (240 min.)	0	0.00E+00			
VPP (240 min.)	1572994	2.33E-05	2.27E-05	7.82E-07	3.50E-07
VPP (240 min.)	1498275	2.22E-05			

Liver homogenate data from Rat #1 (Valproic acid Analysis)

Sample ID	Observed area	Estimated Conc.	Average Conc.	SD	SEM
Control (0 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (0 min.)	0	0.00E+00			
VPP (0 min.)	1942959	2.88E-05	2.75E-05	1.86E-06	8.31E-07
VPP (0 min.)	1765405	2.61E-05			
Control (15 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (15 min.)	0	0.00E+00			
VPP (15 min.)	1818902	2.69E-05	2.73E-05	5.03E-07	2.25E-07
VPP (15 min.)	1866953	2.76E-05			
Control (30 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (30 min.)	0	0.00E+00			
VPP (30 min.)	1948644	2.89E-05	3.05E-05	2.30E-06	1.03E-06
VPP (30 min.)	2167906	3.21E-05			
Control (60 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (60 min.)	0	0.00E+00			
VPP (60 min.)	2222301	3.29E-05	3.36E-05	9.49E-07	4.24E-07
VPP (60 min.)	2312955	3.42E-05			
Control (120 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (120 min.)	0	0.00E+00			
VPP (120 min.)	2659021	3.94E-05	4.01E-05	1.08E-06	4.83E-07
VPP (120 min.)	2762232	4.09E-05			
Control (240 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (240 min.)	0	0.00E+00			
VPP (240 min.)	3661177	5.42E-05	5.49E-05	9.66E-07	4.32E-07
VPP (240 min.)	3753469	5.56E-05			

Liver homogenate data from Rat #2 (Valproic acid Analysis)

Sample ID	Observed area	Estimated Conc.	Average Conc.	SD	SEM
Control (0 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (0 min.)	0	0.00E+00			
VPP (0 min.)	1630301	2.41E-05	2.54E-05	1.73E-06	7.73E-07
VPP (0 min.)	1795473	2.66E-05			
Control (15 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (15 min.)	0	0.00E+00			
VPP (15 min.)	2137918	3.17E-05	3.09E-05	1.05E-06	4.68E-07
VPP (15 min.)	2038004	3.02E-05			
Control (30 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (30 min.)	0	0.00E+00			
VPP (30 min.)	2199080	3.26E-05	3.48E-05	3.11E-06	1.39E-06
VPP (30 min.)	2495891	3.70E-05			
Control (60 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (60 min.)	0	0.00E+00			
VPP (60 min.)	2527088	3.74E-05	3.74E-05	4.02E-08	1.80E-08
VPP (60 min.)	2523246	3.74E-05			
Control (120 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (120 min.)	0	0.00E+00			
VPP (120 min.)	3020640	4.47E-05	4.57E-05	1.32E-06	5.91E-07
VPP (120 min.)	3146826	4.66E-05			
Control (240 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (240 min.)	0	0.00E+00			
VPP (240 min.)	4399970	6.52E-05	6.24E-05	3.96E-06	1.77E-06
VPP (240 min.)	4021740	5.96E-05			

Liver homogenate data from Rat #3 (Valproic acid Analysis)

Sample ID	Observed area	Estimated Conc.	Average Conc.	SD	SEM
Control (0 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (0 min.)	0	0.00E+00			
VPP (0 min.)	2215490	3.28E-05	2.84E-05	6.20E-06	2.77E-06
VPP (0 min.)	1623253	2.40E-05			
Control (15 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (15 min.)	0	0.00E+00			
VPP (15 min.)	2341841	3.47E-05	3.13E-05	4.74E-06	2.12E-06
VPP (15 min.)	1889092	2.80E-05			
Control (30 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (30 min.)	0	0.00E+00			
VPP (30 min.)	2429082	3.60E-05	3.51E-05	1.22E-06	5.45E-07
VPP (30 min.)	2312605	3.42E-05			
Control (60 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (60 min.)	0	0.00E+00			
VPP (60 min.)	2332628	3.45E-05	3.59E-05	1.99E-06	8.90E-07
VPP (60 min.)	2522718	3.74E-05			
Control (120 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (120 min.)	0	0.00E+00			
VPP (120 min.)	2790299	4.13E-05	4.21E-05	1.08E-06	4.83E-07
VPP (120 min.)	2893368	4.28E-05			
Control (240 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (240 min.)	0	0.00E+00			
VPP (240 min.)	3899166	5.77E-05	5.84E-05	9.0527E-07	4.05E-07
VPP (240 min.)	3985626	5.90E-05			

Liver homogenate data from Rat #4 (Valproic acid Analysis)

Sample ID	Observed area	Estimated Conc.	Average Conc.	SD	SEM
Control (0 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (0 min.)	0	0.00E+00			
VPP (0 min.)	1297679	1.92E-05	2.00E-05	1.14E-06	5.11E-07
VPP (0 min.)	1406722	2.08E-05			
Control (15 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (15 min.)	0	0.00E+00			
VPP (15 min.)	1499625	2.22E-05	2.38E-05	2.19E-06	9.81E-07
VPP (15 min.)	1709058	2.53E-05			
Control (30 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (30 min.)	0	0.00E+00			
VPP (30 min.)	1536814	2.28E-05	2.19E-05	1.27E-06	5.67E-07
VPP (30 min.)	1415642	2.10E-05			
Control (60 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (60 min.)	0	0.00E+00			
VPP (60 min.)	2010782	2.98E-05	3.02E-05	5.79E-07	2.59E-07
VPP (60 min.)	2066068	3.06E-05			
Control (120 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (120 min.)	0	0.00E+00			
VPP (120 min.)	2525168	3.74E-05	3.87E-05	1.91E-06	8.53E-07
VPP (120 min.)	2707320	4.01E-05			
Control (240 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (240 min.)	0	0.00E+00			
VPP (240 min.)	3233932	4.79E-05	4.94E-05	2.12E-06	9.50E-07
VPP (240 min.)	3436806	5.09E-05			

Liver homogenate data from Rat #5 (Valproic acid Analysis)

Sample ID	Observed area	Estimated Conc.	Average Conc.	SD	SEM
Control (0 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (0 min.)	0	0.00E+00			
VPP (0 min.)	1456311	2.16E-05	2.08E-05	1.11E-06	4.94E-07
VPP (0 min.)	1350769	2.00E-05			
Control (15 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (15 min.)	0	0.00E+00			
VPP (15 min.)	1564959	2.32E-05	2.35E-05	5.23E-07	2.34E-07
VPP (15 min.)	1614879	2.39E-05			
Control (30 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (30 min.)	0	0.00E+00			
VPP (30 min.)	1771145	2.62E-05	2.69E-05	8.95E-07	4.00E-07
VPP (30 min.)	1856652	2.75E-05			
Control (60 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (60 min.)	0	0.00E+00			
VPP (60 min.)	1918846	2.84E-05	2.97E-05	1.79E-06	7.99E-07
VPP (60 min.)	2089417	3.09E-05			
Control (120 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (120 min.)	0	0.00E+00			
VPP (120 min.)	2513293	3.72E-05	3.57E-05	2.10E-06	9.39E-07
VPP (120 min.)	2312862	3.42E-05			
Control (240 min.)	0	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Control (240 min.)	0	0.00E+00			
VPP (240 min.)	2777236	4.11E-05	4.38E-05	3.79E-06	1.69E-06
VPP (240 min.)	3138993	4.65E-05			

**Calculated VPA concentration in Rats' liver homogenate**

Time (min.)		N1	N2	N3	N4	N5	Mean	SD	SEM
0	Control	0.00E+00							
15	Control	0.00E+00							
30	Control	0.00E+00							
60	Control	0.00E+00							
120	Control	0.00E+00							
240	Control	0.00E+00							
0	VPP	2.75E-05	2.54E-05	2.84E-05	2.00E-05	2.08E-05	2.44E-05	3.83E-06	1.71E-06
15	VPP	2.73E-05	3.09E-05	3.13E-05	2.38E-05	2.35E-05	2.74E-05	3.74E-06	1.67E-06
30	VPP	3.05E-05	3.48E-05	3.51E-05	2.19E-05	2.69E-05	2.98E-05	5.59E-06	2.50E-06
60	VPP	3.36E-05	3.74E-05	3.59E-05	3.02E-05	2.97E-05	3.34E-05	3.42E-06	1.53E-06
120	VPP	4.01E-05	4.57E-05	4.21E-05	3.87E-05	3.57E-05	4.05E-05	3.71E-06	1.66E-06
240	VPP	5.49E-05	6.24E-05	5.84E-05	4.94E-05	4.38E-05	5.38E-05	7.33E-06	3.28E-06

Calculated VPA concentration in Rats' brain homogenate

Time (min.)		N1	N2	N3	N4	N5	Mean	SD	SEM
0	Control	0.00E+00							
15	Control	0.00E+00							
30	Control	0.00E+00							
60	Control	0.00E+00							
120	Control	0.00E+00							
240	Control	0.00E+00							
0	VPP	2.17E-05	2.04E-05	2.58E-05	2.58E-05	2.39E-05	2.35E-05	2.42E-06	1.08E-06
15	VPP	2.30E-05	2.20E-05	2.38E-05	2.38E-05	1.99E-05	2.25E-05	1.63E-06	7.28E-07
30	VPP	2.70E-05	2.41E-05	2.98E-05	2.98E-05	2.27E-05	2.67E-05	3.27E-06	1.46E-06
60	VPP	2.53E-05	2.55E-05	2.65E-05	2.65E-05	2.17E-05	2.51E-05	2.00E-06	8.92E-07
120	VPP	2.46E-05	2.20E-05	2.40E-05	2.40E-05	2.34E-05	2.36E-05	9.83E-07	4.40E-07
240	VPP	2.57E-05	2.61E-05	2.48E-05	2.48E-05	2.27E-05	2.48E-05	1.30E-06	5.83E-07

Statistic for VPA conc. in Rats' liver homogenate

t-Test: Paired Two-Sample for Means

	VPP(0 min)	VPP(15 min)
Mean	2.44091E-05	2.73659E-05
Variance	1.46696E-11	1.39844E-11
Observations	5	5
Pearson Correlation	0.850650477	
Pooled Variance	1.21838E-11	
Hypothesized Mean Difference	0	
df	4	
t	-3.19349173	
P(T<=t) one-tail	0.016552843	
t Critical one-tail	2.131846486	
P(T<=t) two-tail	0.033105687	
t Critical two-tail	2.776450856	

t-Test: Paired Two-Sample for Means

	VPP(0 min)	VPP(120 min)
Mean	2.35382E-05	4.04702E-05
Variance	5.88056E-12	1.37772E-11
Observations	5	5
Pearson Correlation	-0.485429898	
Pooled Variance	4.36935E-12	
Hypothesized Mean Difference	0	
df	4	
t	-7.104928455	
P(T<=t) one-tail	0.001036569	
t Critical one-tail	2.131846486	
P(T<=t) two-tail	0.002073138	
t Critical two-tail	2.776450856	

t-Test: Paired Two-Sample for Means

	VPP(0 min)	VPP(30 min)
Mean	2.44091E-05	2.98124E-05
Variance	1.46696E-11	3.12306E-11
Observations	5	5
Pearson Correlation	0.859439214	
Pooled Variance	1.83956E-11	
Hypothesized Mean Difference	0	
df	4	
t	-4.00327378	
P(T<=t) one-tail	0.00804312	
t Critical one-tail	2.131846486	
P(T<=t) two-tail	0.016086239	
t Critical two-tail	2.776450856	

t-Test: Paired Two-Sample for Means

	VPP(0 min)	VPP(240 min)
Mean	2.44091E-05	5.37629E-05
Variance	1.46696E-11	5.36745E-11
Observations	5	5
Pearson Correlation	0.761473114	
Pooled Variance	2.13672E-11	
Hypothesized Mean Difference	0	
df	4	
t	-12.97022979	
P(T<=t) one-tail	0.000101933	
t Critical one-tail	2.131846486	
P(T<=t) two-tail	0.000203865	
t Critical two-tail	2.776450856	

t-Test: Paired Two-Sample for Means

	VPP(0 min)	VPP(60 min)
Mean	2.44091E-05	3.33552E-05
Variance	1.46696E-11	1.16633E-11
Observations	5	5
Pearson Correlation	0.806223701	
Pooled Variance	1.05457E-11	
Hypothesized Mean Difference	0	
df	4	
t	-8.73764634	
P(T<=t) one-tail	0.000472651	
t Critical one-tail	2.131846486	
P(T<=t) two-tail	0.000945303	
t Critical two-tail	2.776450856	

Statistic for VPA conc. in Rats' brain homogenate

t-Test: Paired Two-Sample for Means

	VPP(0 min)	VPP(15 min)
Mean	2.35382E-05	2.24998E-05
Variance	5.88056E-12	2.6463E-12
Observations	5	5
Pearson Correlation	0.355798363	
Pooled Variance	1.40357E-12	
Hypothesized Mean Difference	0	
df	4	
t	0.970903168	
P(T<=t) one-tail	0.193287694	
t Critical one-tail	2.131846486	
P(T<=t) two-tail	0.386575387	
t Critical two-tail	2.776450856	

t-Test: Paired Two-Sample for Means

	VPP(0 min)	VPP(30 min)
Mean	2.35382E-05	2.66819E-05
Variance	5.88056E-12	1.0711E-11
Observations	5	5
Pearson Correlation	0.647673164	
Pooled Variance	5.1402E-12	
Hypothesized Mean Difference	0	
df	4	
t	-2.79815862	
P(T<=t) one-tail	0.024451634	
t Critical one-tail	2.131846486	
P(T<=t) two-tail	0.048903267	
t Critical two-tail	2.776450856	

t-Test: Paired Two-Sample for Means

	VPP(0 min)	VPP(60 min)
Mean	2.35382E-05	2.51158E-05
Variance	5.88056E-12	3.98089E-12
Observations	5	5
Pearson Correlation	0.20028884	
Pooled Variance	9.69073E-13	
Hypothesized Mean Difference	0	
df	4	
t	-1.25320774	
P(T<=t) one-tail	0.139193293	
t Critical one-tail	2.131846486	
P(T<=t) two-tail	0.278386586	
t Critical two-tail	2.776450856	

t-Test: Paired Two-Sample for Means

	VPP(0 min)	VPP(120 min)
Mean	2.35382E-05	2.35982E-05
Variance	5.88056E-12	9.66879E-13
Observations	5	5
Pearson Correlation	0.490889879	
Pooled Variance	1.17052E-12	
Hypothesized Mean Difference	0	
df	4	
t	-0.06315815	
P(T<=t) one-tail	0.476335356	
t Critical one-tail	2.131846486	
P(T<=t) two-tail	0.952670711	
t Critical two-tail	2.776450856	

t-Test: Paired Two-Sample for Means

	VPP(0 min)	VPP(240 min)
Mean	2.35382E-05	2.48159E-05
Variance	5.88056E-12	1.70173E-12
Observations	5	5
Pearson Correlation	-0.52490853	
Pooled Variance	-1.6605E-12	
Hypothesized Mean Difference	0	
df	4	
t	-0.86523856	
P(T<=t) one-tail	0.217857555	
t Critical one-tail	2.131846486	
P(T<=t) two-tail	0.435715109	
t Critical two-tail	2.776450856	

Calibration data for GABA analysis

Conc.	Area	Average peak area	SD
5.00E-05	2959587	2534770.00	600781.9629
5.00E-05	2109953		
1.00E-04	6596019	7093349.50	703331.5381
1.00E-04	7590680		
2.00E-04	12780667	12529895.00	354645.1635
2.00E-04	12279123		

Regression Statistics

Multiple R	0.99006556
R Square	0.980229813
Adjusted R Square	0.480229813
Standard Error	703592.8076
Observations	3

Analysis of Variance

	df	Sum of Squares	Mean Square	F	Significance F
Regression	1	4.90896E+13	4.90896E+13	99.162422	0.063716663
Residual	2	9.90086E+11	4.95043E+11		
Total	3	5.00797E+13			

Regression coefficients

	Coefficients	Standard Error	t Statistic	P-value
Intercept	0	#N/A	#N/A	#N/A
x1	63658141905	3070730761	20.73061654	0.00024548

Observed area = (6.3658E+10) x (Estimated Conc.)

Brain homogenate data from Rat #1 (GABA Analysis)

Sample ID	Observed area	Estimated Conc.	Average Conc.	SD	SEM
Control (0 min.)	9025523	1.42E-04	1.44E-04	3.6189E-06	1.61843E-06
Control (0 min.)	9351320	1.47E-04			
VPP (0 min.)	7754932	1.22E-04	1.33E-04	1.5961E-05	7.13797E-06
VPP (0 min.)	9191839	1.44E-04			
Control (15 min.)	5410622	8.50E-05	8.48E-05	3.2312E-07	1.44502E-07
Control (15 min.)	5381533	8.45E-05			
VPP (15 min.)	5227698	8.21E-05	8.49E-05	3.9495E-06	1.76628E-06
VPP (15 min.)	5583258	8.77E-05			
Control (30 min.)	6738782	1.06E-04	1.04E-04	2.8823E-06	1.28899E-06
Control (30 min.)	6479303	1.02E-04			
VPP (30 min.)	6752744	1.06E-04	1.03E-04	4.608E-06	2.06075E-06
VPP (30 min.)	6337905	9.96E-05			
Control (60 min.)	7399656	1.16E-04	1.17E-04	1.5084E-06	6.74594E-07
Control (60 min.)	7535455	1.18E-04			
VPP (60 min.)	9409553	1.48E-04	1.55E-04	1.0642E-05	4.75909E-06
VPP (60 min.)	10367581	1.63E-04			
Control (120 min.)	9382167	1.47E-04	1.47E-04	2.8762E-07	1.28626E-07
Control (120 min.)	9356274	1.47E-04			
VPP (120 min.)	9772527	1.54E-04	1.76E-04	3.1267E-05	1.3983E-05
VPP (120 min.)	12587375	1.98E-04			
Control (240 min.)	11953465	1.88E-04	1.92E-04	6.1303E-06	2.74157E-06
Control (240 min.)	12505355	1.96E-04			
VPP (240 min.)	12947076	2.03E-04	2.18E-04	2.113E-05	9.44982E-06
VPP (240 min.)	14849370	2.33E-04			

Brain homogenate data from Rat #2 (GABA Analysis)

Sample ID	Observed area	Estimated Conc.	Average Conc.	SD	SEM
Control (0 min.)	3921685	6.16E-05	6.50E-05	4.7984E-06	2.14591E-06
Control (0 min.)	4353667	6.84E-05			
VPP (0 min.)	4395683	6.91E-05	6.75E-05	2.1373E-06	9.5582E-07
VPP (0 min.)	4203272	6.60E-05			
Control (15 min.)	4323995	6.79E-05	6.62E-05	2.482E-06	1.10998E-06
Control (15 min.)	4100550	6.44E-05			
VPP (15 min.)	4340562	6.82E-05	6.46E-05	5.0818E-06	2.27266E-06
VPP (15 min.)	3883064	6.10E-05			
Control (30 min.)	5898511	9.27E-05	9.40E-05	1.9623E-06	8.7755E-07
Control (30 min.)	6075166	9.54E-05			
VPP (30 min.)	5957170	9.36E-05	9.39E-05	4.6289E-07	2.0701E-07
VPP (30 min.)	5998842	9.42E-05			
Control (60 min.)	7245361	1.14E-04	1.17E-04	4.2021E-06	1.87924E-06
Control (60 min.)	7623660	1.20E-04			
VPP (60 min.)	7921708	1.24E-04	1.32E-04	1.0497E-05	4.69434E-06
VPP (60 min.)	8866701	1.39E-04			
Control (120 min.)	9260242	1.45E-04	1.53E-04	1.0462E-05	4.67863E-06
Control (120 min.)	10202072	1.60E-04			
VPP (120 min.)	9570281	1.50E-04	1.47E-04	4.9939E-06	2.23334E-06
VPP (120 min.)	9120699	1.43E-04			
Control (240 min.)	10326657	1.62E-04	1.61E-04	2.3538E-06	1.05265E-06
Control (240 min.)	10114754	1.59E-04			
VPP (240 min.)	11696178	1.84E-04	1.86E-04	3.3197E-06	1.48461E-06
VPP (240 min.)	11995038	1.88E-04			

Brain homogenate data from Rat #3 (GABA Analysis)

Sample ID	Observed area	Estimated Conc.	Average Conc.	SD	SEM
Control (0 min.)	3236508	5.08E-05	5.19E-05	1.429E-06	6.39061E-07
Control (0 min.)	3365154	5.29E-05			
VPP (0 min.)	3348813	5.26E-05	5.93E-05	9.461E-06	4.23107E-06
VPP (0 min.)	4200548	6.60E-05			
Control (15 min.)	4580808	7.20E-05	7.09E-05	1.5584E-06	6.96933E-07
Control (15 min.)	4440512	6.98E-05			
VPP (15 min.)	4498288	7.07E-05	6.99E-05	1.0635E-06	4.75597E-07
VPP (15 min.)	4402548	6.92E-05			
Control (30 min.)	6139882	9.65E-05	9.16E-05	6.8593E-06	3.06758E-06
Control (30 min.)	5522364	8.68E-05			
VPP (30 min.)	6134668	9.64E-05	9.85E-05	3.0526E-06	1.36515E-06
VPP (30 min.)	6409480	1.01E-04			
Control (60 min.)	6201272	9.74E-05	1.04E-04	9.3322E-06	4.17348E-06
Control (60 min.)	7041414	1.11E-04			
VPP (60 min.)	7221683	1.13E-04	1.14E-04	7.9925E-07	3.57433E-07
VPP (60 min.)	7293636	1.15E-04			
Control (120 min.)	9357264	1.47E-04	1.42E-04	7.4181E-06	3.31746E-06
Control (120 min.)	8689444	1.37E-04			
VPP (120 min.)	8229666	1.29E-04	1.36E-04	9.4571E-06	4.22933E-06
VPP (120 min.)	9081051	1.43E-04			
Control (240 min.)	9610931	1.51E-04	1.53E-04	2.2176E-06	9.91725E-07
Control (240 min.)	9810570	1.54E-04			
VPP (240 min.)	10028570	1.58E-04	1.53E-04	6.2077E-06	2.77617E-06
VPP (240 min.)	9469714	1.49E-04			

Brain homogenate data from Rat #4 (GABA Analysis)

Sample ID	Observed area	Estimated Conc.	Average Conc.	SD	SEM
Control (0 min.)	5505773	8.65E-05	7.73E-05	1.301E-05	5.81825E-06
Control (0 min.)	4334531	6.81E-05			
VPP (0 min.)	4058330	6.38E-05	5.97E-05	5.6841E-06	2.542E-06
VPP (0 min.)	3546614	5.57E-05			
Control (15 min.)	5596701	8.79E-05	8.41E-05	5.4472E-06	2.43604E-06
Control (15 min.)	5106314	8.02E-05			
VPP (15 min.)	6456012	1.01E-04	9.72E-05	6.0207E-06	2.69253E-06
VPP (15 min.)	5913992	9.29E-05			
Control (30 min.)	6400715	1.01E-04	1.02E-04	2.4597E-06	1.10003E-06
Control (30 min.)	6622156	1.04E-04			
VPP (30 min.)	7705196	1.21E-04	1.04E-04	2.3945E-05	1.07084E-05
VPP (30 min.)	5549551	8.72E-05			
Control (60 min.)	8658433	1.36E-04	1.41E-04	6.7335E-06	3.0113E-06
Control (60 min.)	9264622	1.46E-04			
VPP (60 min.)	8198048	1.29E-04	1.25E-04	5.2008E-06	2.32585E-06
VPP (60 min.)	7729843	1.21E-04			
Control (120 min.)	9220012	1.45E-04	1.47E-04	3.0752E-06	1.37527E-06
Control (120 min.)	9496861	1.49E-04			
VPP (120 min.)	12916373	2.03E-04	2.00E-04	3.5803E-06	1.60117E-06
VPP (120 min.)	12594049	1.98E-04			
Control (240 min.)	12226456	1.92E-04	1.95E-04	4.5346E-06	2.02796E-06
Control (240 min.)	12634693	1.98E-04			
VPP (240 min.)	12303520	1.93E-04	1.93E-04	1.0121E-06	4.52642E-07
VPP (240 min.)	12212401	1.92E-04			

Brain homogenate data from Rat #5 (GABA Analysis)

Sample ID	Observed area	Estimated Conc.	Average Conc.	SD	SEM
Control (0 min.)	7380718	1.16E-04	1.17E-04	2.0703E-06	9.2588E-07
Control (0 min.)	7567102	1.19E-04			
VPP (0 min.)	9923709	1.56E-04	1.49E-04	9.4535E-06	4.22773E-06
VPP (0 min.)	9072648	1.43E-04			
Control (15 min.)	6718448	1.06E-04	1.01E-04	7.0053E-06	3.13287E-06
Control (15 min.)	6087787	9.56E-05			
VPP (15 min.)	8591264	1.35E-04	1.38E-04	4.8288E-06	2.15952E-06
VPP (15 min.)	9025985	1.42E-04			
Control (30 min.)	8226834	1.29E-04	1.39E-04	1.4348E-05	6.41642E-06
Control (30 min.)	9518490	1.50E-04			
VPP (30 min.)	11240153	1.77E-04	1.71E-04	8.2419E-06	3.68588E-06
VPP (30 min.)	10498167	1.65E-04			
Control (60 min.)	11054021	1.74E-04	1.80E-04	9.5977E-06	4.29224E-06
Control (60 min.)	11918069	1.87E-04			
VPP (60 min.)	12427045	1.95E-04	1.87E-04	1.1838E-05	5.29425E-06
VPP (60 min.)	11361288	1.78E-04			
Control (120 min.)	9617475	1.51E-04	1.47E-04	5.4902E-06	2.45531E-06
Control (120 min.)	9123210	1.43E-04			
VPP (120 min.)	11294883	1.77E-04	1.75E-04	3.3746E-06	1.50917E-06
VPP (120 min.)	10991079	1.73E-04			
Control (240 min.)	11394573	1.79E-04	1.81E-04	3.5325E-06	1.57977E-06
Control (240 min.)	11712588	1.84E-04			
VPP (240 min.)	11049899	1.74E-04	1.87E-04	1.9006E-05	8.4998E-06
VPP (240 min.)	12760948	2.00E-04			

Liver homogenate data from Rat #1 (GABA Analysis)

Sample ID	Observed area	Estimated Conc.	Average Conc.	SD	SEM
Control (0 min.)	2771690	4.35E-05	4.31E-05	6.876E-07	3.08E-07
Control (0 min.)	2709784	4.26E-05			
VPP (0 min.)	3418337	5.37E-05	5.28E-05	1.243E-06	5.56E-07
VPP (0 min.)	3306396	5.19E-05			
Control (15 min.)	2393603	3.76E-05	2.59E-05	1.657E-05	7.41E-06
Control (15 min.)	901794	1.42E-05			
VPP (15 min.)	748856	1.18E-05	1.22E-05	5.905E-07	2.64E-07
VPP (15 min.)	802018	1.26E-05			
Control (30 min.)	712658	1.12E-05	1.11E-05	1.438E-07	6.43E-08
Control (30 min.)	699712	1.10E-05			
VPP (30 min.)	503753	7.91E-06	8.59E-06	9.506E-07	4.25E-07
VPP (30 min.)	589331	9.26E-06			
Control (60 min.)	70889	1.11E-06	2.16E-06	1.479E-06	6.61E-07
Control (60 min.)	204047	3.21E-06			
VPP (60 min.)	499786	7.85E-06	9.62E-06	2.501E-06	1.12E-06
VPP (60 min.)	724975	1.14E-05			
Control (120 min.)	0	0.00E+00	0.00E+00	0	0.00E+00
Control (120 min.)	0	0.00E+00			
VPP (120 min.)	75052	1.18E-06	5.89E-07	8.337E-07	3.73E-07
VPP (120 min.)	0	0.00E+00			
Control (240 min.)	0	0.00E+00	0.00E+00	0	0.00E+00
Control (240 min.)	0	0.00E+00			
VPP (240 min.)	97032	1.52E-06	1.31E-06	3.075E-07	1.38E-07
VPP (240 min.)	69352	1.09E-06			

Liver homogenate data from Rat #2 (GABA Analysis)

Sample ID	Observed area	Estimated Conc.	Average Conc.	SD	SEM
Control (0 min.)	1843640	2.90E-05	2.83E-05	9.728E-07	4.35E-07
Control (0 min.)	1756059	2.76E-05			
VPP (0 min.)	2003934	3.15E-05	2.94E-05	2.999E-06	1.34E-06
VPP (0 min.)	1733950	2.72E-05			
Control (15 min.)	911013	1.43E-05	2.65E-05	1.731E-05	7.74E-06
Control (15 min.)	2469178	3.88E-05			
VPP (15 min.)	1033183	1.62E-05	1.64E-05	1.809E-07	8.09E-08
VPP (15 min.)	1049473	1.65E-05			
Control (30 min.)	395577	6.21E-06	7.06E-06	1.2E-06	5.37E-07
Control (30 min.)	503578	7.91E-06			
VPP (30 min.)	679358	1.07E-05	8.91E-06	2.489E-06	1.11E-06
VPP (30 min.)	455322	7.15E-06			
Control (60 min.)	21196	3.33E-07	7.39E-07	5.744E-07	2.57E-07
Control (60 min.)	72908	1.15E-06			
VPP (60 min.)	271732	4.27E-06	2.81E-06	2.068E-06	9.25E-07
VPP (60 min.)	85582	1.34E-06			
Control (120 min.)	0	0.00E+00	0.00E+00	0	0.00E+00
Control (120 min.)	0	0.00E+00			
VPP (120 min.)	0	0.00E+00	0.00E+00	0	0.00E+00
VPP (120 min.)	0	0.00E+00			
Control (240 min.)	0	0.00E+00	0.00E+00	0	0.00E+00
Control (240 min.)	0	0.00E+00			
VPP (240 min.)	0	0.00E+00	0.00E+00	0	0.00E+00
VPP (240 min.)	0	0.00E+00			

Liver homogenate data from Rat #3 (GABA Analysis)

Sample ID	Observed area	Estimated Conc.	Average Conc.	SD	SEM
Control (0 min.)	2114579	3.32E-05	3.24E-05	1.093E-06	4.89E-07
Control (0 min.)	2016189	3.17E-05			
VPP (0 min.)	2120786	3.33E-05	3.05E-05	3.984E-06	1.78E-06
VPP (0 min.)	1762116	2.77E-05			
Control (15 min.)	1387343	2.18E-05	1.99E-05	2.617E-06	1.17E-06
Control (15 min.)	1151711	1.81E-05			
VPP (15 min.)	1824301	2.87E-05	2.69E-05	2.45E-06	1.10E-06
VPP (15 min.)	1603712	2.52E-05			
Control (30 min.)	696457	1.09E-05	1.00E-05	1.274E-06	5.70E-07
Control (30 min.)	581772	9.14E-06			
VPP (30 min.)	850591	1.34E-05	1.26E-05	1.01E-06	4.52E-07
VPP (30 min.)	759657	1.19E-05			
Control (60 min.)	1116870	1.75E-05	1.76E-05	7.135E-08	3.19E-08
Control (60 min.)	1123293	1.76E-05			
VPP (60 min.)	2021696	3.18E-05	2.84E-05	4.721E-06	2.11E-06
VPP (60 min.)	1596674	2.51E-05			
Control (120 min.)	428849	6.74E-06	3.37E-06	4.764E-06	2.13E-06
Control (120 min.)	0	0.00E+00			
VPP (120 min.)	99069	1.56E-06	7.78E-07	1.1E-06	4.92E-07
VPP (120 min.)	0	0.00E+00			
Control (240 min.)	0	0.00E+00	1.85E-06	2.619E-06	1.17E-06
Control (240 min.)	235817	3.70E-06			
VPP (240 min.)	0	0.00E+00	0.00E+00	0	0.00E+00
VPP (240 min.)	0	0.00E+00			

Liver homogenate data from Rat #4 (GABA)

Sample ID	Observed area	Estimated Conc.	Average Conc.	SD	SEM
Control (0 min.)	2372962	3.73E-05	3.15E-05	8.142E-06	3.64E-06
Control (0 min.)	1639967	2.58E-05			
VPP (0 min.)	1285992	2.02E-05	2.15E-05	1.862E-06	8.33E-07
VPP (0 min.)	1453649	2.28E-05			
Control (15 min.)	3072949	4.83E-05	3.74E-05	1.538E-05	6.88E-06
Control (15 min.)	1688293	2.65E-05			
VPP (15 min.)	1186870	1.86E-05	9.71E-06	1.264E-05	5.65E-06
VPP (15 min.)	49078	7.71E-07			
Control (30 min.)	1180609	1.85E-05	1.37E-05	6.827E-06	3.05E-06
Control (30 min.)	565966	8.89E-06			
VPP (30 min.)	518546	8.15E-06	8.04E-06	1.562E-07	6.98E-08
VPP (30 min.)	504485	7.92E-06			
Control (60 min.)	376787	5.92E-06	5.87E-06	6.426E-08	2.87E-08
Control (60 min.)	371002	5.83E-06			
VPP (60 min.)	272251	4.28E-06	4.97E-06	9.821E-07	4.39E-07
VPP (60 min.)	360669	5.67E-06			
Control (120 min.)	0	0.00E+00	0.00E+00	0	0.00E+00
Control (120 min.)	0	0.00E+00			
VPP (120 min.)	108083	1.70E-06	8.49E-07	1.201E-06	5.37E-07
VPP (120 min.)	0	0.00E+00			
Control (240 min.)	0	0.00E+00	0.00E+00	0	0.00E+00
Control (240 min.)	0	0.00E+00			
VPP (240 min.)	0	0.00E+00	1.37E-06	1.937E-06	8.66E-07
VPP (240 min.)	174413	2.74E-06			

Liver homogenate data from Rat #5 (GABA Analysis)

Sample ID	Observed area	Estimated Conc.	Average Conc.	SD	SEM
Control (0 min.)	2502875	3.93E-05	3.29E-05	9.08E-06	4.06E-06
Control (0 min.)	1685458	2.65E-05			
VPP (0 min.)	1403860	2.21E-05	3.37E-05	1.645E-05	7.36E-06
VPP (0 min.)	2884802	4.53E-05			
Control (15 min.)	2779034	4.37E-05	3.00E-05	1.935E-05	8.65E-06
Control (15 min.)	1037406	1.63E-05			
VPP (15 min.)	1060568	1.67E-05	1.94E-05	3.877E-06	1.73E-06
VPP (15 min.)	1409607	2.21E-05			
Control (30 min.)	553111	8.69E-06	7.95E-06	1.047E-06	4.68E-07
Control (30 min.)	458853	7.21E-06			
VPP (30 min.)	820771	1.29E-05	1.27E-05	3.039E-07	1.36E-07
VPP (30 min.)	793408	1.25E-05			
Control (60 min.)	272433	4.28E-06	3.40E-06	1.251E-06	5.59E-07
Control (60 min.)	159851	2.51E-06			
VPP (60 min.)	347089	5.45E-06	5.48E-06	3.622E-08	1.62E-08
VPP (60 min.)	350350	5.50E-06			
Control (120 min.)	0	0.00E+00	8.63E-07	1.221E-06	5.46E-07
Control (120 min.)	109933	1.73E-06			
VPP (120 min.)	0	0.00E+00	0.00E+00	0	0.00E+00
VPP (120 min.)	0	0.00E+00			
Control (240 min.)	0	0.00E+00	1.40E-06	1.975E-06	8.83E-07
Control (240 min.)	177785	2.79E-06			
VPP (240 min.)	192545	3.02E-06	1.51E-06	2.139E-06	9.56E-07
VPP (240 min.)	0	0.00E+00			

Calculated GABA concentration in Rats' Liver Homogenate

Time (min.)	N1	N2	N3	N4	N5	Mean	SD	SEM
0	4.31E-05	2.83E-05	3.24E-05	3.15E-05	3.29E-05	3.36E-05	5.57E-06	2.49E-06
15	2.59E-05	2.65E-05	1.99E-05	3.74E-05	3.00E-05	2.79E-05	6.40E-06	2.86E-06
30	1.11E-05	7.06E-06	1.00E-05	1.37E-05	7.95E-06	9.97E-06	2.64E-06	1.18E-06
60	2.16E-06	7.39E-07	1.76E-05	5.87E-06	3.40E-06	5.95E-06	6.78E-06	3.03E-06
120	0.00E+00	0.00E+00	3.37E-06	0.00E+00	8.63E-07	8.46E-07	1.46E-06	6.52E-07
240	0.00E+00	0.00E+00	1.85E-06	0.00E+00	1.40E-06	6.50E-07	9.04E-07	4.04E-07
0	5.28E-05	2.94E-05	3.05E-05	2.15E-05	3.37E-05	3.36E-05	1.17E-05	5.21E-06
15	1.22E-05	1.64E-05	2.69E-05	9.71E-06	1.94E-05	1.69E-05	6.73E-06	3.01E-06
30	8.59E-06	8.91E-06	1.26E-05	8.04E-06	1.27E-05	1.02E-05	2.30E-06	1.03E-06
60	9.62E-06	2.81E-06	2.84E-05	4.97E-06	5.48E-06	1.03E-05	1.04E-05	4.67E-06
120	5.89E-07	0.00E+00	7.78E-07	8.49E-07	0.00E+00	4.43E-07	4.16E-07	1.86E-07
240	1.31E-06	0.00E+00	0.00E+00	1.37E-06	1.51E-06	8.38E-07	7.68E-07	3.44E-07

Calculated GABA concentration in Rats' Brain Homogenate

Time (min.)	N1	N2	N3	N4	N5	Mean	SD	SEM
0	1.44E-04	6.50E-05	5.19E-05	7.73E-05	1.17E-04	9.12E-05	3.85E-05	1.72E-05
15	8.48E-05	6.62E-05	7.09E-05	8.41E-05	1.01E-04	8.13E-05	1.35E-05	6.04E-06
30	1.04E-04	9.40E-05	9.16E-05	1.02E-04	1.39E-04	1.06E-04	1.93E-05	8.61E-06
60	1.17E-04	1.17E-04	1.04E-04	1.41E-04	1.80E-04	1.32E-04	3.02E-05	1.35E-05
120	1.47E-04	1.53E-04	1.42E-04	1.47E-04	1.47E-04	1.47E-04	3.93E-06	1.76E-06
240	1.92E-04	1.61E-04	1.53E-04	1.95E-04	1.81E-04	1.76E-04	1.90E-05	8.51E-06
0	1.33E-04	6.75E-05	5.93E-05	5.97E-05	1.49E-04	9.38E-05	4.37E-05	1.96E-05
15	8.49E-05	6.46E-05	6.99E-05	9.72E-05	1.38E-04	9.10E-05	2.94E-05	1.32E-05
30	1.03E-04	9.39E-05	9.85E-05	1.04E-04	1.71E-04	1.14E-04	3.20E-05	1.43E-05
60	1.55E-04	1.32E-04	1.14E-04	1.25E-04	1.87E-04	1.43E-04	2.90E-05	1.30E-05
120	1.76E-04	1.47E-04	1.36E-04	2.00E-04	1.75E-04	1.67E-04	2.56E-05	1.15E-05
240	2.18E-04	1.86E-04	1.53E-04	1.93E-04	1.87E-04	1.87E-04	2.32E-05	1.04E-05

Statistic for GABA conc. in Rats' liver homogenate
t-Test: Two-Sample Assuming Unequal Variances

	<i>Control (0 min)</i>	<i>VPP (0 min)</i>
Mean	3.36378E-05	3.35759E-05
Variance	3.09745E-11	1.35738E-10
Observations	5	5
Pearson Correlation	0.898156923	
Pooled Variance		3.5
df	5.735190274	
t	0.010713562	
P(T<=t) one-tail	0.495933154	
t Critical one-tail	2.015049176	
P(T<=t) two-tail	0.991866307	
t Critical two-tail	2.570577635	

t-Test: Two-Sample Assuming Unequal Variances

	<i>Control (15 min)</i>	<i>VPP(15 min)</i>
Mean	2.79498E-05	1.69148E-05
Variance	4.09238E-11	4.52629E-11
Observations	5	5
Pearson Correlation	-0.770464629	
Pooled Variance		3.5
df	7.979774215	
t	2.657883865	
P(T<=t) one-tail	0.016283478	
t Critical one-tail	1.894577508	
P(T<=t) two-tail	0.032566956	
t Critical two-tail	2.36462256	

t-Test: Two-Sample Assuming Unequal Variances

	<i>Control (30 min)</i>	<i>VPP(30 min)</i>
Mean	9.97248E-06	1.01719E-05
Variance	6.9646E-12	5.27002E-12
Observations	5	5
Pearson Correlation	-0.45485649	
Pooled Variance		3.5
df	7.849416156	
t	-0.127466696	
P(T<=t) one-tail	0.451077758	
t Critical one-tail	1.894577508	
P(T<=t) two-tail	0.902155516	
t Critical two-tail	2.36462256	

t-Test: Two-Sample Assuming Unequal Variances

	<i>Control (60 min)</i>	<i>VPP(60 min)</i>
Mean	0.000131864	1.02592E-05
Variance	9.13299E-10	1.0915E-10
Observations	5	5
Pearson Correlation	-0.525340274	
Pooled Variance		3.5
df	4.942631079	
t	8.503814441	
P(T<=t) one-tail	0.000524388	
t Critical one-tail	2.131846486	
P(T<=t) two-tail	0.001048777	
t Critical two-tail	2.776450856	

t-Test: Two-Sample Assuming Unequal Variances

	<i>Control (120 min)</i>	<i>VPP(120 min)</i>
Mean	8.46368E-07	4.43312E-07
Variance	2.12746E-12	1.72763E-13
Observations	5	5
Pearson Correlation	0.30722161	
Pooled Variance		3.5
df	4.645395891	
t	0.594245265	
P(T<=t) one-tail	0.292163783	
t Critical one-tail	2.131846486	
P(T<=t) two-tail	0.584327565	
t Critical two-tail	2.776450856	

t-Test: Two-Sample Assuming Unequal Variances

	<i>Control (240 min)</i>	<i>VPP(240 min)</i>
Mean	6.49724E-07	8.37822E-07
Variance	8.17484E-13	5.90495E-13
Observations	5	5
Pearson Correlation	-0.219469124	
Pooled Variance		3.5
df	7.797341623	
t	-0.354464008	
P(T<=t) one-tail	0.366714596	
t Critical one-tail	1.894577508	
P(T<=t) two-tail	0.733429193	
t Critical two-tail	2.36462256	

Statistic for GABA conc. in Rats' brain homogenate
t-Test: Two-Sample Assuming Unequal Variances

	<i>Control (0 min)</i>	<i>VPP (0 min)</i>
Mean	3.36378E-05	3.35759E-05
Variance	3.09745E-11	1.35738E-10
Observations	5	5
Pearson Correlation	0.898156923	
Pooled Variance	3.5	
df	5.735190274	
t	0.010713562	
P(T<=t) one-tail	0.495933154	
t Critical one-tail	2.015049176	
P(T<=t) two-tail	0.991866307	
t Critical two-tail	2.570577635	

t-Test: Two-Sample Assuming Unequal Variances

	<i>Control (15 min)</i>	<i>VPP(15 min)</i>
Mean	8.12893E-05	9.09902E-05
Variance	1.82393E-10	8.65344E-10
Observations	5	5
Pearson Correlation	0.962388977	
Pooled Variance	3.5	
df	5.614478862	
t	-0.670146752	
P(T<=t) one-tail	0.266232694	
t Critical one-tail	2.015049176	
P(T<=t) two-tail	0.532465387	
t Critical two-tail	2.570577635	

t-Test: Two-Sample Assuming Unequal Variances

	<i>Control (30 min)</i>	<i>VPP(30 min)</i>
Mean	0.000106227	0.000114021
Variance	3.70678E-10	1.02141E-09
Observations	5	5
Pearson Correlation	0.982454228	
Pooled Variance	3.5	
df	6.565392759	
t	-0.46711692	
P(T<=t) one-tail	0.328448824	
t Critical one-tail	1.943180905	
P(T<=t) two-tail	0.656897648	
t Critical two-tail	2.446913641	

t-Test: Two-Sample Assuming Unequal Variances

	<i>Control (60 min)</i>	<i>VPP(60 min)</i>
Mean	0.000131864	0.000142632
Variance	9.13299E-10	8.39642E-10
Observations	5	5
Pearson Correlation	0.789559694	
Pooled Variance	3.5	
df	7.98590025	
t	-0.575125449	
P(T<=t) one-tail	0.291605718	
t Critical one-tail	1.894577508	
P(T<=t) two-tail	0.583211436	
t Critical two-tail	2.36462256	

t-Test: Two-Sample Assuming Unequal Variances

	<i>Control (120 min)</i>	<i>VPP(120 min)</i>
Mean	0.0001472	0.000166763
Variance	1.54682E-11	6.55808E-10
Observations	5	5
Pearson Correlation	0.119932065	
Pooled Variance	3.5	
df	4.188586945	
t	-1.68831297	
P(T<=t) one-tail	0.083311099	
t Critical one-tail	2.131846486	
P(T<=t) two-tail	0.166622197	
t Critical two-tail	2.776450856	

t-Test: Two-Sample Assuming Unequal Variances

	<i>Control (240 min)</i>	<i>VPP(240 min)</i>
Mean	0.000176395	0.000187427
Variance	3.62239E-10	5.3952E-10
Observations	5	5
Pearson Correlation	0.802595157	
Pooled Variance	3.5	
df	7.702309983	
t	-0.82146312	
P(T<=t) one-tail	0.219230557	
t Critical one-tail	1.894577508	
P(T<=t) two-tail	0.438461114	
t Critical two-tail	2.36462256	

in vivo data

Calibration Data for GABA analysis

Peak area	mol/l	Average peak area	SD
167410	7.76E-07	175152.50	10949.55
182895	7.76E-07		
289060	1.16E-06	290950.50	2673.57
292841	1.16E-06		
310687	1.55E-06	319955.00	13106.93
329223	1.55E-06		
364305	1.94E-06	374309.00	14147.79
384313	1.94E-06		

Regression Statistics

Multiple R	0.9565743
R Square	0.9150344
Adjusted R Square	0.9008735
Standard Error	24645.081
Observations	8

Analysis of Variance

	df	Sum of Squares	Mean Square	F	Significance F
Regression	1	39246967268	3.925E+10	64.616824	0.0001981
Residual	6	3644280086	607380014		
Total	7	42891247354			

Regression coefficients

Coefficients	Standard Error	t Statistic	P-value
Intercept	70825.85	28634.99641	2.4734017
x1	1.615E+11	20087640283	8.038459

Observe area = (1.615E+11) x (Estimated Conc.)

Cortical GABA concentration in VPA treated rat N#1

Sample ID	Peak area	Conc.	%
Control 1	254220	1.14E-06	111.27
Control 2	239498	1.04E-06	102.34
Control 3	213213	8.82E-07	86.39
Avg. Control		1.02E-06	100.00
VPA 1	200114	8.01E-07	78.44
VPA 2	194660	7.67E-07	75.13
VPA 3	185821	7.12E-07	69.77

Cortical GABA concentration in VPA treated rat N#2

Sample ID	Peak area	Conc.	%
Control 1	255689	1.14E-06	129.69
Control 2	189135	7.33E-07	83.00
Control 3	195291	7.71E-07	87.32
Avg. Control		8.83E-07	100.00
VPA 1	219923	9.23E-07	104.60
VPA 2	209873	8.61E-07	97.55
VPA 3	197718	7.86E-07	89.02

Cortical GABA concentration in VPA treated rat N#3

Sample ID	Peak area	Conc.	%
Control 1	468591	2.46E-06	106.96
Control 2	442534	2.30E-06	99.95
Control 3	417042	2.14E-06	93.09
Avg. Control		2.30E-06	100.00
VPA 1	436898	2.27E-06	98.43
VPA 2	389713	1.97E-06	85.75
VPA 3	449605	2.35E-06	101.85

Cortical GABA concentration in VPA treated rat N#4

Sample ID	Peak area	Conc.	%
Control 1	293574	1.38E-06	103.67
Control 2	283238	1.32E-06	98.86
Control 3	280224	1.30E-06	97.46
Avg. Control		1.33E-06	100.00
VPA 1	281730	1.31E-06	98.16
VPA 2	280747	1.30E-06	97.70
VPA 3	230087	9.86E-07	74.13

Cortical GABA concentration in VPA treated rat N#5

Sample ID	Peak area	Conc.	%
Control 1	281510	1.30E-06	103.73
Control 2	271599	1.24E-06	98.85
Control 3	268708	1.23E-06	97.42
Avg. Control		1.26E-06	100.00
VPA 1	250153	1.11E-06	88.29
VPA 2	269210	1.23E-06	97.67
VPA 3	220632	9.28E-07	73.76

Cortical GABA concentration in VPP treated rat N#1

Sample ID	Peak area	Conc.	%
Control 1	257905	1.16E-06	111.20
Control 2	242969	1.07E-06	102.32
Control 3	216304	9.01E-07	86.47
Avg. Control		1.04E-06	100.00
VPP 1	213490	8.84E-07	84.80
VPP 2	187337	7.22E-07	69.26
VPP 3	188515	7.29E-07	69.96

Cortical GABA concentration in VPP treated rat N#2

Sample ID	Peak area	Conc.	%
Control 1	264506	1.20E-06	129.20
Control 2	195657	7.73E-07	83.27
Control 3	202026	8.13E-07	87.52
Avg. Control		9.28E-07	100.00
VPP 1	207507	8.46E-07	91.18
VPP 2	217110	9.06E-07	97.59
VPP 3	204536	8.28E-07	89.20

Cortical GABA concentration in VPP treated rat N#3

Sample ID	Peak area	Conc.	%
Control 1	475383	2.51E-06	106.94
Control 2	448948	2.34E-06	99.95
Control 3	423087	2.18E-06	93.11
Avg. Control		2.34E-06	100.00
VPP 1	564969	3.06E-06	130.62
VPP 2	395362	2.01E-06	85.78
VPP 3	456122	2.39E-06	101.85

Cortical GABA concentration in VPP treated rat N#4

Sample ID	Peak area	Conc.	%
Control 1	414960	2.13E-06	89.88
Control 2	523475	2.80E-06	118.22
Control 3	422698	2.18E-06	91.90
Avg. Control		2.37E-06	100.00
VPP 1	489117	2.59E-06	109.25
VPP 2	431106	2.23E-06	94.10
VPP 3	459725	2.41E-06	101.57

Cortical GABA concentration in VPP treated rat N#5

Sample ID	Peak area	Conc.	%
Control 1	312789	1.50E-06	103.60
Control 2	301777	1.43E-06	98.89
Control 3	298565	1.41E-06	97.51
Avg. Control		1.45E-06	100.00
VPP 1	300171	1.42E-06	98.20
VPP 2	299123	1.41E-06	97.75
VPP 3	315422	1.51E-06	104.73

% GABA concentration of VPA treated rats

Sample ID	N#1	N#2	N#3	N#4	N#5	Mean	SEM
Control 1	111.27	129.69	106.96	103.67	103.73	111.06	4.86
Control 2	102.34	83.00	99.95	98.86	98.85	96.60	3.46
Control 3	86.39	87.32	93.09	97.46	97.42	92.34	2.38
Avg. Control	100.00	100.00	100.00	100.00	100.00	100.00	0.00
VPA (10 min)	78.44	104.60	98.43	98.16	88.29	93.58	4.60
VPA (20 min)	75.13	97.55	85.75	97.70	97.67	90.76	4.54
VPA (30min)	69.77	89.02	101.85	74.13	73.76	81.70	6.01

% GABA concentration of VPP treated rats

Sample ID	N#1	N#2	N#3	N#4	N#5	Mean	SEM
Control 1	111.20	129.20	106.94	89.88	103.60	108.16	6.36
Control 2	102.32	83.27	99.95	118.22	98.89	100.53	5.55
Control 3	86.47	87.52	93.11	91.90	97.51	91.30	2.00
Avg. Control	100.00	100.00	100.00	100.00	100.00	100.00	0.00
VPP (10 min)	84.80	91.18	130.62	109.25	98.20	102.81	8.05
VPP (20 min)	69.26	97.59	85.78	94.10	97.75	88.89	5.37
VPP (30min)	69.96	89.20	101.85	101.57	104.73	93.46	6.46

Statistic in Microdialysis Experiments

t-Test: Two-Sample Assuming Unequal Variances		
	VPA(-30 min.)	VPP(-30 min.)
Mean	111.0631557	108.164609
Variance	118.0386412	202.1300444
Observations	5	5
Pearson Correlation	0.91615977	
Pooled Variance	3.5	
df	7.483744775	
t	0.362222881	
P(T<=t) one-tail	0.363936993	
t Critical one-tail	1.894577508	
P(T<=t) two-tail	0.727873986	
t Critical two-tail	2.36462256	

t-Test: Two-Sample Assuming Unequal Variances		
	VPA(10 min.)	VPP(10 min.)
Mean	93.58486759	102.8088322
Variance	105.7564313	323.8840599
Observations	5	5
Pearson Correlation	0.450273188	
Pooled Variance	-1.6605E-12	
df	6.360527665	
t	-0.995061737	
P(T<=t) one-tail	0.179063499	
t Critical one-tail	1.943180905	
P(T<=t) two-tail	0.358126999	
t Critical two-tail	2.446913641	

t-Test: Two-Sample Assuming Unequal Variances		
	VPA(-20 min.)	VPP(-20 min.)
Mean	96.59942825	91.30441053
Variance	59.84052303	19.94717294
Observations	5	5
Pearson Correlation	0.326205583	
Pooled Variance	3.5	
df	6.40003195	
t	1.325514425	
P(T<=t) one-tail	0.116617014	
t Critical one-tail	1.943180905	
P(T<=t) two-tail	0.233234029	
t Critical two-tail	2.446913641	

t-Test: Two-Sample Assuming Unequal Variances		
	VPA(20 min)	VPP(20 min)
Mean	90.76042542	88.8944946
Variance	102.838861	144.0922541
Observations	5	5
Pearson Correlation	0.983267023	
Pooled Variance	-1.6605E-12	
df	7.782778705	
t	0.265517183	
P(T<=t) one-tail	0.399130393	
t Critical one-tail	1.894577508	
P(T<=t) two-tail	0.798260786	
t Critical two-tail	2.36462256	

t-Test: Two-Sample Assuming Unequal Variances		
	VPA(-10 min.)	VPP(-10 min.)
Mean	92.337416	91.30441053
Variance	28.3215288	19.94717294
Observations	5	5
Pearson Correlation	0.880517632	
Pooled Variance	3.5	
df	7.766233627	
t	0.3324718	
P(T<=t) one-tail	0.374633758	
t Critical one-tail	1.894577508	
P(T<=t) two-tail	0.749267517	
t Critical two-tail	2.36462256	

t-Test: Two-Sample Assuming Unequal Variances		
	VPA(30 min)	VPP(30 min)
Mean	81.70419678	93.45974715
Variance	180.6007501	208.428524
Observations	5	5
Pearson Correlation	0.344294642	
Pooled Variance	-1.6605E-12	
df	7.959274554	
t	-1.332713594	
P(T<=t) one-tail	0.112184247	
t Critical one-tail	1.894577508	
P(T<=t) two-tail	0.224368494	
t Critical two-tail	2.36462256	



Curriculum vitae

Mr. Chatchai Powthongchin was born on 5th May, 1962, in Bangkok, Thailand. He had graduated with Bachelor Degree in Pharmacy in 1985 from Faculty of Pharmaceutical Sciences, Chulalongkorn University, Bangkok, Thailand. After graduation, he experienced in medical representation for several years before continuing the Master's Degree programme in Pharmaceutical Sciences at Chulalongkorn University in 1989. At present, he joins in the active academic staffs belonging to Faculty of Pharmacy, Silpakorn University.