

REFERENCES

Akera, T. and Brody, T.M. The role of Na^+, K^+ -ATPase in the inotropic action of digitalis. Am. Soci. Pharmacol. Exp. Ther. 29 (1978) : 187 - 220.

Anao R, Onodera K, Shima K, Kisora K, Tankahashi M, Osawa K. Folia Pharmacol. Jap 1977 : 73:955. Taken from Virus RM, Gebhart GF Life Science 25 (1979) : 1273 - 1284.

Angkapindu, A. The Effect of Ions on the Response of the Embryonic Chicken Heart to Ouabain. J. Pharmaceu. Sci. 1(1974) : 54 - 64.

Arletti, R. ; Bazzani, C. and Bertolini, A. Inhibition of protein synthesis reduces the positive inotropic effect of ouabain. Arch. Int. Pharmacodyn. Ther. 262 (1983) : 47 - 55.

Ashton, J.H., Iwamoto, G.A., Longhurst, J.C. and Mitchell, J.H. Reflex cardiovascular depression induced by capsaicin injection into canine liver. Am J. Physiol. 241 (1982) : H 117-H 128.

Bachmaier, A.; Ebner, F. and Reiter, M. Potassium changes the relationship between receptor occupancy and the inotropic effect of cardiac glycosides in guinea-pig myocardium. Br.J. Pharmacol. 85 (1985) : 755 - 765.

Bodemann, H.H. The current concept for the cardiac glycoside receptor. Clin. Cardiol. 4 (1981) : 223 - 228.

Bond, S.M., Cervero, F. and McQueen, D.S. Influence of neonatally administered capsaicin on baroreceptor and chemoreceptor reflexes in the adult rat. Br. J. Pharmacol. 77 (1982) : 517 - 524.

Buck, S.H. and Burks, T.F. Capsaicin : Hot new pharmacological tool. Trends Pharmacol. Sci. 4 (1983) : 84-87

Chudapongse, P. and Janthasoot, W. Studies on the effect of capsaicin on metabolic reactions of isolated rat liver mitochondria. Toxicol. Appl. Pharmacol. 37 (1976) : 263 - 270.

_____. and Janthasoot, W. Mechanism of the inhibitory action of capsaicin on energy metabolism by rat liver mitochondria. Biochem. Pharmacol. 30 (1981) : 735-740.

_____. and Dhummaupakorn, P. Cardiac effect of Capsaicin and its influence on the actions of clinically important cardiac-active Drugs. Rachanapiseksompoj Research Fund. Chulalongkorn University. (1983)

Coleridge, H.M., Coleridge, J.C.G. and Kidd, C. Role of the pulmonary arterial baroreceptors in the effects produced by capsaicin in the dog. J. Physiol. (Lond.) 170 (1964) : 272 - 285.

Crayton, S.C., Mitchell, J.H. and Payne, F.C. Reflex cardiovascular response during injection of capsaicin into skeletal muscle. Am. J. Physiol. 240 (1981) : H 315 - H 319.

Cuello, A.C. and Kanazawa, I. The distribution of substance P immunoreactive fibers in the rat central nervous system. J. Comp. Neurol. 178 (1978) : 129 - 156.

Elliott, C.K.; Lampson, W.G.; Schaffer, S.W. and Walter. Action of substance P on the working rat heart. Biochem. Parma col. 32 (1983) : 1097 - 1100.

Finet, M., Godfraind, T., Noel, F. The inotropic effect of ouabain and its antagonism by dithydrourabain in rat isolated. atria and ventricles in relation to specific binding sites. Br. J. Pharmacol. 80 (1983) : 751 - 759.

Fozzard, H.A. and Sheets, M.F. Cellular mechanism of action of cardiac glycosides. J. Am. Coll. Cardiol. 5 (1985) : 10 A - 15 A.

Franco-Cereceda and Lundberg, J.M. Calcitonin gene-related peptide (CGRP) and capsaicin-induced stimulation of heart contractile rate and force. Naunyn-Schmiedeberg's Arch. Exp. Pharmacol. 331 (1985) : 146 - 151.

_____. Henke, H.; Lundberg, J.M. Petermann, J.B. ; Hokfelt, T. and Fischer, J.A. Calcitonin gene-related peptide (CGRP) in capsaicin-sensitive substance P-immunoreactive sensory neurons in animals and man : distribution and release by capsaicin. Peptides. 8 (1987) : 399 - 410.

Furness, J.B., Elliott, J.M., Murphy, R., Costa, M. and Chalmers, J.P.
Baroreceptor reflexes in conscious guinea-pigs are unaffected
by depletion of cardiovascular substance P nerves. Neurosci.
Lett. 32 (1982 a) : 285 - 290.

_____. Papka, R.E., Della, N.G., Costa, M. and Eskay, R.L.
Substance P - like immunoreactivity in nerves associated with
the vascular system of guinea-pigs. Neuroscience (1982 b):
447 - 459.

Gamse, R., Holzer, P. and Lembeck, F. Decrease of substance P in the
primary afferent neurons and impairment of neurogenic plasma
extravasation by capsaicin. Brit. J. Pharmacol. 68 (1980) :
207 - 213.

_____. Leeman, S.E., Holzer, P. and Lembeck, F. Differential effects
of capsaicin on the content of somatostatin, substance P, and
neurotensin in the nervous system of the rat. Naunyn- Schmied.
Arch. Pharmacol. 317 (1981) : 140 - 148.

Gillis, R.A., Helke, C.J., Hamilton, B.L., Norman, W.P. and Jacobowitz,
D.M. Evidence that substance P is a neurotransmitter of
baro- and chemoreceptor afferents in nucleus tractus
solitarius. Brain Res. 181 (1980) : 476 - 481.

Godfraind, T. The therapeutic mode of action of cardiac glycosides.
Arch. int. Pharmacodyn. 206 (1973) : 384 - 388.

Goth, A. Medical Pharmacology. Sixth edition. (1972) : 361 - 376.

Gupta, R.S.; Chopra, A. and Stetsko, D.K. Cellular basis for the species differences in sensitivity to cardiac glycosides (digitalis). J.Cell.Physiol. 127 (1986) : 197 - 206.

Haeusle and Osterwalder, R. Is substance P the transmitter at the first synapse of the baroreceptor reflex in rats and cats? Clin.Sci. 59 (1980 a) : 295 - 297 .

_____. and Osterwalder , R. Evidence suggesting a transmitter of neuromodulatory role for substance P at the first synapse of the baroreceptor reflex. Naunyn-Schmied. Arch. Pharmacol. 314 (1980 b) : 111 - 121.

Hayward, R. and Hamer, J. Digitalis. Drugs for Heart Disease. (1979) : 244 - 317 .

Helke, C.J., O'Donohue, T.L. and Jacobowitz, D.M. Substance P as a baro- and chemoreceptor afferent neurotransmitter : immunocytochemical and neurochemical evidence in the rat. Peptides 1 (1980) : 1 - 9.

Hodge, F.D. The Chemistry of capsicum. Drug Cosmet. Ind. 49 (1941) : 516.

Issekutz, B., Lichtneckert, I. and Nagy, H. Effect of capsaicin and histamine on heat regulation. Arch. Int.Pharmacodyn. 81(1950): 35 - 46 .

Jansco-Gabor , A., Szolcsanyi, J. and Jansco, N. Irreversible impairment of thermoregulation induced by capsaicin and similar pungent substances in rats and guinea pigs. J. Physiol. (Lond.) 206 (1970 a) : 495 - 507.

.Szolcsanyi, J. and Jansco, N. Stimulation and desensitization of the hypothalamic heat sensitive structures by capsaicin in rats. J.Physiol.(Lond.) 208 (1970 b) : 449 - 459.

Jancso, G., Kiraly, E. and Jancso - Gabor, A. Pharmacologically induced selective degeneration of chemosensitive primary sensory nevrons. Nature 270 (1970) : 741 - 743.

.and Wolleman, M. The effect of capsaicin on the adenylate cyclase activity of rat brain. Brain Res. 123 (1977) : 323 - 329.

.and Such, G. Effects of capsaicin applied perineurally to the vagus nerve on cardiovascular and respiratory functions in the cat. J.Physiol.(Lond.) 341 (1983) : 359 - 370.

Jessell, T.M., Iversen, L.L. and Cuello, A.C. Capsaicin induced depletion of substance P from primary sensory neurons. Brain Res. 152 (1978) : 183 - 188.

Kennedy, R.H. and Seifen , E. Aging : Ouabain-Sensitive $^{86}\text{Rb}^+$ Uptake rate and responsiveness to digoxin in rat left atrial muscle. J.Pharmacol.Exp.Ther. 248 (1989) : 104 - 110.

Ketusinh, O., Dharanintra, B. and Juengjareon, K. Influence of capsaicin solution on gastric acidities. Am.J.Proc. 17 (1966) : 511 - 515.

Khatter, J.C. ; Agbanyo , M. ; Hoeschen, R.J.; Navaratnam, S. and Bains, R. Digitalis-induced mechanical toxicity : protection by slow Ca^{++} channel blockers. J.Pharmacol. Exp. Ther. 239 (1986) : 206 - 210.

Kulakowski, E.C., Lampson, W.G., Schaffer, S.W. and Lovenberg, W. Action of substance P on the working rat heart. Biochem. Pharmacol. 32 (1983) : 1097 - 1100.

Laburn, H.P., Rosendorff, C., Willies, G. and Woolf C. A role for noradrenaline and cyclic AMP in prostaglandin E₁ fever. J. Physiol. (Lond.) 240 (1974) : 49 - 50 .

Lee, S.O. Studies on the influence of diets and lipotropic substances upon the various organs and metabolic changes in rabbits on long-term feeding with red pepper. Histopathologic changes of the liver and spleen. Korea J. Inter. Med. 6 (1963) : 383 - 400.

Lee, T.S. Physiological gustatory sweating in warm climate. J. Physiol 124 (1954) : 528 - 42.

Lille, J. de. and Ramirez, E. Pharmacodynamic action of the active principles of chille (*Capsicum annuum* L.). Anales inst. biol. (Mex). 6 (1935) : 23 - 37.

Limlomwongse, L., Chaitauchwong, C. and Tongyai, S. Effect of capsaicin of gastric acid secretion and mucosal blood flow in the rat. J.Nutr. 109 (1979) : 773 - 777.

Ljungdahl, A., Hokfelt, T. and Nilsson, G. Distribution of substance P-like immunoreactivity in the central nervous system of the rat. 1. Cell bodies and nerve terminals. Neurosci. 3 (1978) : 861 - 943.

Longhurst, J.C., Ashtion, J.H. and Iwamoto, G.A. Cardiovascular reflexes resulting from capsaicin-stimulated gastric receptors in anesthetized dogs. Circ. Res. 46 (1980) : 780 - 788.

Lopez, J.A.; Timmis, A.D.; Garan, H.; Homcy, C.J. and Powell, W.J. Effect of intracarotid administration of ouabain in dogs. Am. J.Physiol. 251 (1988) : 148 - 155.

Lorell, B.H., Isoyama, S., Grice, W.N.; Weinberg, E.O. and Apstern, C.S. Effects of ouabain and isoproterenol in left ventricular diastolic function during low-flow ischemia in isolated, blood-perfused rabbit hearts Circ.Res. 63 (1988) : 457 - 467

Lorez, H.p., Haeusler, G. and Aepli, L. The capsaicin treated rat : a suitable model to study the role of substance P in baroreceptor reflex function ? Neurosci. Lett. 7 (1981) : 520

Lundberg, J.M., Hokfelt, T., Nilsson, G., Terenius, L., Rehfeld, J., Elde, R. and Said, S. Peptide neurons in the vagus, splanchnic and sciatic nerves. Acta Physiol. Scand. 104 (1978) : 449 - 501.

Miyauchi, T. ; Ishikawa, T.; Sugishita, Y.; Saito, A. and Goto , K. Effects of capsaicin on nonadrenergic noncholinergic nerves in the guinea pig atrial:role of calcitonin gene-related peptide as cardiac neurotransmitter. J.Cardiovasc. Pharmacol. 10 (1987) : 675 - 682.

_____.Ishikawa, T.; Sugishita, Y.; Saito, A. and Goto, K. Involvement of calcitonin gene-related peptide in the positive chronotropic and inotropic effects of piperine and development of cross-tachyphylaxis between piperine and capsaicin in the isolated rat atria. J.Pharmacol. Exp. Ther. 248 (1989) : 816 - 824.

Molnar J., Gyorgy, L., Unyi, G. and Kenyeres, J. Effect of capsaicin on the isolated ileum and auricle of the guinea pig. Acta Physiol. Acad. Sci. Hung. 35 (1969) : 369 - 374.

Moreland, R.S.; Major, T.C. and Webb, R.C. Contractile responses to ouabain and K⁺-free soulution in aorta from hypertensive rats. Am.J.Physiol. 250(1986) : 612 - 619.

Nagy, J.I. and Vincent, S.R., Staines, W.A., Fibiger, H.C., Reisine, T.D. and Yamamura, H.I. Neurotoxic action of capsaicin on spinal substance P neurons. Brain Res. (1980) : 435 - 444.

_____. Capsaicin's action on the nervous system. Trends Neurosci. 5 (1982) : 362 - 365.

Naiwatanakul, R. The Influence of capsaicin on the actions of cardiac drugs on isolated rat atria. M.S. Thesis, Chulalongkorn University. (1984).

Nelson, E.K. and Dawson, L.E. The constitution of capsaicin, the pungent principle of capsicum. J. Amer. Chem. Soc. 45 (1923) : 2179.

Nopanitaya, W. and Nye, S.W. Duodenal mucosal response to the pungent principle of hot pepper (capsaicin) in the rat : light and electron microscopic study. Toxicol. Appl. Pharmacol. 30 (1974) : 149 - 161.

Ordway, G.A. and Longhurst, J.C. Cardiovascular reflexes arising from the gallbladder of the cat. Effects of capsaicin, bradykinin and distension. Circ. Res. 52 (1983) : 26 - 35.

Papka, R.E. and Urban, L. Distribution origin and sensitivity to capsaicin of primary afferent substance P-immunoreactive nerves in the heart. Acta Physio. Hung. 69 (1987) : 459 - 468.

_____. Furness, J.B.; Della, N.G. and Costa, M. Depletion by capsaicin of substance P-immunoreactivity and acetylcholinesterase activity from nerve fibers in the guinea-pig heart. Neurosci. Lett. 18 (1981) : 47 - 53.

Porszasz, J., Gyorgy, L. and Porszasz-Gibiszer, K. Cardiovascular and respiratory effects of capsaicin. Acta Physiol. Acad. Sci. Hung. 8 (1955) : 61 - 76.

_____. Such, G. and Porszasz-Gibiszer, K. Circulatory and respiratory chemoreflexes. I. Analysis of the site of action and receptor types of capsaicin. Acta Physiol. Acad. Sci. Hung. 12 (1957) : 189 - 205.

_____. Jansco N. Studies on the action potentials of sensory nerves in animals desensitized with capsaicin. Acta physiol. Acad. Sci. Hung. 16 (1959) : 229 - 305.

Rathore, H.; From, A.H.L.; Ahmed, K. and Fullerton, D.S. Cardiac glycosides. 7. sugar stereochemistry and Cardiac glycoside Activity. J.Med.Chem. 29(1986) : 1945 - 1952.

Reinecke, M., Weihe, E. and Forssmann, W.G. Substance P-immunoreactive nerve fibers in the heart. Neurosci. Lett. 20 (1980) : 265 - 269.

Rosenfeld, M.G. ; Mermod, J.J. ; Amara, S.G. ; Swanson, L.W. ; Sawchenk, P.E. ; Rivier, J. ; Vale, W.W. and Evans, R.M. Production of a novel neuropeptide encoded by the calcitonin gene via tissue-specific RNA Processing. Nature. 304 (1983) : 129-132.

Saito , A.; Kimura, S.; Goto, K. Calcitonin gene-related peptide as potential neurotransmitter in guinea pig right atrium. Am.J. Physiol. 250 (1986) : H 693 - 698.

Scadding, J.W. The permanent anatomical effects of neonatal capsaicin on somatosensory nerves. J.Anat. 131 (1980) : 473 - 484.

Sigrist, S.; Franco-Cereceda, A. ; Muff, R.; Henke, H. ; Lundberg, J. M. and Fischer, J.A. Specific receptor and cardiovascular effects of calcitonin gene-related peptide Endocrinology 119 (1986) : 381 - 389.

Sirsat, S.M. and Khanolkar, V.R. Submucous fibrosis of the palate in diet-preconditioned wistar rats. (Induction by local painting of capsaicin-An optical and electron microscope study.) Arch. Pathol. 70 (1960) : 171 - 179.

Szolcsanyi, J., Joo, F., and Jancso-Gabor, A. Mitochondrial changes in preoptic neurons after capsaicin desensitization of the hypothalamic thermodetectors in rats. Nature (Lond.) 229 (1971) : 116 - 117.

Tantipongse, C. Effect of capsaicin on the rate and contractile force of isolated rat atria. M.S.Thesis Chulalongkorn University. (1983).

Temma, K. and Akera, T. Enhancement of Cardiac actions of ouabain an its binging to Na^+ , K^+ -adenosine triphosphatase by increased sodium Influx in isolated guinea-pig heart. J.Pharmacol.Exp. Ther. 223(1982) : 490 - 496.

Theriault D, Otsuka M, Jessel T. Capsaicin evoked release of substance P from primary neurones. Brain Res. 170 (1979) : 209 - 13.

Toda, N., Usui, H., Nishino, N. and Fujiwara, M. Cardiovascular effects of capsaicin in dogs and rabbits. J. Pharmacol. Exp. Ther. 181 (1972) : 512 - 521.

Toh, C.C., Lee, T.S. and Kiang, A.K. The pharmacological actions of capsaicin and analogues. Br. J. Pharmacol. 10 (1955) : 175 - 182.

Tse, W.W. and Han, J. Interaction of Epinephrine and Ouabain on Automaticity of canine purkinje fibers. Circ. Res. 34 (1974).

Viranuvatti, V., Kalayasiri, C., Chearani, O. and Plengvanit, U. Effects of capsaicin solution on human gastric mucosa as observed gatroskopically. Am.J.Gastroenterol. 58 (1972) : 225 - 232.

Virus, R.M. and Gebhart, G.F. Pharmacologic Actions of Capsaicin : Apparent involvement of substance P and serotonin. Life Sci. 25 (1979) : 1273 - 1284.

Webb-Peploe, M.D., Brender, D. and Shepherd, J.T. Vascular responses to stimulation of receptors in muscle by capsaicin. Am.J. Physiol. 22 (1972) : 189 - 195.

Yaksh, T.L., Farb, D.H., Leeman, S.E. and Jessell, T.M. Intrathecal capsaicin depletes substance P in the rat spinal cord and produces prolonged thermal analgesia. Science 206 (1979) : 481 - 483.

ประวัติผู้เขียน

นางสาวจริยาพร พฤกษ์ไฟบุญ เกิดวันที่ 2 สิงหาคม 2507 นครปฐม จบการศึกษาระดับปริญญาตรี จากมหาวิทยาลัยขอนแก่น จังหวัดขอนแก่น ประเทศไทย ปี พ.ศ.2530 วิทยาศาสตรบัณฑิต สาขาชีววิทยา (จุลชีววิทยา)

