

REFERENCES



- Anderson, C.A., 1969, " Massive Sulfides and Volcanism." Econ.Geol. 64, p.129-146.
- Bain, G.W., 1960, " Patterns to Ores in Layered Rocks." Econ.Geol. 55, p.695-731 .
- Barnes, H.L., and Czamanske, G.K., 1967, " Solubilities and Transport of Ore Minerals." In H.L.Barnes (ed.), Geochemistry of Hydrothermal Ore Deposits, Holt, Rinchart and Winston Inc , New York, p.334-381.
- Barton, P.B., and Toulmin, P., 1966, " Phase Relations Involving Sphalerite in the Fe-Zn-S System." Econ.Geol. 61, p.815-849.
- Bernard, A.J., 1973, " Metallogenic Processes of Intra-Karstic Sedimentation." In G.C. Amstutz and A.J.Bernard (eds.), Ores in Sediments, Union of Geological Sciences, Series A, no.3, Springer-Verlag, Berlin, Heidelberg, New York, p.350.
- Bischoff, J.L., 1969, " Red Sea Geothermal Brines Deposits : Their Mineralogy, Chemistry and Genesis. " In E.T. Degens and D.A. Ross (eds.), Hot Brines and Recent Heavy Metal Deposits in the Red Sea, Springer-Verlag New York Inc., New York, p.368-401.
- Brown, G.F., et al., 1953, "Geologic Reconnaissance of the Mineral Deposits of Thailand." U.S. Geol. Surv. Bull. 984. 183 p.

- Climatological Data of Thailand for 25 Year Period 1951-1975,
Meteorological Department, Ministry of Communications,
Bangkok, Thailand, p.30.
- Degens, E.T., and Ross, D.A. (eds.), 1969, Hot Brines and Recent Heavy Metal Deposition in the Red Sea, Springer-Verlag
New York Inc., New York.
- Diehl, P., and Kern, H., 1979, Geostatistical Ore Reserve Evaluation of a Strata-bound Lead-Zinc Deposit in Carbonate Sediments,
Kiel University, West Germany, p.366-374.
- Dunham, R.J., 1962, " Classification of Carbonate Rocks According to Depositional Texture. " In W.E.Ham (ed.), Classification of Carbonate Rocks, Am.Assoc. Petrol. Geol. Mem.1, p.108-121.
- Folk, R.L., 1968, Petrology of Sedimentary Rocks, Hemphill's, Austin, Texas, 170 p.
- Friedman, G.M., 1959, " Identification of Carbonate Minerals by Staining Methods." J. Sed. Petrology 29, p.87-97.
- , and Sander, J.E., 1967, " Origin and Occurrence of Dolostones." In G.V. Chilingar, H.J., Bissell and R.W. Fairbridge (eds.), Carbonate Rocks-Development in Sedimentology 9A, p.267-348.
- Gary, M., et al., 1972, Glossary of Geology, Am. Geol. Inst., Washington, D.C., 805 p.
- German Geological Mission, Thailand, Final Report, 1972, Geological Survey of The Federal Republic of German, Hannover, 94 p.

- Grabau, A.W., 1913, Principles of Stratigraphy, Seiler, New York, N.Y., 1185 p.
- Hagen, D., and Kemper, E., 1976, " Geology of The Thong Pha Phum Area (Kanchanaburi Province, Western Thailand)." Geol. 7b. 321, Hannover, p.53-91.
- Hagni, R.D., 1976, " Tri-State Ore Deposits : The Character of Their Host Rocks and Their Genesis." In K.H.Wolf,(1976) (ed), Handbook of Strata-bound and Stratiform Ore Deposits, Elsevier Scientific Publishing Company, Amsterdam, Oxford, New York, v.6, p.457-494.
- Helgeson, H.C., 1964, Complexing and Hydrothermal Ore Deposition, Pergamon Press, Oxford,London, New York, Paris, 128 p.
, 1967, " Solution Chemistry and Metamorphism." In P. Abelson (ed.), Researches in Geochemistry, v.II, John Wiley & Sons, New York, p.362-404.
- Javanaphet, C., 1969, Geological Map of Thailand, Scale 1:1,000,000, with 15 Pages of Explanatory Text, Department of Mineral Resources, Bangkok, Thailand.
- Kallickoski, J., 1966, " Diagenetic Pyritization in Three Sedimentary Rocks." Econ.Geol. 61, p.872-885.
- Kaplan, I.R., et al., 1963, " The Distribution and Isotopic Abundance of Sulfur in Recent Marine Sediments off Southern California." Geochim. Cosmochim. Acta 27, p.297-331.
,1969, " Sulfur Isotope Studies on Red Sea Geothermal Brines and Sediments." In E.T. Degens and D.A. Ross (eds.), Hot Brines and Recent Heavy Metal Deposits in the Red Sea, Springer-Verlag New York Inc., New York, p.474-498.

- Koch, K.E., 1973, " Geology of the Region Sri Sawat-Thong Pha Phum-Sangkhlaburi (Kanchanaburi Province/Thailand)." Geol. Soc. Malaysia. Bull. 6, p.177-185.
- Kuchelka, R.A., 1981, " Song Toh-Development of a New Metal Mine Under Tropical Conditions in Thailand. " Erzmetall 34, Nr. 7/8, p.417-423.
- Love, L.G., and Amstutz, G.C., 1966, " Review of Microscopic Pyrite from the Devonian Chattanooga Shale and Rammelsberg Banderz." Fortschr. Mineral. 43, p.273-309.
- Lovering, T.S., 1961, " Sulfide Ores formed from Sulfide Deficient Solutions." Econ. Geol. 56, p.68-99.
- Lunjuan, A., and Lovachalasupaporn, S, 1980, Geological Map of Thailand, Scale 1:1,000,000 (Unpublished), Geological Survey Division, Department of Mineral Resources, Bangkok, Thailand.
- Niggli, P., 1954, Rocks and Mineral Deposits, W.H. Freeman and Company, San Francisco, 559 p.
- Pettijohn, F.J., 1957, Sedimentary Rocks, second edition, Harper & Row Publishers, New York, Evanston, and London, 718 p.
- Sander, J.E., and Friedman, G.M., 1967, " Origin and Occurrence of Limestone." In G.V. Chilingar, H.J., Bissell and R.W. Fairbridge (eds.), Carbonate Rocks-Development in Sedimentology 9A, p.169-265.
- Schulz, O., 1976, " Typical and Nontypical Sedimentary Ore Fabrics." In K.H. Wolf (ed.), Handbook of Stratabound and Stratiform Ore Deposits, Elsevier Scientific Publishing Company, Amsterdam, Oxford, New York, v.3, p.295-338.

- Scott, S.D., and Kissin, S.A., 1973, "Sphalerite Composition in the Zn-Fe-S System Below 300°C." Econ.Geol. 68, p.475-479.
- Siemes, H., 1976, "Recovery and Recrystallization of Experimentally Deformed Galena." Econ.Geol. 71, p.763-771.
- Skinner, B. J., et al., 1967, "Sulfide Associated with the Salton Sea Geothermal Brines." Econ. Geol. 62, p.316-330.
- Smith, R.M., and Rachadawong, S., 1960, Report of Examination, Nong Phai Lead-Zinc Mine, Amphoe Sri Sawat, Kancharaburi Province, Thailand, 11p.
- Stanton, R.L., 1964, "Mineral Interfaces in Stratiform Ores." Trans. Inst.Mining Met. 74, p.45-79.
- , and Willey, H.G., 1970, "Natural Work-Hardening in Galena and Its Experimental Reduction." Econ.Geol. 65, p.182-194.
- , 1971, "Recrystallization Softening and Hardening in Sphalerite and Galena." Econ. Geol. 66, p.1232-1238.
- , 1972, "Experiments on a Specimen of Galena Ore from Coeur d'Alene, Idaho." Econ.Geol. 67, p.776-788.
- , 1972, Ore Petrology, McGraw-Hill Book Company, 713 p.
- Sweeney, R.E., and Kaplan, I.R., 1973, "Pyrite Framboidal Formation : Laboratory Synthesis and Marine Sediments." Econ.Geol. 68, p.618-634.

- White, D.E., 1968, " Environments of Generation of Some Base-metal Ore Deposits." Econ.Geol. 63, p.301-335.
- Workman, D.R., 1975, " Tectonic Evolution of Indochina" Jour.of the Geol.Society of Thailand, v.1,no. 1-2, p.3-19.
- Yokart, B., 1977, " Mineralography and Geochemistry of Lead-Zinc Deposits in Northwestern Thailand." Master of Science Thesis (Unpublished), Chiang Mai University, Thailand, 201 p.



BIODATA

Mr. Pichya Permthong was born in Ayudhya Province, Thailand, on July 28, 1953. He graduated from the Department of Geology, Faculty of Science, Chulalongkorn University in 1977 with a B.Sc. degree in Geology. His past experiences are as follows : two months on the job-training with Geological Survey Division, Department of Mineral Resources (DMR.) in regional geological mapping in north-eastern Thailand in 1974 ; a month on the job-training with S.K. Minerals Company in fluorite open-pit mine, Krabi province, southern Thailand in 1975. In 1980, he was granted a teaching assistantship in the Department of Geology for six months and, later on, worked as a geologist of Base-metal Section, Economic Geology Division Department of Mineral Resources, Bangkok, Thailand for one year and a month during 1980 and 1981.